



JOURNAL of the
**AMERICAN ACADEMY OF
DERMATOLOGY**

Editors

Richard L. Dobson, MD *Editor*

Bruce H. Thiers, MD *Associate Editor*

Assistant Editors

Philip C. Anderson, MD
Walter H. C. Burgdorf, MD
Philip M. Catalano, MD
P. Haines Ely, MD

Pearl E. Grimes, MD
W. Clark Lambert, MD
Alfred T. Lane, MD
W. Mitchell Sams, Jr., MD

Daniel N. Sauder, MD
Maria L. Chanco Turner, MD
Ronald G. Wheeland, MD

Founding Editor

J. Graham Smith, Jr., MD

Editorial Board

Robert M. Adams, MD
Mohamed A. Amer, MD
Ronald J. Barr, MD
Jeffrey D. Bernhard, MD
Martin M. Black, MD
Gary J. Brauner, MD
Jeffrey P. Callen, MD
Ruggero Caputo, MD
Enno Christophers, MD
Stanley I. Cullen, MD
Mark V. Dahl, MD
Luciano Dominguez-Soto, MD
Lynn A. Drake, MD
Charles N. Ellis, MD
Yehudi M. Felman, MD
Gillian M. P. Galbraith, MD
Mauricio Gohman-Yahr, MD
Loren E. Golitz, MD

Jon M. Hanifin, MD
Uwe-Frithjof Haustein, MD
Karl Holubar, MD
William D. James, MD
Joseph L. Jorizzo, MD
Steven R. Kohn, MD
Steven Kossard, PhD
Charles Lapiere, MD
Thomas J. Lawley, MD
Sungnack Lee, MD
James J. Leyden, MD
Clifford W. Lober, MD
Jose M. Mascaro, MD
Larry E. Millikan, MD
Brian J. Nickoloff, MD
Muneo Ohkido, MD
Jean-Paul Ortonne, MD

Amy S. Paller, MD
Neal S. Penneys, MD
Warren W. Piette, MD
Vera H. Price, MD
Michel Prunieras, MD
Randall K. Roenigk, MD
Roy S. Rogers III, MD
Eleanor E. Sahn, MD
Richard K. Scher, MD
Robert A. Schwartz, MD
Mary K. Spraker, MD
William D. Stewart, MD
John D. Stratigos, MD
Neil A. Swanson, MD
Klaus Wolff, MD
Kim B. Yancey, MD
Hugh F. Zachariae, MD

Volume 27, July-December 1992

OFFICIAL PUBLICATION OF THE AMERICAN ACADEMY OF DERMATOLOGY

Mosby-Year Book, Inc., St. Louis, publisher

Published monthly

VOLUME 27

COPYRIGHT © 1992 by
AMERICAN ACADEMY OF DERMATOLOGY, INC.
(ALL RIGHTS RESERVED)

Printed in the United States of America

Index to volume 27

Author Index

A

- AAD Advisory Board, CTFA Task Force on Cosmetics, Larsen WG, Jackson EM, Barker MO, Bednarz RM, Engasser PG, O'Donoghue MN, Strauss JS. A primer on cosmetics. 1992;27:469-84 (From the Academy)
- Abe T (see Kanzaki et al). 1992;27:883-5 (Case rep.)
- Abeck D, Gross GE, Kuwert C, Steinkraus V, Mensing H, Ring J. Acetaminophen-induced progressive pigmentary purpura (Schamberg's disease). 1992;27:123-4 (Brief comm.)
- Abramovits-Ackerman W, Bustos T, Simosa-Leon V, Fernandez L, Ramella M. Cutaneous findings in a new syndrome of autosomal recessive ectodermal dysplasia with corkscrew hairs. 1992;27:917-21
- Abreo F, Sanusi ID. Basal cell carcinoma in North American blacks. 1992;27:787-8 (Letter reply)
- Adachi A, Tani M, Matsubayashi S, Shibata K, Horikawa T, Murata Y, Kumano K. Immunoelectronmicroscopic differentiation of linear IgA bullous dermatosis of adults with coexistence of IgA and IgG deposition from bullous pemphigoid. 1992;27:394-9
- Adler-Storzh K (see Ficarra et al). 1992;27:855-8 (Case rep.)
- Agin P. Broad-spectrum protection in sunscreen products. 1992;27:648-9 (Letter)
- Agin PP, Stanfield JW. Screening photoprotective agents against UVA radiation. 1992;27:136-7 (Letter)
- Aizen E (see Gilhar et al). 1992;27:710-6
- Albers SE, Brozena SJ, Glass LF, Fenske NA. Alkaptonuria and ochronosis: case report and review. 1992;27:609-14 (Clin. rev.)
- Al-Harzi SA, Mahmoud SF, Ejeckam GC. Woolly hair nevus syndrome. 1992;27:259-60 (Brief comm.)
- Allen C (see Camisa et al). 1992;27:547-53
- Altman DA, Banse L. Zosteriform speckled lentiginous nevus. 1992;27:106-8 (Brief comm.)
- Amon U, Wolff HH. Systemic therapy with cyclosporine. 1992;27:278-9 (Letter)
- Anderson PC. Lichen planus. 1992;27:647 (Letter)
- Ang CB (see Ng et al). 1992;27:263 (Brief comm.)
- Angritt P (see Smith et al). 1992;27:943-50
- Arai H (see Teramoto et al). 1992;27:276 (Letter)
- Armstrong RB, Kim H-J, Grippo JF, Levin AA. Retinoids for the future: investigational approaches for the identification of new compounds. 1992;27:S38-42
- (see Sendagorta et al). 1992;27:S15-8
- Arregui MA (see Gardeazabal et al). 1992;27:838-42 (Case rep.)
- Arzubiaga C (see Zic et al). 1992;27:729-36 (Therapy)
- Ashinoff R, Geronemus RG. Q-switched ruby laser treatment of labial lentigos. 1992;27:809-11 (Case rep.)
- Asselin D (see Brodell et al). 1992;27:621-2 (Brief comm.)
- Auffret N, Quint L, Domart P, Dubertret L, Lecam JY, Binet O. Pityriasis rubra pilaris in a patient with human immunodeficiency virus infection. 1992;27:260-1 (Brief comm.)

B

- Baccard M (see Borradori et al). 1992;27:863-7 (Case rep.)
- Bachmann H (see Mrowietz et al). 1992;27:491-2 (Letter)
- Baez O (see Jiménez-Acosta et al). 1992;27:316-9 (Case rep.)

- Bagot M, Wechsler J, Lescs M-C, Revuz J, Farcet J-P, Gaulard P. Intraepidermal localization of the clone in cutaneous T-cell lymphoma. 1992;27:589-93
- Banase L (see Altman and Banase). 1992;27:106-8 (Brief comm.)
- Bardazzi F (see Tosti et al). 1992;27:706-10
- Barker JNWN (see McGregor et al). 1992;27:383-8
- Barker MO (see AAD Advisory Board et al). 1992;27:469-84 (From the Academy)
- Barnadas MA, López D, Pujol RM, García-Patos V, Curell R, de Moragas JM. Pustular lymphomatoid papulosis in childhood. 1992;27:627-8 (Brief comm.)
- Barnetson RStC (see Tong et al). 1992;27:872-6 (Case rep.)
- Barnhill R (see Duray et al). 1992;27:741-9 (Dermatopathology)
- Bassan-Andrieu L (see Taieb et al). 1992;27:55-60
- Bazex JA (see Dubertret et al). 1992;27:983-8 (Therapy)
- Becker B (see Obuch et al). 1992;27:667-73
- Bednarz RM (see AAD Advisory Board et al). 1992;27:469-84 (From the Academy)
- Belsito DV (see Fowler et al). 1992;27:962-8
- Benedetto AV, Griffin TD, Benedetto EA, Humeniuk HM. Dermabrasion: therapy and prophylaxis of the photoaged face. 1992;27:439-47 (Derm. surg.)
- Benedetto EA (see Benedetto et al). 1992;27:439-47 (Derm. surg.)
- Benjasuratwong Y (see Reohr et al). 1992;27:189-93
- Berger BW, Johnson RC, Kodner C, Coleman L. Failure of *Borrelia burgdorferi* to survive in the skin of patients with antibiotic-treated Lyme disease. 1992;27:34-7
- Berger C (see Heald et al). 1992;27:427-33 (Therapy)
- Berger TG (see Obuch et al). 1992;27:667-73
- (see Tappero et al). 1992;27:526-30
- Bergfeld WF (see Maceyko et al). 1992;27:889-92 (Case rep.)
- Berman DA, Roenigk HH, Green D. Autoerythrocyte sensitization syndrome (psychogenic purpura). 1992;27:829-32 (Case rep.)
- Bernard P (see Borradori et al). 1992;27:863-7 (Case rep.)
- Bertagno R (see Rongioletti et al). 1992;27:1015-6 (Brief comm.)
- Betti R, Urbani CE, Lodi A, Crosti C. Noninflammatory focal dermal elastolysis. 1992;27:113-5 (Brief comm.)
- Beutner EH (see Valeski et al). 1992;27:194-8
- Beylot C (see Dubertret et al). 1992;27:983-8 (Therapy)
- Bianchi L, Gatti S, Nini G. Bullous pemphigoid and severe erythrodermic psoriasis: combined low-dose treatment with cyclosporine and systemic steroids. 1992;27:278 (Letter)
- Bickley LK (see DiSpaltro et al). 1992;27:117-8 (Brief comm.)
- Billick RC (see Thibault et al). 1992;27:801-4 (Case rep.)
- Binder M (see Steiner et al). 1992;27:697-701
- Binet O (see Auffret et al). 1992;27:260-1 (Brief comm.)
- Bishop S (see Keltz et al). 1992;27:360-4 (Case rep.)
- Blanc F (see Lebbé et al). 1992;27:623-5 (Brief comm.)
- Blauvelt A, Duarte AM, Pruksachatkunakorn C, Leonardi CL, Schachner LA. Human papillomavirus type 6 infection involving cutaneous nongenital sites. 1992;27:876-9 (Case rep.)
- , —, Schachner LA. Pool palms. 1992;27:111 (Brief comm.)
- Blaylock WK (see Sarkell et al). 1992;27:817-21 (Case rep.)
- Bodemer C, de Prost Y. Unilateral laterothoracic exanthem in children: A new disease? 1992;27:693-6
- Böhler-Sommeregger K, Schuller-Petrovic S, Knobler R, Neumann R. Reactive lentiginous hyperpigmentation after cryosurgery of lentigo maligna. 1992;27:523-6
- Boisseau AM, Sarlangue J, Perel Y, Héhunstre JP, Taieb A, Maleville J. Perineal ecthyma gangrenosum in infancy and early childhood: septicemic and nonsepticemic forms. 1992;27:415-8

July, pp. 1-150; August, part 1, pp. 151-280; August, part 2, pp. 281-366; September, pp. 367-506; October, pp. 507-652; November, part 1, pp. 653-798; November, part 2, pp. 799-900; December, part 1, pp. 901-1076; December, part 2, pp. S1-S46.

- Bologna JL (see Fosko et al). 1992;27:249-56 (Clin. rev.)
 — (see Morganroth et al). 1992;27:1030-1 (Brief comm.)
 Bona S (see Camisa et al). 1992;27:547-53
 Bordas X (see Curcò et al). 1992;27:1017-9 (Brief comm.)
 Borradori L, Prost C, Wolkenstein P, Bernard P, Baccard M, Morel P. Localized pretibial pemphigoid and pemphigoid nodularis. 1992;27:863-7 (Case rep.)
 Bosca F (see Serrano et al). 1992;27:204-8
 Bottone EJ (see Davis et al). 1992;27:959-61
 Boyd AS, Neldner KH. Lichen planus. 1992;27:647 (Letter reply)
 Braddock SW, Harrington D, Vose J. Generalized nodular cutaneous pseudolymphoma associated with phenytoin therapy. 1992;27:337-40 (Case rep.)
 Brancalione W (see Menni et al). 1992;27:1009 (Brief comm.)
 Branden R (see Brenner and Branden). 1992;27:1032 (Letter)
 Breneman DL, Breneman J. Topical mechlorethamine in the treatment of mycosis fungoides. 1992;27:786-7 (Letter reply)
 Breneman J (see Breneman and Breneman). 1992;27:786-7 (Letter reply)
 Brenner S, Branden R. Follicular keratosis of the chin. 1992;27:1032 (Letter)
 Briggaman RA (see Gammon et al). 1992;27:79-87 (Clin. rev.)
 Brodell LP, Asselin D, Brodell RT. Reversible ectropion after long-term use of topical tretinoin on photodamaged skin. 1992;27:621-2 (Brief comm.)
 Brodell RT (see Brodell et al). 1992;27:621-2 (Brief comm.)
 Brodland DG, Zitelli JA. Mechanisms of metastasis. 1992;27:1-10 (CME article)
 —, —. Surgical margins for excision of primary cutaneous squamous cell carcinoma. 1992;27:241-8 (Derm. surg.)
 Brooke CP, Spiers EM, Omura EF. Noninflammatory bullae associated with ϵ -aminocaproic acid infusion. 1992;27:880-2 (Case rep.)
 Browder JF (see Ramos-Caro et al). 1992;27:452-3 (Brief comm.)
 Brown DM (see Orenberg et al). 1992;27:723-8 (Therapy)
 Brownstein MH. Basaloid follicular hamartoma: solitary and multiple types. 1992;27:237-40 (Dermatopathology)
 Brozena SJ (see Albers et al). 1992;27:609-14 (Clin. rev.)
 Brysk M (see Raimer and Brysk). 1992;27:139-40 (Letter reply)
 Buchness MR (see Lim et al). 1992;27:287-92 (Case rep.)
 Buffa P (see Rongioletti et al). 1992;27:1015-6 (Brief comm.)
 Bulengo-Ransby SM, Ellis CN, Griffiths CEM, Cantu-Gonzalez G, Dubin HV, Voorhees JJ. Failure of reticular erythematous mucositis to respond to cyclosporine. 1992;27:825-8 (Case rep.)
 Burge SM, Wilkinson JD. Darier-White disease: a review of the clinical features in 163 patients. 1992;27:40-50
 Burns MK, Ellis CN, Cooper KD. Mycosis fungoides-type cutaneous T-cell lymphoma arising before 30 years of age. 1992;27:974-8
 Bustin Z (see Sevinsky et al). 1992;27:1035 (Letter)
 Bustos T (see Abramovits-Ackerman et al). 1992;27:917-21
- C
- Cabo H (see Sevinsky et al). 1992;27:1035 (Letter)
 Callen JP. Severe sun sensitivity and the presence of antinuclear antibodies in patients with polymorphous light eruption-like lesions. 1992;27:788 (Letter)
 — (see Cohen et al). 1992;27:701-6
 — (see Jorizzo et al). 1992;27:389-94
 Camisa C, Helm TN, Liu Y-C, Valenzuela R, Allen C, Bona S, Larimer N, Korman NJ. Paraneoplastic pemphigus: a report of three cases including one long-term survivor. 1992;27:547-53
 — (see Maceyko et al). 1992;27:889-92 (Case rep.)
 Cantu-Gonzalez G (see Bulengo-Ransby et al). 1992;27:825-8 (Case rep.)
 Casso EM, Grin-Jorgensen CM, Grant-Kels JM. Spitz nevi. 1992;27:901-13 (CME article)
 Castiglione FM Jr (see Morganroth et al). 1992;27:1030-1 (Brief comm.)
 Chevenet C (see Roger et al). 1992;27:858-62 (Case rep.)
 Chevrant-Breton J (see Dubertret et al). 1992;27:983-8 (Therapy)
 Chorzelski TP (see Valeski et al). 1992;27:194-8
 Chouvet B (see Roger et al). 1992;27:858-62 (Case rep.)
 Christophers E (see Mrowietz et al). 1992;27:491-2 (Letter)
 Chu AC (see Tsele et al). 1992;27:61-4 (Therapy)
 Chun SI, Ji HG. Kimura's disease and angiolymphoid hyperplasia with eosinophilia: clinical and histopathologic differences. 1992;27:954-8
 Civatte J (see Lebbé et al). 1992;27:623-5 (Brief comm.)
 Clapp RW (see Koh et al). 1992;27:1035-6 (Letter)
 Cohen LM, Hodge SJ, Owen LG, Callen JP. Atypical melanocytic nevi. 1992;27:701-6
 Cohen M (see Sevinsky et al). 1992;27:1035 (Letter)
 Cohen PR. Sebaceous carcinomas of the ocular adnexa and the Muir-Torre syndrome. 1992;27:279-80 (Letter)
 —, Kurzrock R. Malignancy-associated tripe palms. 1992;27:271-2 (Brief comm.)
 Coldiron BM. Thinning of the ozone layer: facts and consequences. 1992;27:653-62 (CME article)
 Coleman L (see Berger et al). 1992;27:34-7
 Collins M (see Vennos et al). 1992;27:750-62 (Clin. rev.)
 Cooke B (see Tong et al). 1992;27:872-6 (Case rep.)
 Cooper D (see Lim et al). 1992;27:287-92 (Case rep.)
 Cooper KD (see Burns et al). 1992;27:974-8
 Cooper M (see Jones et al). 1992;27:979-82 (Therapy)
 Cooper PH (see Jaber et al). 1992;27:300-2 (Case rep.)
 Cormier D (see Halasz et al). 1992;27:835-8 (Case rep.)
 Coskey RJ. Current dermatologic therapy. 1992;27:599-608 (Therapy)
 Croker BP (see Ford et al). 1992;27:460-2 (Brief comm.)
 Crosti C (see Betti et al). 1992;27:113-5 (Brief comm.)
 Crovato F (see Nazzari and Crovato). 1992;27:262-3 (Brief comm.)
 CTFA Task Force on Cosmetics (see AAD Advisory Board et al). 1992;27:469-84 (From the Academy)
 Cullen SI, Mauceri AA, Warner N. Successful treatment of disseminated cutaneous sporotrichosis with ketoconazole. 1992;27:463-4 (Brief comm.)
 Cunliffe WJ (see Layton and Cunliffe). 1992;27:S2-7
 Curcò N, Jugclà A, Bordas X, Moreno A. Dermatofibroma with spreading satellitosis. 1992;27:1017-9 (Brief comm.)
 Curell R (see Barnadas et al). 1992;27:627-8 (Brief comm.)
- D
- Daniel CR III, Norton LA, Scher RK. The spectrum of nail disease in patients with human immunodeficiency virus infection. 1992;27:93-7 (Clin. rev.)
 Daniels TE (see Fisher et al). 1992;27:257-8 (Brief comm.)
 Daoud M (see Mehregan et al). 1992;27:269-70 (Brief comm.)
 Davis I (see Stiller et al). 1992;27:434-8 (Therapy)
 Davis K, Bottone EJ, Lucas D, Leibold M. Sterility of refrigerated injectable collagen syringes after injection of patient. 1992;27:959-61
 De Bersaques J (see Lambert et al). 1992;27:S19-22
 de Erenchun FR, Vázquez-Daval FJ, Mejuto FC, Quintanilla E. Localized unilateral hyperhidrosis: eccrine nevus. 1992;27:115-6 (Brief comm.)
 DeGroot LJ (see Roehr et al). 1992;27:189-93
 De Leenheer AP (see Lambert et al). 1992;27:S19-22
 Deleixhe-Mauhin F, Krezinski JM, Rorive G, Piérard GE. Quantification of skin color in patients undergoing maintenance hemodialysis. 1992;27:950-3
 de Moragas JM (see Barnadas et al). 1992;27:627-8 (Brief comm.)
 Den M (see Halasz et al). 1992;27:835-8 (Case rep.)
 de Prost Y (see Bodemer and de Prost). 1992;27:693-6
 DeRogatis L (see Shulman et al). 1992;27:178-81
 DerSimonian R (see Duray et al). 1992;27:741-9 (Dermatopathology)
 Devereux D (see DiSpaltro et al). 1992;27:117-8 (Brief comm.)
 Díaz-Pérez JL (see Gardeazábal et al). 1992;27:838-42 (Case rep.)
 DiGiovanna JJ. Retinoids for the future: oncology. 1992;27:S34-7

- D'Incan M (see Roger et al). 1992;27:858-62 (Case rep.)
DiSpaltro FX, Bickley LK, Nissenblatt MJ, Devereux D. Cutaneous acral metastasis in a patient with primary gastric adenocarcinoma. 1992;27:117-8 (Brief comm.)
Dobozay A (see Krizsa et al). 1992;27:778-80 (Brief comm.)
Domart P (see Auffret et al). 1992;27:260-1 (Brief comm.)
Dorman RI (see Stiller et al). 1992;27:632-3 (Brief comm.)
Dosik H (see Lim et al). 1992;27:287-92 (Case rep.)
Dover JS (see Phillips and Dover). 1992;27:488-9 (Letter reply)
Doyle JP (see Silverman et al). 1992;27:214-9
Draluck JC, Kopf AW, Hodak E. Pachydermodactyly: first report in a woman. 1992;27:303-5 (Case rep.)
Duarte AM (see Blauvelt et al). 1992;27:111 (Brief comm.)
— (see Blauvelt et al). 1992;27:876-9 (Case rep.)
Dubertret L, Wallach D, Souteyrand P, Perussel M, Kalis B, Meynadier J, Chevrant-Breton J, Beylot C, Bazex JA, Jurgensen HJ. Efficacy and safety of calcipotriol (MC 903) ointment in psoriasis vulgaris. 1992;27:983-8 (Therapy)
— (see Auffret et al). 1992;27:260-1 (Brief comm.)
Dubin HV (see Bulengo-Ransby et al). 1992;27:825-8 (Case rep.)
Duray PH, DerSimonian R, Barnhill R, Stenn K, Ernstoff MS, Fine J, Kirkwood JM. An analysis of interobserver recognition of the histopathologic features of dysplastic nevi from a mixed group of nevomelanocytic lesions. 1992;27:741-9 (Dermatopathology)
- E**
- Edelson R (see Heald et al). 1992;27:427-33 (Therapy)
Effendy I, Happle R. Linear arrangement of multiple congenital melanocytic nevi. 1992;27:853-4 (Case rep.)
Egbert BM (see Smoller and Egbert). 1992;27:399-402
Eidelman S (see Gilhar et al). 1992;27:710-6
Ejckam GC (see Al-Harmoni et al). 1992;27:259-60 (Brief comm.)
Elgart ML (see Schmidt et al). 1992;27:267-8 (Brief comm.)
Ellis CN (see Bulengo-Ransby et al). 1992;27:825-8 (Case rep.)
— (see Burns et al). 1992;27:974-8
Ellis DL, King LE Jr, Nanney LB. Increased epidermal growth factor receptors in melanocytic lesions. 1992;27:539-46
El-On J, Halevy S, Grunwald MH, Weinrauch L. Topical treatment of Old World cutaneous leishmaniasis caused by *Leishmania major*: a double-blind control study. 1992;27:227-31 (Therapy)
Elsner P (see Wyss et al). 1992;27:650-1 (Letter)
Enders F (see Korting et al). 1992;27:1013-5 (Brief comm.)
Engasser PG (see AAD Advisory Board et al). 1992;27:469-84 (From the Academy)
English JSC (see Wilkinson and English). 1992;27:683-7
Eom J-Y (see Kim et al). 1992;27:764-5 (Brief comm.)
Ernstoff MS (see Duray et al). 1992;27:741-9 (Dermatopathology)
Espy MJ (see Ratnam et al). 1992;27:120-2 (Brief comm.)
Esterly NB (see Werlin et al). 1992;27:893-5 (Case rep.)
Evans LM, Grossman ME. Foscanet-induced penile ulcer. 1992;27:124-6 (Brief comm.)
—, —, Gregory N. Koplik spots and a purpuric eruption associated with parvovirus B19 infection. 1992;27:466-7 (Brief comm.)
Everett MA (see Taira et al). 1992;27:297-300 (Case rep.)

F

- Falanga V (see Kirsner and Falanga). 1992;27:832-4 (Case rep.)
Fanti PA (see Tosti et al). 1992;27:706-10
Farber EM. History of the treatment of psoriasis. 1992;27:640-5 (Special article)
— (see Raychaudhuri and Farber). 1992;27:788 (Letter)
Färber L (see Mrowietz et al). 1992;27:491-2 (Letter)
Farcet J-P (see Bagot et al). 1992;27:589-93
Feldman SR. Androgen insensitivity syndrome (testicular feminization): a model for understanding steroid hormone receptors. 1992;27:615-9 (Clin. rev.)
Felsenstein I (see Leker et al). 1992;27:1025-6 (Brief comm.)

- Fenske NA (see Albers et al). 1992;27:609-14 (Clin. rev.)
— (see Kowalski and Fenske). 1992;27:575-82
Ferguson JE II (see Jaber et al). 1992;27:300-2 (Case rep.)
Fernandez L (see Abramovits-Ackerman et al). 1992;27:917-21
Fernandez-Herrera J (see Rios-Buceta et al). 1992;27:364-6 (Case rep.)
Ferrier M-C (see Roger et al). 1992;27:858-62 (Case rep.)
Ficarra G, Romagnoli P, Piluso S, Milo D, Adler-Storh K. Hairy leukoplakia with involvement of the buccal mucosa. 1992;27:855-8 (Case rep.)
Fine J (see Duray et al). 1992;27:741-9 (Dermatopathology)
Fine J-D (see Gammon et al). 1992;27:79-87 (Clin. rev.)
Fine RM (see Gross et al). 1992;27:781-2 (Brief comm.)
Fiore MM (see Raychaudhuri and Fiore). 1992;27:451-2 (Brief comm.)
Fisher DA, Daniels TE, Greenspan JS. Oral hairy leukoplakia unassociated with human immunodeficiency virus: pseudo oral hairy leukoplakia. 1992;27:257-8 (Brief comm.)
Fivenson DP (see Friduss et al). 1992;27:356-9 (Case rep.)
Fleischer AB (see Fleischer and Fleischer). 1992;27:199-203
Fleischer AB Jr, Fleischer AB. North Carolina tanning operators: Hazard on the horizon? 1992;27:199-203
Flowers FP (see Ford et al). 1992;27:460-2 (Brief comm.)
— (see Holloway et al). 1992;27:367-78 (CME article)
— (see Ramos-Caro et al). 1992;27:452-3 (Brief comm.)
Flynn TC (see Smoller and Flynn). 1992;27:232-6 (Dermatopathology)
Forbes M (see Gammon et al). 1992;27:79-87 (Clin. rev.)
Ford MJ, Smith KL, Croker BP, Hacker SM, Flowers FP. Large granular lymphocytes within the epidermis of erythema multiforme lesions. 1992;27:460-2 (Brief comm.)
Fordice DB (see Tschien et al). 1992;27:464-5 (Brief comm.)
Forman AB (see Valeski et al). 1992;27:194-8
Fortea JM (see Serrano et al). 1992;27:204-8
Fosko SW, Perez MI, Longley BJ. Acral persistent papular mucinosis. 1992;27:1026-9 (Brief comm.)
—, Stenn KS, Bologna JL. Ectodermal dysplasias associated with clefting: significance of scalp dermatitis. 1992;27:249-56 (Clin. rev.)
Fowler JF Jr, Skinner SM, Belsito DV. Allergic contact dermatitis from formaldehyde resins in permanent press clothing: an underdiagnosed cause of generalized dermatitis. 1992;27:962-8
Fraga-Fernandez J (see Rios-Buceta et al). 1992;27:364-6 (Case rep.)
Fraitow HF (see Sachs et al). 1992;27:1019-21 (Brief comm.)
Frentz G (see Olsen et al). 1992;27:716-22
Friduss SR, Sadoff WI, Hern AE, Fivenson DP. Fatal pyoderma gangrenosum in association with C7 deficiency. 1992;27:356-9 (Case rep.)
Frieden IJ (see Scully and Frieden). 1992;27:340-4 (Case rep.)
Friedman-Birnbaum R (see Harth et al). 1992;27:21-4
Frija J (see Lebbé et al). 1992;27:623-5 (Brief comm.)
Frissman DM (see Smith et al). 1992;27:943-50
Fritsch PO. Retinoids in psoriasis and disorders of keratinization. 1992;27:S8-14
Fritsch L, Green A, Solomon PJ. Sun exposure in Australian adolescents. 1992;27:25-8
Fukuda H (see Imayama et al). 1992;27:531-8
Furue M, Nindl M, Kawabe K, Nakamura K, Ishibashi Y, Sagawa K. Epitopes for CD1a, CD1b, and CD1c antigens are differentially mapped on Langerhans cells, dermal dendritic cells, keratinocytes, and basement membrane zone in human skin. 1992;27:419-26

G

- Gaffney JW (see Glass et al). 1992;27:275-6 (Letter reply)
Gammon WR, Fine J-D, Forbes M, Briggaman RA. Immunofluorescence on split skin for the detection and differentiation of basement membrane zone autoantibodies. 1992;27:79-87 (Clin. rev.)
Gange RW (see Gonzalez et al). 1992;27:220-6 (Therapy)
Garcia-Patos V (see Barnadas et al). 1992;27:627-8 (Brief comm.)

- Gardeazábal J, Arregui MA, Gil N, Landa N, Ratón JA, Díaz-Pérez JL. Successful treatment of musk ketone-induced chronic actinic dermatitis with cyclosporine and PUVA therapy. 1992;27:838-42 (Case rep.)
- Garcn PD (see Sahn et al). 1992;27:348-55 (Case rep.)
- Garvey G (see Livingston et al). 1992;27:637-8 (Brief comm.)
- Gasparri O (see Micali et al). 1992;27:273-4 (Brief comm.)
- Gasparro F (see Heald et al). 1992;27:427-33 (Therapy)
- Gatti S (see Bianchi et al). 1992;27:278 (Letter)
- Gaulard P (see Bagot et al). 1992;27:589-93
- Geller A (see Koh et al). 1992;27:1035-6 (Letter)
- Geronemus RG (see Ashinoff and Geronemus). 1992;27:809-11 (Case rep.)
- Gil N (see Gardeazábal et al). 1992;27:838-42 (Case rep.)
- Gilhar A, Aizen E, Pillar T, Eidelman S. Response of aged versus young skin to intradermal administration of interferon gamma. 1992;27:710-6
- Gilson RT (see Slawsky et al). 1992;27:448-50 (Brief comm.)
- Gisslén H (see Stenquist et al). 1992;27:65-9 (Therapy)
- Glass AT, Gaffney JW, Milgram SS. Pyoderma gangrenosum in infancy. 1992;27:275-6 (Letter reply)
- Glass LF (see Albers et al). 1992;27:609-14 (Clin. rev.)
- Glick SA (see Morganroth et al). 1992;27:1030-1 (Brief comm.)
- Glogau R (see Torres et al). 1992;27:70-3 (Derm. surg.)
- Glover M, Leigh I. Dermatomyositis pemphigoides: a case with coexistent dermatomyositis and bullous pemphigoid. 1992;27:849-52 (Case rep.)
- Goldberg R (see Tahery et al). 1992;27:17-21
- Goldenherm MA. Pectchiea caused by streptococcal pharyngitis. 1992;27:456-7 (Brief comm.)
- , Scheffan M, Zeligovsky A. Recurrent melanocytic nevi after Solcoderm therapy: a new cause of pseudomelanoma. 1992;27:1012-3 (Brief comm.)
- Goldsmith SM (see Jorizzo et al). 1992;27:389-94
- Golitz LE (see Lowe et al). 1992;27:312-5 (Case rep.)
- Gollnick H (see Zouboulis et al). 1992;27:277 (Letter)
- Golomb FM (see Silverman et al). 1992;27:214-9
- Gonzalez E, Gange RW, Momtaz KT. Treatment of telangiectases and other benign vascular lesions with the 577 nm pulsed dye laser. 1992;27:220-6 (Therapy)
- Goodall JC. Grafting of leg ulcers with undifferentiated keratinocytes. 1992;27:139 (Letter)
- Goodman MM, White GM, McCormick A, McCullough J, Weinstein G. Cyclosporine therapy for psoriasis: a cell cycle-derived dosing schedule. 1992;27:594-8 (Therapy)
- Gottlieb AB. Hypertriglyceridemia in patients with psoriasis treated with cyclosporine. 1992;27:492 (Letter reply)
- Grant-Kels JM (see Casso et al). 1992;27:901-13 (CME article)
- Green A (see Fritschi et al). 1992;27:25-8
- Green D (see Berman et al). 1992;27:829-32 (Case rep.)
- Greenspan JS (see Fisher et al). 1992;27:257-8 (Brief comm.)
- Greenway HT (see Orenberg et al). 1992;27:723-8 (Therapy)
- Greer J (see Zic et al). 1992;27:729-36 (Therapy)
- Gregory N (see Evans et al). 1992;27:466-7 (Brief comm.)
- Grekin RC (see Tappero et al). 1992;27:526-30
- Grevelink SA, Murrell DF, Olsen EA. Effectiveness of various barrier preparations in preventing and/or ameliorating experimentally produced *Toxicodendron* dermatitis. 1992;27:182-8
- Griffin TD (see Benedetto et al). 1992;27:439-47 (Derm. surg.)
- Griffiths CEM. Psoriasis. I. Pathogenesis. 1992;27:98-101 (Periodic synopsis)
- (see Bulengo-Ransby et al). 1992;27:825-8 (Case rep.)
- Grimalt R (see Menni et al). 1992;27:1009 (Brief comm.)
- Grin-Jorgensen CM (see Casso et al). 1992;27:901-13 (CME article)
- (see Silverman et al). 1992;27:214-9
- Grippio JF (see Armstrong et al). 1992;27:538-42
- Gross AS, Holloway RJ, Fine RM. The Rumpel-Leede sign associated with drug-induced erythema multiforme. 1992;27:781-2 (Brief comm.)
- Gross DJ, Waner M. Biology of cutaneous squamous cell carcinoma. 1992;27:789 (Letter)
- Gross GE (see Abeck et al). 1992;27:123-4 (Brief comm.)
- Gross PR (see Sachs et al). 1992;27:1019-21 (Brief comm.)
- Grossman MC, Silvers DN. The Tzanck smear: Can dermatologists accurately interpret it? 1992;27:403-5
- Grossman ME (see Evans and Grossman). 1992;27:124-6 (Brief comm.)
- (see Evans et al). 1992;27:466-7 (Brief comm.)
- (see Livingston et al). 1992;27:637-8 (Brief comm.)
- Grunwald MH (see El-On et al). 1992;27:227-31 (Therapy)
- Gruschwitz M, von den Driesch P, Kellner I, Hornstein OP, Sterry W. Expression of adhesion proteins involved in cell-cell and cell-matrix interactions in the skin of patients with progressive systemic sclerosis. 1992;27:169-77
- Guarch R (see Vives et al). 1992;27:276-7 (Letter)
- Guerra L (see Tosti et al). 1992;27:706-10
- Gupta AK (see Gupta et al). 1992;27:118-20 (Brief comm.)
- Gupta MA, Gupta AK, Voorhees JV. Starvation-associated pruritus: a clinical feature of eating disorders. 1992;27:118-20 (Brief comm.)
- Gurbindo MD (see Sanchez-Viera et al). 1992;27:1010-1 (Brief comm.)

H

- Hacker SM (see Ford et al). 1992;27:460-2 (Brief comm.)
- Halasz CLG, Cormier D, Den M. Pectchieal glove and sock syndrome caused by parvovirus B19. 1992;27:835-8 (Case rep.)
- Halevy S (see El-On et al). 1992;27:227-31 (Therapy)
- Hall JC (see Spiller et al). 1992;27:102-4 (Brief comm.)
- Hansen MF (see Samlaska and Hansen). 1992;27:454-5 (Brief comm.)
- Happle R (see Effendy and Happle). 1992;27:853-4 (Case rep.)
- Hara M, Kumasaka K, Tomita Y, Tagami H. Unilateral dermatomal pigmentary dermatosis: A variant dyschromatosis? 1992;27:763-4 (Brief comm.)
- Harrington D (see Braddock et al). 1992;27:337-40 (Case rep.)
- Harth Y, Friedman-Birnbaum R, Linn S. Influence of cumulative sun exposure on the prevalence of common acquired nevi. 1992;27:21-4
- Hashimoto K (see Hisler and Hashimoto). 1992;27:278 (Letter reply)
- Hashizume H, Nakayama F, Oku T, Takigawa M. Adult T-cell leukemia with regression of erythroderma and simultaneous emergence of leukemia. 1992;27:846-9 (Case rep.)
- Hashizume T (see Imaiya et al). 1992;27:531-8
- Haw C-R (see Kim et al). 1992;27:764-5 (Brief comm.)
- Hayashi N (see Nishimura et al). 1992;27:886-9 (Case rep.)
- Hazen PG. Pyoderma gangrenosum in infancy. 1992;27:275 (Letter)
- Heald P, Rook A, Perez M, Wintroub B, Knobler R, Jegasothy B, Gasparro F, Berger C, Edelson R. Treatment of erythrodermic cutaneous T-cell lymphoma with extracorporeal photochemotherapy. 1992;27:427-33 (Therapy)
- Heese A. Allergic contact dermatitis to natural latex. 1992;27:651 (Letter reply)
- Hehunstre JP (see Boisseau et al). 1992;27:415-8
- Helm KF, Peters MS, Tefferi A, Leiferman KM. Pyoderma gangrenosum-like ulcer in a patient with large granular lymphocytic leukemia. 1992;27:868-71 (Case rep.)
- , Su WPD, Muller SA, Kurtin PJ. Malignant lymphoma and leukemia with prominent ulceration: clinicopathologic correlation of 33 cases. 1992;27:553-9
- Helm TN (see Camisa et al). 1992;27:547-53
- Henning CG (see Nilsson et al). 1992;27:29-34
- Hern AE (see Friduss et al). 1992;27:356-9 (Case rep.)
- Hernandez B (see Jiménez-Acosta et al). 1992;27:316-9 (Case rep.)
- Hernanz JM (see Sanchez-Viera et al). 1992;27:1010-1 (Brief comm.)

- Herranz MT (see Tercedor et al). 1992;27:786 (Letter)
Hill TL (see Taira et al). 1992;27:297-300 (Case rep.)
Hisler BM, Hashimoto K. Bullous pemphigoid and severe erythrodermic psoriasis: combined low-dose treatment with cyclosporine and systemic steroids. 1992;27:278 (Letter reply)
Hnatiuk O (see Vogel et al). 1992;27:821-4 (Case rep.)
Ho KK-L, Otridge BW, Vandenberg E, Powell FC. Pyoderma gangrenosum, polycythemia rubra vera, and the development of leukemia. 1992;27:804-8 (Case rep.)
Hockley AJ (see Slawsky et al). 1992;27:448-50 (Brief comm.)
Hodak E (see Draluck et al). 1992;27:303-5 (Case rep.)
Hodge SJ (see Cohen et al). 1992;27:701-6
Hollander E (see Stein and Hollander). 1992;27:1034-5 (Letter reply)
Holloway KB, Flowers FP, Ramos FA. Therapeutic alternatives in cutaneous T-cell lymphoma. 1992;27:367-78 (CME article)
Holloway RJ (see Gross et al). 1992;27:781-2 (Brief comm.)
Holubar K. Lyme disease in Israel. 1992;27:486-7 (Letter)
Honig PJ (see Kates et al). 1992;27:929-34
— (see Poh-Fitzpatrick et al). 1992;27:896-900 (Case rep.)
Hori Y (see Imayama et al). 1992;27:531-8
Horikawa T (see Adachi et al). 1992;27:394-9
Hornstein OP (see Gruschwitz et al). 1992;27:169-77
Hsu WT, Toporcer MB, Kantor GR, Vonderheid EC, Kadin ME. Cutaneous T-cell lymphoma with porokeratosis-like lesions. 1992;27:327-30 (Case rep.)
Humeniuk HM (see Benedetto et al). 1992;27:439-47 (Derm. surg.)
Hunyadi J (see Krizsa et al). 1992;27:778-80 (Brief comm.)
Hytiroglou P, Phelps RG, Wattenberg DJ, Strauchen JA. Histiocytic cytophagic panniculitis: molecular evidence for a clonal T-cell disorder. 1992;27:333-6 (Case rep.)
—, —, —, —. Histiocytic cytophagic panniculitis: molecular evidence for a clonal T-cell disorder (1992;27:333-6). 1992;27:900 (Correction)

I

- Imanishi K (see Shiohara et al). 1992;27:568-74
Imayama S, Hashizume T, Miyahara H, Tanahashi T, Takeishi M, Kubota Y, Koga T, Hori Y, Fukuda H. Combination of patch test and IgE for dust mite antigens differentiates 130 patients with atopic dermatitis into four groups. 1992;27:531-8
Inui M (see Orenberg et al). 1992;27:723-8 (Therapy)
Ishibashi Y (see Furue et al). 1992;27:419-26

J

- Jaber PW, Wilson BB, Johns DW, Cooper PH, Ferguson JE II. Eruptive xanthomas during pregnancy. 1992;27:300-2 (Case rep.)
Jackson EM (see AAD Advisory Board et al). 1992;27:469-84 (From the Academy)
Jacoby R (see Sachs et al). 1992;27:1019-21 (Brief comm.)
James WD (see O'Donnell and James). 1992;27:323-6 (Case rep.)
— (see Vennos et al). 1992;27:750-62 (Clin. rev.)
— (see Vogel and James). 1992;27:638-9 (Brief comm.)
Janes C (see Serrano et al). 1992;27:204-8
Janiga AM (see Reohr et al). 1992;27:189-93
Jegasothy B (see Heald et al). 1992;27:427-33 (Therapy)
Ji HG (see Chun and Ji). 1992;27:954-8
Jiménez-Acosta FJ, Redondo E, Baez O, Hernandez B. Linear unilateral basaloid follicular hamartoma. 1992;27:316-9 (Case rep.)
Jitsukawa K, Weyer U, Kimmig W, Radloff H, Ring J. Topical cyclosporine in chronic benign familial pemphigus (Hailey-Hailey disease). 1992;27:625-6 (Brief comm.)
Johns DW (see Jaber et al). 1992;27:300-2 (Case rep.)
Johnson RC (see Berger et al). 1992;27:34-7
Johnson TM, Ratner D, Nelson BR. Soft tissue reconstruction with skin grafting. 1992;27:151-65 (CME article)

- , Sebastien TS, Lowe L, Nelson BR. Carbon dioxide laser treatment of actinic cheilitis. 1992;27:737-40 (Therapy)
— (see Lowe et al). 1992;27:312-5 (Case rep.)
Jondreau L (see Stiller et al). 1992;27:434-8 (Therapy)
Jones CM, Mang T, Cooper M, Wilson BD, Stoll HL Jr. Photodynamic therapy in the treatment of Bowen's disease. 1992;27:979-82 (Therapy)
Jones DB (see Maloney et al). 1992;27:74-8 (Dermatopathology)
Jorizzo JL, Salisbury PL, Rogers RS III, Goldsmith SM, Shar GG, Callen JP, Wise CM, Semble EL, White WL. Oral lesions in systemic lupus erythematosus. 1992;27:389-94
Jugl   A (see Cur  o et al). 1992;27:1017-9 (Brief comm.)
Jurgensen HJ (see Dubertret et al). 1992;27:983-8 (Therapy)

K

- Kabachiev P (see Konstantinov et al). 1992;27:293-7 (Case rep.)
Kadin ME (see Hsu et al). 1992;27:327-30 (Case rep.)
Kaidbey K. Screening photoprotective agents against UVA radiation. 1992;27:137-9 (Letter reply)
Kalis B (see Dubertret et al). 1992;27:983-8 (Therapy)
Kanitakis J (see Roger et al). 1992;27:858-62 (Case rep.)
Kanj LF, Rubeiz NG, Mroueh AM, Kibbi A-G. Vulvar melanosis and lentiginosis: a case report. 1992;27:777-8 (Brief comm.)
Kano Y, Shiohara T, Yagita A, Nagashima M. Treatment of recalcitrant cheilitis granulomatosa with metronidazole. 1992;27:629-30 (Brief comm.)
Kantor GR (see Hsu et al). 1992;27:327-30 (Case rep.)
Kanzaki T. Follicular keratosis of the chin. 1992;27:1032 (Letter reply)
—, Kobayashi T, Shimizu H, Miura Y, Takayasu M, Abe T. Aneurysm in the skin: arterial fibromuscular dysplasia. 1992;27:883-5 (Case rep.)
Kaplan B (see Lifshitz et al). 1992;27:620 (Brief comm.)
Karchev T (see Konstantinov et al). 1992;27:293-7 (Case rep.)
K  r  ti S. In situ localization of IgG in epidermolysis bullosa acquisita by immunogold technique. 1992;27:280 (Letter)
Kates SG, Sueki H, Honig PJ, Murphy GF. Immunohistochemical and ultrastructural characterization of tonofilament and hemidesmosome abnormalities in a case of epidermolysis bullosa herpetiformis (Dowling-Meara). 1992;27:929-34
Kawabe K (see Furue et al). 1992;27:419-26
Kellner I (see Gruschwitz et al). 1992;27:169-77
Keltz M, Lebwohl M, Bishop S. Peristomal pyoderma gangrenosum. 1992;27:360-4 (Case rep.)
Kenny C (see Stiller et al). 1992;27:434-8 (Therapy)
Kerdel FA (see Resnik et al). 1992;27:635-6 (Brief comm.)
Kerscher MJ (see Korting et al). 1992;27:87-92 (Clin. rev.)
Kershenovich J, Langenberg A, Odom RB, LeBoit PE. Dowling-Degos' disease mimicking chloracne. 1992;27:345-8 (Case rep.)
Kibbi A-G (see Kanj et al). 1992;27:777-8 (Brief comm.)
Kien C (see Sevinsky et al). 1992;27:1035 (Letter)
Kim HC (see Poh-Fitzpatrick et al). 1992;27:896-900 (Case rep.)
Kim H-J (see Armstrong et al). 1992;27:538-42
Kim JM, Su WPD. Mid-dermal elastolysis. 1992;27:789 (Letter reply)
Kim N-I, Eom J-Y, Sim W-Y, Haw C-R. Crohn's disease of the vulva. 1992;27:764-5 (Brief comm.)
Kimmig W (see Jitsukawa et al). 1992;27:625-6 (Brief comm.)
Kimura S (see Tsuji et al). 1992;27:284-7 (Case rep.)
King LE Jr (see Ellis et al). 1992;27:539-46
— (see Zic et al). 1992;27:729-36 (Therapy)
Kint AH (see Lambert et al). 1992;27:S19-22
Kirkwood JM (see Duray et al). 1992;27:741-9 (Dermatopathology)
Kirsner RS, Falanga V. Features of an autoimmune process in mid-dermal elastolysis. 1992;27:832-4 (Case rep.)
Klaus S (see Leker et al). 1992;27:1025-6 (Brief comm.)
Klein WP (see Stiller et al). 1992;27:632-3 (Brief comm.)
Knobler R (see B  hler-Sommeregger et al). 1992;27:523-6

- (see Heald et al). 1992;27:427-33 (Therapy)
- Kobayashi T (see Kanzaki et al). 1992;27:883-5 (Case rep.)
- (see Tsuji et al). 1992;27:767-8 (Brief comm.)
- Kobayashi Y, Nanko H, Nakamura J, Mizoguchi M. Lymphocytoma cutis induced by gold pierced earrings. 1992;27:457-8 (Brief comm.)
- Kobayashi T (see Konstantinov et al). 1992;27:293-7 (Case rep.)
- Koblentz CS. Dermatology and conditions related to obsessive-compulsive disorder. 1992;27:1033-4 (Letter)
- Kodner C (see Berger et al). 1992;27:34-7
- Koga T (see Imayama et al). 1992;27:531-8
- Koh HK, Geller A, Miller DR, Clapp RW, Lew RA. Underreporting of cutaneous melanoma in cancer registries nationwide. 1992;27:1035-6 (Letter)
- Kohda H (see Takahashi and Kohda). 1992;27:51-4
- Kolbach DN, Nieboer C. Fumaric acid therapy in psoriasis: results and side effects of 2 years of treatment. 1992;27:769-71 (Brief comm.)
- Konnikov N. Carcinogenicity of topical mechlorethamine in mice. 1992;27:652 (Letter reply)
- Konrad K (see Langer et al). 1992;27:812-6 (Case rep.)
- Konstantinov K, Kabachiev P, Karchev T, Kobayashi T, Ullman S. Lipoid proteinosis. 1992;27:293-7 (Case rep.)
- Koperski JA (see Orenberg et al). 1992;27:723-8 (Therapy)
- Kopf AW (see Draluck et al). 1992;27:303-5 (Case rep.)
- (see Silverman et al). 1992;27:214-9
- Korey AG (see Orenberg et al). 1992;27:723-8 (Therapy)
- Korman NJ (see Camisa et al). 1992;27:547-53
- Korting HC, Kerscher MJ, Schäfer-Korting M. Topical glucocorticoids with improved benefit/risk ratio: Do they exist? 1992;27:87-92 (Clin. rev.)
- , Parsch E-M, Enders F, Przybilla B. Allergic contact dermatitis to cocamidopropyl betaine in shampoo. 1992;27:1013-5 (Brief comm.)
- Kossard S, Rosen R. Cutaneous Bowen's disease. 1992;27:406-10
- (see Pang and Kossard). 1992;27:775-6 (Brief comm.)
- Kowalski DC, Fenske NA. The focal facial dermal dysplasias: report of a kindred and a proposed new classification. 1992;27:575-82
- Kozel MMA (see van Joost et al). 1992;27:922-8
- Kragballe K. Treatment of psoriasis with calcipotriol and other vitamin D analogues. 1992;27:1001-8 (Clin. rev.)
- Krezinski JM (see Deleixhe-Mauhin et al). 1992;27:950-3
- Kriza J, Hunyadi J, Dobozy A. PUVA treatment of pigmented purpuric lichenoid dermatitis (Gougerot-Blum). 1992;27:778-80 (Brief comm.)
- Kron MA. Human infestation with *Cochliomyia hominivorax*, the New World screwworm. 1992;27:264-5 (Brief comm.)
- Kubota Y (see Imayama et al). 1992;27:531-8
- Kumano K (see Adachi et al). 1992;27:394-9
- Kumar V (see Valeski et al). 1992;27:194-8
- Kumasaka K (see Hara et al). 1992;27:763-4 (Brief comm.)
- Kürkçüoğlu N, Öz G. Serum aminoterminal propeptide of type III procollagen in the management of methotrexate-induced fibrogenesis. 1992;27:139 (Letter)
- Kurtin PJ (see Helm et al). 1992;27:553-9
- Kurzrock R (see Cohen and Kurzrock). 1992;27:271-2 (Brief comm.)
- Kuwert C (see Abeck et al). 1992;27:123-4 (Brief comm.)
- L**
- Lamarão P (see Pinto et al). 1992;27:281-4 (Case rep.)
- Lamberg SI (see Weary and Lamberg). 1992;27:133-5 (Editorial)
- Lambert MW. Ozone depletion: the biologic consequences. 1992;27:783-5 (Editorial)
- Lambert WC, Schwartz RA. Metastasis. 1992;27:131-3 (Editorial)
- Lambert WE, Meyer E, De Leenheer AP, De Bersaques J, Kint AH. Pharmacokinetics and drug interactions of etretinate and acitretin. 1992;27:S19-22
- Landa N (see Gardeazabal et al). 1992;27:838-42 (Case rep.)
- Lang PG Jr (see Strange and Lang). 1992;27:842-5 (Case rep.)
- Langenberg A (see Kershenovich et al). 1992;27:345-8 (Case rep.)
- Langer K, Zonzits E, Konrad K. Hyperkeratosis lenticularis perstans (Flegel's disease). 1992;27:812-6 (Case rep.)
- Langtry JAA (see Ostlere et al). 1992;27:630-1 (Brief comm.)
- Larkö O (see Stenquist et al). 1992;27:65-9 (Therapy)
- Larrimer N (see Camisa et al). 1992;27:547-53
- Larsen WG (see AAD Advisory Board et al). 1992;27:469-84 (From the Academy)
- Latasa JM (see Serrano et al). 1992;27:204-8
- Layton AM, Cunliffe WJ. Guidelines for optimal use of isotretinoin in acne. 1992;27:S2-7
- Lebbé C, Moulouguet-Michau I, Perrin P, Blanc F, Frijia J, Civate J. Steroid-responsive pyoderma gangrenosum with vulvar and pulmonary involvement. 1992;27:623-5 (Brief comm.)
- LeBoit PE, Solomon AR, Santa Cruz DJ, Wick MR. Angiomas with luminal cryoprotein deposition. 1992;27:969-73
- (see Kershenovich et al). 1992;27:345-8 (Case rep.)
- Lebwohl M (see Davis et al). 1992;27:959-61
- (see Keltz et al). 1992;27:360-4 (Case rep.)
- Lecam JY (see Auffret et al). 1992;27:260-1 (Brief comm.)
- Lecona M (see Sanchez-Viera et al). 1992;27:1010-1 (Brief comm.)
- Leiferman KM (see Helm et al). 1992;27:868-71 (Case rep.)
- Leigh I (see Glover and Leigh). 1992;27:849-52 (Case rep.)
- Leker RR, Felsenstein I, Raveh D, Klaus S, Mumcuoglu KY. *Ornithodoros tholozani* bites: a unique clinical picture. 1992;27:1025-6 (Brief comm.)
- Leonardi CL (see Blauvelt et al). 1992;27:876-9 (Case rep.)
- Lescs M-C (see Bagot et al). 1992;27:589-93
- Lesiewicz J (see Sendagorta et al). 1992;27:S15-8
- Levenstein MJ (see Silverman et al). 1992;27:214-9
- Levin AA (see Armstrong et al). 1992;27:S38-42
- Levy SB. Dihydroxyacetone-containing sunless or self-tanning lotions. 1992;27:989-93 (Clin. rev.)
- Lew RA (see Koh et al). 1992;27:1035-6 (Letter)
- Libow LF (see Slawsky et al). 1992;27:448-50 (Brief comm.)
- Lifshitz AY, Stern F, Kaplan B, Sofer E, Sela B-A, Schewach-Millet M. Pellagra complicating Crohn's disease. 1992;27:620 (Brief comm.)
- Lim HW, Cooper D, Sassa S, Dosik H, Buchness MR, Soter NA. Photosensitivity, abnormal porphyrin profile, and sideroblastic anemia. 1992;27:287-92 (Case rep.)
- Linn S (see Harth et al). 1992;27:21-4
- Liu Y-C (see Camisa et al). 1992;27:547-53
- Livingston W, Grossman ME, Garvey G. Hemorrhagic bullae in association with *Enterobacter cloacae* septicemia. 1992;27:637-8 (Brief comm.)
- Lo JS, Snow SN. Metastatic basal cell carcinoma. 1992;27:788-9 (Letter)
- Lodi A (see Betti et al). 1992;27:113-5 (Brief comm.)
- Long CC, Marks R. Stratum corneum changes in patients with senile pruritus. 1992;27:560-4
- Longley BJ (see Fosko et al). 1992;27:1026-9 (Brief comm.)
- López D (see Barnadas et al). 1992;27:627-8 (Brief comm.)
- Lowe L, Rapini RP, Golitz LE, Johnson TM. Papulonodular dermal mucinosis in lupus erythematosus. 1992;27:312-5 (Case rep.)
- (see Johnson et al). 1992;27:737-40 (Therapy)
- Lowe N (see Orenberg et al). 1992;27:723-8 (Therapy)
- Lucas D (see Davis et al). 1992;27:959-61
- Luck EE (see Orenberg et al). 1992;27:723-8 (Therapy)
- Lucky AW (see Manders and Lucky). 1992;27:688-92
- M**
- MacDonald DM (see McGregor et al). 1992;27:383-8
- Maceyko RF, Camisa C, Bergfeld WF, Valenzuela R. Oral and cutaneous lichen planus pemphigoides. 1992;27:889-92 (Case rep.)
- Machado P (see Roger et al). 1992;27:858-62 (Case rep.)

- Maggio KL (see Samlaska et al). 1992;27:319-22 (Case rep.)
Magnusson J (see Nilsson et al). 1992;27:29-34
Mahmoud SF (see Al-Harmonzi et al). 1992;27:259-60 (Brief comm.)
Maleville J (see Boisseau et al). 1992;27:415-8
—— (see Taieb et al). 1992;27:55-60
Maloney ME, Jones DB, Sexton FM. Pigmented basal cell carcinoma: investigation of 70 cases. 1992;27:74-8 (Dermatopathology)
Manders SM, Lucky AW. Perioral dermatitis in childhood. 1992;27:688-92
Mang T (see Jones et al). 1992;27:979-82 (Therapy)
Mangklabruks A (see Reohr et al). 1992;27:189-93
Marks R (see Long and Marks). 1992;27:560-4
Marks SL, Song MD, Stannard AA, Power HT. Clinical evaluation of tretinoin for the treatment of canine solar-induced squamous cell carcinoma and preneoplastic lesions. 1992;27:11-6
Masri-Fridling GD, Turner MLC. Necrolytic migratory erythema without glucagonoma. 1992;27:486 (Letter)
Matsubayashi S (see Adachi et al). 1992;27:394-9
Mauceri AA (see Cullen et al). 1992;27:463-4 (Brief comm.)
Maurer TA (see Obuch et al). 1992;27:667-73
McCarthy WH (see Shaw and McCarthy). 1992;27:679-82
McCormick A (see Goodman et al). 1992;27:594-8 (Therapy)
McCullough J (see Goodman et al). 1992;27:594-8 (Therapy)
McGregor JM, Barker JNWN, Ross E, MacDonald DM. Epidermal dendritic cells in psoriasis possess a phenotype associated with antigen presentation: in situ expression of β_2 -integrins. 1992;27:383-8
Mehregan AH (see Mehregan et al). 1992;27:331-3 (Case rep.)
Mehregan DA, Mehregan DR, Mehregan AH. Angiomyolipoma. 1992;27:331-3 (Case rep.)
——, Van Hale HM, Muller SA. Lichen planopilaris: clinical and pathologic study of forty-five patients. 1992;27:935-42
Mehregan DR, Daoud M, Rogers RS III. Coma blisters in a patient with diabetic ketoacidosis. 1992;27:269-70 (Brief comm.)
—— (see Mehregan et al). 1992;27:331-3 (Case rep.)
Mehrel T (see Stiller and Mehrel). 1992;27:646 (Editorial)
Mejuto FC (see Erenchun et al). 1992;27:115-6 (Brief comm.)
Menéndez E (see Vives et al). 1992;27:276-7 (Letter)
Menni S, Brancalione W, Grimalti R. Pityriasis rubra pilaris in a child seropositive for the human immunodeficiency virus. 1992;27:1009 (Brief comm.)
Mensing H (see Abeck et al). 1992;27:123-4 (Brief comm.)
—— (see Steinkraus et al). 1992;27:266-7 (Brief comm.)
Meyer E (see Lambert et al). 1992;27:S19-22
Meynadier J (see Dubertret et al). 1992;27:983-8 (Therapy)
Micali G, Gasparri O, Nasca MR, Sapuppo A. Kaposi's sarcoma occurring de novo in the surgical scar in a heart transplant recipient. 1992;27:273-4 (Brief comm.)
Milgram SS (see Glass et al). 1992;27:275-6 (Letter reply)
Military Medical Consortium of Applied Retroviral Research (see Smith et al). 1992;27:943-50
Millan F (see Serrano et al). 1992;27:204-8
Miller BH (see Orenberg et al). 1992;27:723-8 (Therapy)
Miller DR (see Koh et al). 1992;27:1035-6 (Letter)
Miller JL (see Shulman et al). 1992;27:178-81
Milo D (see Ficarra et al). 1992;27:855-8 (Case rep.)
Miranda MA (see Serrano et al). 1992;27:204-8
Miura Y (see Kanzaki et al). 1992;27:883-5 (Case rep.)
Miwa N (see Tsuji et al). 1992;27:767-8 (Brief comm.)
Miyahara H (see Imai et al). 1992;27:531-8
Mizoguchi M (see Kobayashi et al). 1992;27:457-8 (Brief comm.)
Mjølner H (see Olsen et al). 1992;27:716-22
Montaz KT (see Gonzalez et al). 1992;27:220-6 (Therapy)
Morel P (see Borradori et al). 1992;27:863-7 (Case rep.)
Morelli R (see Tosti et al). 1992;27:706-10
Moreno A (see Curcò et al). 1992;27:1017-9 (Brief comm.)
Morganroth GS, Glick SA, Perez MI, Castiglione FM Jr, Bologna JL. Kaposi's varicelliform eruption complicating irritant contact dermatitis. 1992;27:1030-1 (Brief comm.)
Moulonguet-Michau I (see Lebbé et al). 1992;27:623-5 (Brief comm.)
Moy RL (see Tahery et al). 1992;27:17-21
Mroueh AM (see Kanj et al). 1992;27:777-8 (Brief comm.)
Mrowietz U, Färber L, Bachmann H, Christophers E. Hypertriglyceridemia in patients with psoriasis treated with cyclosporine. 1992;27:491-2 (Letter)
Muller SA (see Helm et al). 1992;27:553-9
—— (see Mehregan et al). 1992;27:935-42
—— (see Ratnam et al). 1992;27:120-2 (Brief comm.)
Mumcuoglu KY (see Leker et al). 1992;27:1025-6 (Brief comm.)
Muñoz-Torres M (see Tercedor et al). 1992;27:786 (Letter)
Murata Y (see Adachi et al). 1992;27:394-9
Murphy GF (see Kates et al). 1992;27:929-34
Murrell DF (see Grevelink et al). 1992;27:182-8
Myskowski PL (see Schwartz and Myskowski). 1992;27:583-8
- N
- Nagashima M (see Kano et al). 1992;27:629-30 (Brief comm.)
—— (see Shiohara et al). 1992;27:568-74
Nakajima H (see Sasaki and Nakajima). 1992;27:411-4
Nakamura J (see Kobayashi et al). 1992;27:457-8 (Brief comm.)
Nakamura K (see Furue et al). 1992;27:419-26
Nakayama F (see Hashizume et al). 1992;27:846-9 (Case rep.)
Nanko H (see Kobayashi et al). 1992;27:457-8 (Brief comm.)
Nanney LB (see Ellis et al). 1992;27:539-46
Nasca MR (see Micali et al). 1992;27:273-4 (Brief comm.)
Nazzari G, Crovato F. Annually recurring acroerythema and hereditary lactate dehydrogenase M-subunit deficiency. 1992;27:262-3 (Brief comm.)
Neldner KH (see Boyd and Neldner). 1992;27:647 (Letter reply)
Nelson BR (see Johnson et al). 1992;27:151-65 (CME article)
—— (see Johnson et al). 1992;27:737-40 (Therapy)
Nemer J (see Vogel et al). 1992;27:821-4 (Case rep.)
Neumann R (see Böhrer-Sommeregger et al). 1992;27:523-6
Ng SN, Ang CB, Tham A. Kaposi's varicelliform eruption in a patient with pityriasis rubra pilaris. 1992;27:263 (Brief comm.)
Nicolas J-F (see Roger et al). 1992;27:858-62 (Case rep.)
Nieboer C (see Kolbach and Nieboer). 1992;27:769-71 (Brief comm.)
—— (see Wikler et al). 1992;27:37-9
Nilsson EJ, Henning CG, Magnusson J. Topical corticosteroids and *Staphylococcus aureus* in atopic dermatitis. 1992;27:29-34
Nindl M (see Furue et al). 1992;27:419-26
Nini G (see Bianchi et al). 1992;27:278 (Letter)
Nishimura M, Takano-Nishimura Y, Yano I, Hayashi N, Toshitani S. Necrobiotic xanthogranuloma in a human T-lymphotropic virus type 1 carrier. 1992;27:886-9 (Case rep.)
—— (see Tsuji et al). 1992;27:284-7 (Case rep.)
Nishioka K (see Teramoto et al). 1992;27:276 (Letter)
Nishiyama S (see Teramoto et al). 1992;27:276 (Letter)
Nissenblatt MJ (see DiSpaltro et al). 1992;27:117-8 (Brief comm.)
Norton LA (see Daniel et al). 1992;27:93-7 (Clin. rev.)
- O
- Obuch ML, Maurer TA, Becker B, Berger TG. Psoriasis and human immunodeficiency virus infection. 1992;27:667-73
Odom RB (see Kershenovich et al). 1992;27:345-8 (Case rep.)
O'Donnell BP, James WD. Rapp-Hodgkin ectodermal dysplasia. 1992;27:323-6 (Case rep.)
O'Donoghue MN (see AAD Advisory Board et al). 1992;27:469-84 (From the Academy)
Oechler H (see Werlin et al). 1992;27:893-5 (Case rep.)
Oku T (see Hashizume et al). 1992;27:846-9 (Case rep.)
Olsen EA (see Grevelink et al). 1992;27:182-8

- Olsen JH, Møller H, Frenzt G. Malignant tumors in patients with psoriasis. 1992;27:716-22
- Omura EF (see Brooke et al). 1992;27:880-2 (Case rep.)
- Orenberg EK, Miller BH, Greenway HT, Koperski JA, Lowe N, Rosen T, Brown DM, Inui M, Korey AG, Luck EE. The effect of intralosomal 5-Fluorouracil Therapeutic Implant (MPI 5003) for treatment of basal cell carcinoma. 1992;27:723-8 (Therapy)
- Orfanos CE (see Zouboulis et al). 1992;27:277 (Letter)
- Ostlere LS, Langtry JAA, Staughton RCD, Samrasinghe PL. Alopecia universalis in a patient seropositive for the human immunodeficiency virus. 1992;27:630-1 (Brief comm.)
- Otake N (see Tsuji et al). 1992;27:767-8 (Brief comm.)
- Otridge BW (see Ho et al). 1992;27:804-8 (Case rep.)
- Owen LG (see Cohen et al). 1992;27:701-6
- Öz G (see Kırkıçoğlu and Öz). 1992;27:139 (Letter)

P

- Paauw DS (see Spach et al). 1992;27:1023-4 (Brief comm.)
- Pace JL (see Scerri and Pace). 1992;27:766-7 (Brief comm.)
- Padilha-Gonçalves A. Follicular keratosis of the chin. 1992;27:1032 (Letter)
- Pak GH (see Stiller et al). 1992;27:434-8 (Therapy)
- Pang BK, Kossard S. Surface microscopy in the diagnosis of micropapular cutaneous metastatic melanoma. 1992;27:775-6 (Brief comm.)
- Parenti DM (see Schmidt et al). 1992;27:267-8 (Brief comm.)
- Parish LC (see Witkowski and Parish). 1992;27:648 (Letter)
- Parker RA (see Zic et al). 1992;27:729-36 (Therapy)
- Parsch E-M (see Korting et al). 1992;27:1013-5 (Brief comm.)
- Peacocke M, Siminovich KA. Wiskott-Aldrich syndrome: new molecular and biochemical insights. 1992;27:507-22 (CME article)
- Pehamberger H (see Steiner et al). 1992;27:697-701
- Perel Y (see Boisseau et al). 1992;27:415-8
- Perez M (see Heald et al). 1992;27:427-33 (Therapy)
- Perez MI (see Fosko et al). 1992;27:1026-9 (Brief comm.)
- (see Morganroth et al). 1992;27:1030-1 (Brief comm.)
- Perrin P (see Lebbé et al). 1992;27:623-5 (Brief comm.)
- Perussel M (see Dubertret et al). 1992;27:983-8 (Therapy)
- Peters MS (see Helm et al). 1992;27:868-71 (Case rep.)
- Petersen CS, Thomsen K. Fusidic acid cream in the treatment of plasma cell balanitis. 1992;27:633-4 (Brief comm.)
- Phelps RG (see Hytioglou et al). 1992;27:333-6 (Case rep.)
- Phillips TJ, Dover JS. Leg ulcers. 1992;27:488-9 (Letter reply)
- Piérard GE (see Deleixhe-Mauhin et al). 1992;27:950-3
- Pillar T (see Gilhar et al). 1992;27:710-6
- Piluso S (see Ficarra et al). 1992;27:855-8 (Case rep.)
- Pinto GM, Lamarão P, Vale T. Captopril-induced pemphigus vegetans with Charcot-Leyden crystals. 1992;27:281-4 (Case rep.)
- Poh-Fitzpatrick MB, Honig PJ, Kim HC, Sassa S. Childhood-onset familial porphyria cutanea tarda: effects of therapeutic phlebotomy. 1992;27:896-900 (Case rep.)
- Powell FC (see Ho et al). 1992;27:804-8 (Case rep.)
- Power HT (see Marks et al). 1992;27:11-6
- Prens EP (see van Joost et al). 1992;27:922-8
- Prost C (see Borradori et al). 1992;27:863-7 (Case rep.)
- (see Roger et al). 1992;27:858-62 (Case rep.)
- Pruksachatkunakorn C (see Blauvelt et al). 1992;27:876-9 (Case rep.)
- Przybilla B (see Korting et al). 1992;27:1013-5 (Brief comm.)
- Pujol RM (see Barnadas et al). 1992;27:627-8 (Brief comm.)
- Purvis RS, Tying SK. Lindane-resistant scabies. 1992;27:648 (Letter reply)

Q

- Quint L (see Auffret et al). 1992;27:260-1 (Brief comm.)
- Quintanilla E (see de Erenchun et al). 1992;27:115-6 (Brief comm.)
- (see Serna et al). 1992;27:787 (Letter)

R

- Radloff H (see Jitsukawa et al). 1992;27:625-6 (Brief comm.)
- Raimer S, Brysk M. Grafting of leg ulcers with undifferentiated keratinocytes. 1992;27:139-40 (Letter reply)
- Ramella M (see Abramovits-Ackerman et al). 1992;27:917-21
- Ramos FA (see Holloway et al). 1992;27:367-78 (CME article)
- Ramos-Caro FA, Sexton FM, Browder JF, Flowers FP. Acantholytic acanthomas in an immunosuppressed patient. 1992;27:452-3 (Brief comm.)
- Rapini RP (see Lowe et al). 1992;27:312-5 (Case rep.)
- Ratnam KV, Espy MJ, Muller SA, Smith TF, Su WPD. Clinicopathologic study of arsenic-induced skin lesions: no definite association with human papillomavirus. 1992;27:120-2 (Brief comm.)
- Ratner D (see Johnson et al). 1992;27:151-65 (CME article)
- Ratón JA (see Gardeazabal et al). 1992;27:383-42 (Case rep.)
- Raveh D (see Leker et al). 1992;27:1025-6 (Brief comm.)
- Raychaudhuri SP, Farber EM. Onset of psoriasis in the tenth decade of life. 1992;27:788 (Letter)
- , Fiore MM. Clearance of unremitting psoriasis after treatment with granulocyte-macrophage colony-stimulating factor. 1992;27:451-2 (Brief comm.)
- Rebora A (see Rongioletti et al). 1992;27:1015-6 (Brief comm.)
- Reddick M (see Tschen et al). 1992;27:464-5 (Brief comm.)
- Redondo E (see Jiménez-Acosta et al). 1992;27:316-9 (Case rep.)
- Reizner GT (see Snow and Reizner). 1992;27:306-11 (Case rep.)
- Rendon M (see Resnik et al). 1992;27:635-6 (Brief comm.)
- Reohr PB, Mangklabruks A, Janiga AM, DeGroot LJ, Benjasuratwong Y, Soltani K. Pemphigus vulgaris in siblings: HLA-DR4 and HLA-DQw3 and susceptibility to pemphigus. 1992;27:189-93
- Resnik BI, Rendon M, Kerdel FA. Successful treatment of aggressive pyoderma gangrenosum with pulse steroids and chlorambucil. 1992;27:635-6 (Brief comm.)
- Revuz J (see Bagot et al). 1992;27:589-93
- Ring J (see Abeck et al). 1992;27:123-4 (Brief comm.)
- (see Jitsukawa et al). 1992;27:625-6 (Brief comm.)
- Rios-Buceta LM, Fraga-Fernandez J, Fernandez-Herrera J. Human papillomavirus in an epidermoid cyst of the sole in a non-Japanese patient. 1992;27:364-6 (Case rep.)
- Robert E (see Rongioletti et al). 1992;27:1015-6 (Brief comm.)
- Robinson D (see Torres et al). 1992;27:70-3 (Derm. surg.)
- Ródenas JM (see Tercedor et al). 1992;27:786 (Letter)
- Roelands R. Broad-spectrum protection in sunscreen products. 1992;27:649-50 (Letter reply)
- Roening HH (see Berman et al). 1992;27:829-32 (Case rep.)
- Roening RK. Dermabrasion of Hailey-Hailey disease and Darier's disease. 1992;27:136 (Letter reply)
- Roger H, Machado P, Nicolas J-F, D'Incan M, Prost C, Chevenet C, Kanitakis J, Ferrier M-C, Chouvet B, Souteyrand P. Epidermolysis bullosa acquisita in a 3½-year-old girl. 1992;27:858-62 (Case rep.)
- Rogers RS III (see Jorizzo et al). 1992;27:389-94
- (see Mehregan et al). 1992;27:269-70 (Brief comm.)
- Romagnoli P (see Ficarra et al). 1992;27:855-8 (Case rep.)
- Rongioletti F, Robert E, Buffa P, Bertagno R, Rebora A. Blue nevi-like dotted occupational argyria. 1992;27:1015-6 (Brief comm.)
- Rook A (see Heald et al). 1992;27:427-33 (Therapy)
- Rorive G (see Deleixhe-Mauhin et al). 1992;27:950-3
- Rose LI (see Shulman et al). 1992;27:178-81
- Rosen R (see Kossard and Rosen). 1992;27:406-10
- Rosen T (see Orenberg et al). 1992;27:723-8 (Therapy)
- Rosenthal S (see Stiller et al). 1992;27:632-3 (Brief comm.)
- Ross E (see McGregor et al). 1992;27:383-8
- Rubeiz NG (see Kanj et al). 1992;27:777-8 (Brief comm.)
- Rudolph RI. Mid-dermal elastolysis. 1992;27:789 (Letter)
- Ryan MT (see Shelton and Ryan). 1992;27:773-4 (Brief comm.)

S

- Sachs MK, Fraimow HF, Staros EB, Gross PR, Jacoby R, Webster GF. *Mycobacterium intracellulare* soft tissue infection. 1992;27:1019-21 (Brief comm.)
- Sadoff WI (see Friduss et al). 1992;27:356-9 (Case rep.)
- Sagawa K (see Furue et al). 1992;27:419-26
- Sagawa Y (see Shiohara et al). 1992;27:568-74
- Sahn EE, Sheridan DM. Demodicidosis in a child with leukemia. 1992;27:799-801 (Case rep.)
- , Weimer CE Jr, Garen PD. Annular epidermolytic ichthyosis: a unique phenotype. 1992;27:348-55 (Case rep.)
- Sakas EL (see Samlaska et al). 1992;27:319-22 (Case rep.)
- Salhany KE (see Zic et al). 1992;27:729-36 (Therapy)
- Salisbury PL (see Jorizzo et al). 1992;27:389-94
- Samlaska CP, Hansen MF. Intraosseous epidermoid cysts. 1992;27:454-5 (Brief comm.)
- , Sandberg GD, Maggio KL, Sakas EL. Generalized perforating granuloma annulare. 1992;27:319-22 (Case rep.)
- Samplayo T (see Sanchez-Viera et al). 1992;27:1010-1 (Brief comm.)
- Samrasinghe PL (see Ostlere et al). 1992;27:630-1 (Brief comm.)
- Sanchez-Viera M, Hernandez JM, Samplayo T, Gurbindo MD, Lecona M, Soto-Melo J. Granulomatous rosacea in a child infected with the human immunodeficiency virus. 1992;27:1010-1 (Brief comm.)
- Sandberg GD (see Samlaska et al). 1992;27:319-22 (Case rep.)
- Santa Cruz DJ (see LeBoit et al). 1992;27:969-73
- Sanusi ID (see Abreo and Sanusi). 1992;27:787-8 (Letter reply)
- Sapuppo A (see Micali et al). 1992;27:273-4 (Brief comm.)
- Sarin S (see Shami and Sarin). 1992;27:489-90 (Letter)
- Sarkell B, Blaylock WK, Vernon H. Congenital neonatal herpes simplex virus infection. 1992;27:817-21 (Case rep.)
- Sarlange J (see Boisseau et al). 1992;27:415-8
- Sasaki T, Nakajima H. Serum adenosine deaminase activity in systemic sclerosis (scleroderma) and related disorders. 1992;27:411-4
- Sassa S (see Lim et al). 1992;27:287-92 (Case rep.)
- (see Poh-Fitzpatrick et al). 1992;27:896-900 (Case rep.)
- Sau P (see Vogel et al). 1992;27:821-4 (Case rep.)
- Saurat J-H. Side effects of systemic retinoids and their clinical management. 1992;27:S23-8
- Scerri L, Pace JL. Identical twins with identical alopecia areata. 1992;27:766-7 (Brief comm.)
- Schachner LA (see Blauvelt et al). 1992;27:111 (Brief comm.)
- (see Blauvelt et al). 1992;27:876-9 (Case rep.)
- Schäfer-Korting M (see Korting et al). 1992;27:87-92 (Clin. rev.)
- Scheffan M (see Goldenhersh et al). 1992;27:1012-3 (Brief comm.)
- Scher RK (see Daniel et al). 1992;27:93-7 (Clin. rev.)
- Schewach-Millet M (see Lifshitz et al). 1992;27:620 (Brief comm.)
- Schmidt ME, Yalisove BL, Parenti DM, Elgart ML, Williams CM. Rapidly progressive penile ulcer: an unusual manifestation of Kaposi's sarcoma. 1992;27:267-8 (Brief comm.)
- Schuller-Petrovic S (see Böhler-Sommeregger et al). 1992;27:523-6
- Schwartz JJ, Myskowski PL. Molluscum contagiosum in patients with human immunodeficiency virus infection. 1992;27:583-8
- Schwartz RA (see Lambert and Schwartz). 1992;27:131-3 (Editorial)
- Scully MC, Frieden IJ. Toxic epidermal necrolysis in early infancy. 1992;27:340-4 (Case rep.)
- Sebastian TS (see Johnson et al). 1992;27:737-40 (Therapy)
- Seeburger J (see Torres et al). 1992;27:70-3 (Derm. surg.)
- Seidel FG (see Spiller et al). 1992;27:102-4 (Brief comm.)
- Sela B-A (see Lifshitz et al). 1992;27:620 (Brief comm.)
- Semle EL (see Jorizzo et al). 1992;27:389-94
- Sendagorta E, Lesiewicz J, Armstrong RB. Topical isotretinoin for photodamaged skin. 1992;27:S15-8
- Serna MJ, Vázquez FJ, Quintanilla E. Basal cell carcinoma in North American blacks. 1992;27:787 (Letter)
- Serrano G, Fortea JM, Latasa JM, Millan F, Janes C, Bosca F, Miranda MA. Photosensitivity induced by fibric acid derivatives and its relation to photocontact dermatitis to ketoprofen. 1992;27:204-8
- Sevinsky LD, Bustin Z, Cohen M, Kien C, Cabo H. Multiple adnexal tumors and a parotid basal cell adenoma. 1992;27:1035 (Letter)
- Sexton FM (see Maloney et al). 1992;27:74-8 (Dermatopathology)
- (see Ramos-Caro et al). 1992;27:452-3 (Brief comm.)
- Shalita AR. Retinoids: present and future—introduction. 1992;27:S1
- Shami SK, Sarin S. Leg ulcers. 1992;27:489-90 (Letter)
- Shar GG (see Jorizzo et al). 1992;27:389-94
- Sharma V (see Spiller et al). 1992;27:102-4 (Brief comm.)
- Shaw HM, McCarthy WH. Small-diameter malignant melanoma: a common diagnosis in New South Wales, Australia. 1992;27:679-82
- Shelton RM, Ryan MT. Scurvy: a case in a young healthy woman. 1992;27:773-4 (Brief comm.)
- Sheridan DM (see Sahn and Sheridan). 1992;27:799-801 (Case rep.)
- Shibata K (see Adachi et al). 1992;27:394-9
- Shimada JK (see Spach et al). 1992;27:1023-4 (Brief comm.)
- Shimizu H (see Kanzaki et al). 1992;27:883-5 (Case rep.)
- Shiohara T, Imanishi K, Sagawa Y, Nagashima M. Differential effects of cyclosporine and etretinate on serum cytokine levels in patients with psoriasis. 1992;27:568-74
- (see Kano et al). 1992;27:629-30 (Brief comm.)
- Shriner DL, Wagner RF Jr. Photographic utilization in dermatology clinics of the United States: a survey of the university-based dermatology residency programs. 1992;27:565-7
- Shulman LH, DeRogatis L, Spielvogel R, Miller JL, Rose LI. Serum androgens and depression in women with facial hirsutism. 1992;27:178-81
- Shupack JL (see Stiller et al). 1992;27:434-8 (Therapy)
- Silver SE. Melanocytic nevus density in Asian, Indo-Pakistani, and white children. 1992;27:277-8 (Letter)
- , Topical mechlorethamine in the treatment of mycosis fungoides. 1992;27:786 (Letter)
- Silverman MK, Golomb FM, Kopf AW, Grin-Jorgensen CM, Vossaert KA, Doyle JP, Levenstein MJ. Verification of a formula for determination of preexcision surgical margins from fixed-tissue melanoma specimens. 1992;27:214-9
- Silvers DN (see Grossman and Silvers). 1992;27:403-5
- Sim W-Y (see Kim et al). 1992;27:764-5 (Brief comm.)
- Siminovich KA (see Peacocke and Siminovich). 1992;27:507-22 (CME article)
- Simosa-Leon V (see Abramovits-Ackerman et al). 1992;27:917-21
- Skelton HG III (see Smith et al). 1992;27:943-50
- Skinner SM (see Fowler et al). 1992;27:962-8
- Slawsky LD, Gilson RT, Hockley AJ, Libow LF. Epidermodysplasia verruciformis associated with severe immunodeficiency, lymphoma, and disseminated molluscum contagiosum. 1992;27:448-50 (Brief comm.)
- Smith JB, Taylor TB, Zone JJ. The site of blister formation in dermatitis herpetiformis is within the lamina lucida. 1992;27:209-13
- Smith JG Jr. European Academy of Dermatology and Venereology, Athens, Greece, Oct. 10-13, 1991. 1992;27:485 (Editorial)
- Smith KJ, Skelton HG III, Frisman DM, Angritt P, Military Medical Consortium of Applied Retroviral Research. Verrucous lesions secondary to DNA viruses in patients infected with the human immunodeficiency virus in association with increased factor XIIIa—positive dermal dendritic cells. 1992;27:943-50
- Smith KL (see Ford et al). 1992;27:460-2 (Brief comm.)
- Smith TF (see Ratnam et al). 1992;27:120-2 (Brief comm.)
- Smoller BR, Egbert BM. Dysplastic nevi can be diagnosed and graded reproducibly: a longitudinal study. 1992;27:399-402
- , Flynn TC. Immunohistochemical examination of lichen nitidus suggests that it is not a localized papular variant of lichen planus. 1992;27:232-6 (Dermatopathology)

- , Woodley DT. Differences in direct immunofluorescence staining patterns in epidermolysis bullosa acquisita and bullous pemphigoid. 1992;27:674-8
- Snider RL. Verruciform xanthomas and lymphedema. 1992;27:1021-3 (Brief comm.)
- Snow SN, Reizner GT. Eccrine porocarcinoma of the face. 1992;27:306-11 (Case rep.)
- (see Lo and Snow). 1992;27:788-9 (Letter)
- Sofer E (see Lifshitz et al). 1992;27:620 (Brief comm.)
- Solomon AR (see LeBoit et al). 1992;27:969-73
- Solomon PJ (see Fritsch et al). 1992;27:25-8
- Soltani K (see Reohr et al). 1992;27:189-93
- Song MD (see Marks et al). 1992;27:11-6
- Soter NA (see Lim et al). 1992;27:287-92 (Case rep.)
- Soto-Melo J (see Sanchez-Viera et al). 1992;27:1010-1 (Brief comm.)
- Souteyrand P (see Dubertret et al). 1992;27:983-8 (Therapy)
- (see Roger et al). 1992;27:858-62 (Case rep.)
- Spach DH, Shimada JK, Paaup DS. Localized alopecia at the site of erythema migrans. 1992;27:1023-4 (Brief comm.)
- Spielvogel R (see Shulman et al). 1992;27:178-81
- Spiers EM (see Brooke et al). 1992;27:880-2 (Case rep.)
- Spiller JC, Sharma V, Woods GM, Hall JC, Seidel FG. Diffuse neonatal hemangiomatosis treated successfully with interferon alfa-2a. 1992;27:102-4 (Brief comm.)
- Srolowitz H (see Thibault et al). 1992;27:801-4 (Case rep.)
- Stanfield JW (see Agin and Stanfield). 1992;27:136-7 (Letter)
- Stannard AA (see Marks et al). 1992;27:11-6
- Staros EB (see Sachs et al). 1992;27:1019-21 (Brief comm.)
- Staughton RCD (see Ostlere et al). 1992;27:630-1 (Brief comm.)
- Stehlin J (see Tschien et al). 1992;27:464-5 (Brief comm.)
- Stein DJ, Hollander E. Dermatology and conditions related to obsessive-compulsive disorder. 1992;27:1034-5 (Letter reply)
- Steiner A, Pehamberger H, Binder M, Wolff K. Pigmented Spitz nevi: improvement of the diagnostic accuracy by epiluminescence microscopy. 1992;27:697-701
- Steinfath M (see Steinkraus et al). 1992;27:266-7 (Brief comm.)
- Steinkraus V, Steinfath M, Mensing H. β -Adrenergic blocking drugs and psoriasis. 1992;27:266-7 (Brief comm.)
- (see Abeck et al). 1992;27:123-4 (Brief comm.)
- Stenn K (see Duray et al). 1992;27:741-9 (Dermatopathology)
- (see Fosko et al). 1992;27:249-56 (Clin. rev.)
- Stenquist B, Wennberg A-M, Gisslén H, Larkö O. Treatment of aggressive basal cell carcinoma with intralesional interferon: evaluation of efficacy by Mohs surgery. 1992;27:65-9 (Therapy)
- Stern F (see Lifshitz et al). 1992;27:620 (Brief comm.)
- Sterry W (see Gruschwitz et al). 1992;27:169-77
- Stillier MJ, Klein WP, Dorman RI, Rosenthal S. Tinea corporis gladiatorum: an epidemic of *Trichophyton tonsurans* in student wrestlers. 1992;27:632-3 (Brief comm.)
- , Mehrel T. Multicenter clinical drug trials: Should single centers publish their results independently? 1992;27:646 (Editorial)
- , Pak GH, Kenny C, Jondreau L, Davis I, Wachsman S, Shupack JL. Elevation of fasting serum lipids in patients treated with low-dose cyclosporine for severe plaque-type psoriasis. 1992;27:434-8 (Therapy)
- Stoll HL Jr (see Jones et al). 1992;27:979-82 (Therapy)
- Strange PR, Lang PG Jr. Long-term management of basal cell nevus syndrome with topical tretinoin and 5-fluorouracil. 1992;27:842-5 (Case rep.)
- Strauchen JA (see Hytioglou et al). 1992;27:333-6 (Case rep.)
- Strauss JS (see AAD Advisory Board et al). 1992;27:469-84 (From the Academy)
- Stricklin GP (see Zic et al). 1992;27:729-36 (Therapy)
- Su WPD (see Helm et al). 1992;27:553-9
- (see Kim and Su). 1992;27:789 (Letter reply)
- (see Ratnam et al). 1992;27:120-2 (Brief comm.)
- Sueki H (see Kates et al). 1992;27:929-34
- Swanson DL. Leg ulcers. 1992;27:488 (Letter)
- T
- Tagami H (see Hara et al). 1992;27:763-4 (Brief comm.)
- Tahery DP, Goldberg R, Moy RL. Malignant melanoma of the eyelid. 1992;27:17-21
- Taieb A, Bassan-Andrieu L, Maleville J. Eosinophilic pustulosis of the scalp in childhood. 1992;27:55-60
- (see Boisseau et al). 1992;27:415-8
- Taira JW, Hill TL, Everett MA. Lobular capillary hemangioma (pyogenic granuloma) with satellitosis. 1992;27:297-300 (Case rep.)
- (see Sahl and Taira). 1992;27:109-10 (Brief comm.)
- Takahashi M, Kohda H. Diagnostic utility of magnetic resonance imaging in malignant melanoma. 1992;27:51-4
- Takano-Nishimura Y (see Nishimura et al). 1992;27:886-9 (Case rep.)
- Takayasu M (see Kanzaki et al). 1992;27:883-5 (Case rep.)
- Takeishi M (see Imayama et al). 1992;27:531-8
- Tagigawa M (see Hashizume et al). 1992;27:846-9 (Case rep.)
- Tanahashi T (see Imayama et al). 1992;27:531-8
- Tani M (see Adachi et al). 1992;27:394-9
- Tank B (see van Joost et al). 1992;27:922-8
- Tappero JW, Grekin RC, Zanelli GA, Berger TG. Pulsed-dye laser therapy for cutaneous Kaposi's sarcoma associated with acquired immunodeficiency syndrome. 1992;27:526-30
- Taylor TB (see Smith et al). 1992;27:209-13
- Tefferi A (see Helm et al). 1992;27:868-71 (Case rep.)
- Teramoto IK, Arai H, Nishiyama S, Nishioka K. Annular erythema associated with Sjögren's syndrome. 1992;27:276 (Letter)
- Tercedor J, Ródenas JM, Herranz MT, Vidal A, Muñoz-Torres M. Effect of ketoconazole in the hyperandrogenism, insulin resistance and acanthosis nigricans (HAIR-AN) syndrome. 1992;27:786 (Letter)
- Tham A (see Ng et al). 1992;27:263 (Brief comm.)
- Thibault M-J, Billick RC, Srolowitz H. Minocycline-induced Sweet's syndrome. 1992;27:801-4 (Case rep.)
- Thomas DM (see Tsele et al). 1992;27:61-4 (Therapy)
- Thomsen K (see Petersen and Thomsen). 1992;27:633-4 (Brief comm.)
- Tomita Y (see Hara et al). 1992;27:763-4 (Brief comm.)
- Tong MM, Cooke B, Barnetson RS. Lymphomatoid granulomatosis. 1992;27:872-6 (Case rep.)
- Toporcer MB (see Hsu et al). 1992;27:327-30 (Case rep.)
- Torres A, Seeburger J, Robinson D, Glogau R. The reliability of a second biopsy for determining residual tumor. 1992;27:70-3 (Derm. surg.)
- Toshitani S (see Nishimura et al). 1992;27:886-9 (Case rep.)
- Tosti A, Guerra L, Morelli R, Bardazzi F, Fanti PA. Role of foods in the pathogenesis of chronic paronychia. 1992;27:706-10
- Tremaine R (see Tuppal and Tremaine). 1992;27:105-6 (Brief comm.)
- Troost R (see van Joost et al). 1992;27:922-8
- Tschen JA, Fordice DB, Reddick M, Stehlin J. Amelanotic melanoma presenting as inflammatory plaques. 1992;27:464-5 (Brief comm.)
- Tsele E, Thomas DM, Chu AC. Treatment of adult Langerhans cell histiocytosis with etoposide. 1992;27:61-4 (Therapy)
- Tsuji T, Nishimura M, Kimura S. Erythema annulare centrifugum associated with gold sodium thiomalate therapy. 1992;27:284-7 (Case rep.)
- , Otake N, Kobayashi T, Miwa N. Multiple keratoses and squamous cell carcinoma from cutting oil. 1992;27:767-8 (Brief comm.)
- Tuppal R, Tremaine R. Cutaneous eruption from vitamin K₁ injection. 1992;27:105-6 (Brief comm.)
- Turner MLC (see Masri-Fridling and Turner). 1992;27:486 (Letter)
- Tyring SK (see Purvis and Tyring). 1992;27:648 (Letter reply)

U

- Ullman S (see Konstantinov et al). 1992;27:293-7 (Case rep.)
Urbani CE (see Betti et al). 1992;27:113-5 (Brief comm.)

V

- Vahlquist A. Long-term safety of retinoid therapy. 1992;27:S29-33
Valcayo A (see Vives et al). 1992;27:276-7 (Letter)
Vale T (see Pinto et al). 1992;27:281-4 (Case rep.)
Valenzuela R (see Camisa et al). 1992;27:547-53
— (see Macejko et al). 1992;27:889-92 (Case rep.)
Valeski JE, Kumar V, Forman AB, Beutner EH, Chorzelski TP. A characteristic cutaneous direct immunofluorescent pattern associated with Ro(SS-A) antibodies in subacute cutaneous lupus erythematosus. 1992;27:194-8
Vandenberg E (see Ho et al). 1992;27:804-8 (Case rep.)
Van Hale HM (see Mehregan et al). 1992;27:935-42
van Joost Th, Kozel MMA, Tank B, Troost R, Prens EP. Cyclosporine in atopic dermatitis. 1992;27:922-8
Vázquez FJ (see Serna et al). 1992;27:787 (Letter)
Vázquez-Doval FJ (see de Erenchun et al). 1992;27:115-6 (Brief comm.)
Vennos EM, Collins M, James WD. Rothmund-Thomson syndrome: review of the world literature. 1992;27:750-62 (Clin. rev.)
Vernon H (see Sarkell et al). 1992;27:817-21 (Case rep.)
Vidal A (see Tercedor et al). 1992;27:786 (Letter)
Vives R, Valcayo A, Menéndez E, Guarch R. Follicular thyroid carcinoma metastatic to the skin. 1992;27:276-7 (Letter)
Vogel PS, James WD. Lichen planus of the eyelid: an unusual clinical presentation. 1992;27:638-9 (Brief comm.)
—, Nemer J, Sau P, Hnatiuk O. Churg-Strauss syndrome. 1992;27:821-4 (Case rep.)
von den Driesch P (see Gruschwitz et al). 1992;27:169-77
Vonderheid EC (see Hsu et al). 1992;27:327-30 (Case rep.)
Voorhees JJ (see Bulengo-Ransby et al). 1992;27:825-8 (Case rep.)
—, (see Gupta et al). 1992;27:118-20 (Brief comm.)
Vose J (see Braddock et al). 1992;27:337-40 (Case rep.)
Vossaert KA (see Silverman et al). 1992;27:214-9

W

- Wachsman S (see Stiller et al). 1992;27:434-8 (Therapy)
Wagner RF Jr (see Shriner and Wagner). 1992;27:565-7
Wallach D. Intraepidermal IgA pustulosis. 1992;27:993-1000 (Clin. rev.)
— (see Dubertret et al). 1992;27:983-8 (Therapy)
Waner M (see Gross and Waner). 1992;27:789 (Letter)
Warner N (see Cullen et al). 1992;27:463-4 (Brief comm.)
Wattenberg DJ (see Hytioglou et al). 1992;27:333-6 (Case rep.)
Weary PE, Lamberg SI. Approved drugs for unapproved indications: some clouds on the horizon. 1992;27:133-5 (Editorial)
Webster GF (see Sachs et al). 1992;27:1019-21 (Brief comm.)
Wechsler J (see Bagot et al). 1992;27:589-93
Weimer CE Jr (see Sahn et al). 1992;27:348-55 (Case rep.)
Weinrauch L (see El-On et al). 1992;27:227-31 (Therapy)
Weinstein G (see Goodman et al). 1992;27:594-8 (Therapy)
Wennberg A-M (see Stenquist et al). 1992;27:65-9 (Therapy)
Werlin SL, Esterly NB, Oechler H. Crohn's disease presenting as unilateral labial hypertrophy. 1992;27:893-5 (Case rep.)
Weyer U (see Jitsukawa et al). 1992;27:625-6 (Brief comm.)
White GM. Linear focal elastosis: A degenerative or regenerative process of striae distensae? 1992;27:468 (Brief comm.)

- (see Goodman et al). 1992;27:594-8 (Therapy)
White WL (see Jorizzo et al). 1992;27:389-94
Wick MR (see LeBoit et al). 1992;27:969-73
Wikler JR, Nieboer C, Willemze R. Quantitative skin cultures of *Pityrosporum* yeasts in patients seropositive for the human immunodeficiency virus with and without seborrheic dermatitis. 1992;27:37-9
Wilkinson JD (see Burge and Wilkinson). 1992;27:40-50
Wilkinson SM, English JSC. Hydrocortisone sensitivity: clinical features of fifty-nine cases. 1992;27:683-7
Willemze R (see Wikler et al). 1992;27:37-9
Williams CM (see Schmidt et al). 1992;27:267-8 (Brief comm.)
Wilson BB (see Jaber et al). 1992;27:300-2 (Case rep.)
Wilson BD (see Jones et al). 1992;27:99-82 (Therapy)
Wilson D (see Zic et al). 1992;27:729-36 (Therapy)
Wintroub B (see Heald et al). 1992;27:427-33 (Therapy)
Wise CM (see Jorizzo et al). 1992;27:389-94
Witkowski JA, Parish LC. Lindane-resistant scabies. 1992;27:648 (Letter)
Wolff HH (see Amon and Wolff). 1992;27:278-9 (Letter)
Wolff K (see Steiner et al). 1992;27:697-701
Wolkenstein P (see Borradori et al). 1992;27:863-7 (Case rep.)
Woodley DT (see Smoller and Woodley). 1992;27:674-8
Woods GM (see Spiller et al). 1992;27:102-4 (Brief comm.)
Wortman PD. Pulmonary and cutaneous tuberculosis. 1992;27:459-60 (Brief comm.)
Wright RC. Traumatic folliculitis of the legs: a persistent case associated with use of a home epilating device. 1992;27:771-2 (Brief comm.)
Wüthrich B (see Wyss et al). 1992;27:650-1 (Letter)
Wyss M, Elsner P, Wüthrich B. Allergic contact dermatitis to natural latex. 1992;27:650-1 (Letter)

Y

- Yagita A (see Kano et al). 1992;27:629-30 (Brief comm.)
Yalisove BL (see Schmidt et al). 1992;27:267-8 (Brief comm.)
Yano I (see Nishimura et al). 1992;27:886-9 (Case rep.)

Z

- Zachariae H. Dermabrasion of Hailey-Hailey disease and Darier's disease. 1992;27:136 (Letter)
Zackheim HS. Carcinogenicity of topical mechlorethamine in mice. 1992;27:651 (Letter)
—, Evaluation of anthralin for mycosis fungoides. 1992;27:112-3 (Brief comm.)
Zanelli GA (see Tappero et al). 1992;27:526-30
Zeligovsky A (see Goldenhersh et al). 1992;27:1012-3 (Brief comm.)
Zic J, Arzubaga C, Salhany KE, Parker RA, Wilson D, Stricklin GP, Greer J, King LE Jr. Extracorporeal photopheresis for the treatment of cutaneous T-cell lymphoma. 1992;27:729-36 (Therapy)
Zimmet SE. Leg ulcers. 1992;27:487-8 (Letter)
Zitelli JA (see Brodland and Zitelli). 1992;27:1-10 (CME article)
— (see Brodland and Zitelli). 1992;27:241-8 (Derm. surg.)
Zone JJ (see Smith et al). 1992;27:209-13
Zonzits E (see Langer et al). 1992;27:812-6 (Case rep.)
Zouboulis CC, Gollnick H, Orfanos CE. Essential thrombocythemia and idiopathic cold agglutinin disease: two additional disorders associated with intravascular coagulation necrosis of the skin. 1992;27:277 (Letter)

Subject Index

A

Acantholysis

Acantholytic acanthomas in an immunosuppressed patient (Ramos-Caro et al). 1992;27:452-3 (Brief comm.)

Acanthosis nigricans

Effect of ketoconazole in the hyperandrogenism, insulin resistance and acanthosis nigricans (HAIR-AN) syndrome (Tercedor et al). 1992;27:786 (Letter)

Acetaminophen

Acetaminophen-induced progressive pigmentary purpura (Schamberg's disease) (Abeck et al). 1992;27:123-4 (Brief comm.)

Acitretin

Pharmacokinetics and drug interactions of etretinate and acitretin (Lambert et al). 1992;27:S19-22

Side effects of systemic retinoids and their clinical management (Saurat). 1992;27:S23-8

Acne

Current dermatologic therapy (Coskey). 1992;27:599-608 (Therapy)

Dowling-Degos' disease mimicking chloracne (Kershenovich et al). 1992;27:345-8 (Case rep.)

Guidelines for optimal use of isotretinoin in acne (Layton and Cunliffe). 1992;27:S2-7

A primer on cosmetics (AAD Advisory Board et al). 1992;27:469-84 (From the Academy)

Acquired immunodeficiency syndrome

Foscarnet-induced penile ulcer (Evans and Grossman). 1992;27:124-6 (Brief comm.)

Pityriasis rubra pilaris in a child seropositive for the human immunodeficiency virus (Menni et al). 1992;27:1009 (Brief comm.)

Pulsed-dye laser therapy for cutaneous Kaposi's sarcoma associated with acquired immunodeficiency syndrome (Tappero et al). 1992;27:526-30

Acral persistent papular mucinosis; see Mucinosis

Acroerythema; see Erythema

Actinic cheilitis; see Cheilitis

Actinic dermatitis; see Dermatitis

Adenocarcinoma

Cutaneous acral metastasis in a patient with primary gastric adenocarcinoma (DiSpaltro et al). 1992;27:117-8 (Brief comm.)

Follicular thyroid carcinoma metastatic to the skin (Vives et al). 1992;27:276-7 (Letter)

Adenoma

Multiple adnexal tumors and a parotid basal cell adenoma (Sevinsky et al). 1992;27:1035 (Letter)

Adenosine deaminase

Serum adenosine deaminase activity in systemic sclerosis (scleroderma) and related disorders (Sasaki and Nakajima). 1992;27:411-4

Adhesion proteins; see Proteins

Administration, topical

Effectiveness of various barrier preparations in preventing and/or ameliorating experimentally produced *Toxicodendron* dermatitis (Grevelink et al). 1992;27:182-8

Hydrocortisone sensitivity: clinical features of fifty-nine cases

(Wilkinson and English). 1992;27:683-7

July, pp. 1-150; August, part 1, pp. 151-280; August, part 2, pp. 281-366; September, pp. 367-506; October, pp. 507-652; November, part 1; pp. 653-798; November, part 2, pp. 799-900; December, part 1, pp. 901-1076; December, part 2, pp. S1-S46.

Administration, topical—cont'd

Long-term management of basal cell nevus syndrome with topical tretinoin and 5-fluorouracil (Strange and Lang). 1992;27:842-5 (Case rep.)

Topical corticosteroids and *Staphylococcus aureus* in atopic dermatitis (Nilsson et al). 1992;27:29-34

Topical glucocorticoids with improved benefit/risk ratio: Do they exist? (Korting et al). 1992;27:87-92 (Clin. rev.)

Topical isotretinoin for photodamaged skin (Sendagorta et al). 1992;27:S15-8

Topical treatment of Old World cutaneous leishmaniasis caused by *Leishmania major*: a double-blind control study (El-On et al). 1992;27:227-31 (Therapy)

Adnexal diseases

Multiple adnexal tumors and a parotid basal cell adenoma (Sevinsky et al). 1992;27:1035 (Letter)

Adolescence

Sun exposure in Australian adolescents (Fritsch et al). 1992;27:25-8

Adrenal cortex hormones

Topical corticosteroids and *Staphylococcus aureus* in atopic dermatitis (Nilsson et al). 1992;27:29-34

Adrenergic beta receptor blockers

β -Adrenergic blocking drugs and psoriasis (Steinkraus et al). 1992;27:266-7 (Brief comm.)

Adult T-cell leukemia; see Leukemia, T-cell

Aged

Onset of psoriasis in the tenth decade of life (Raychaudhuri and Farber). 1992;27:788 (Letter)

Response of aged versus young skin to intradermal administration of interferon gamma (Gilhar et al). 1992;27:710-6

Stratum corneum changes in patients with senile pruritus (Long and Marks). 1992;27:560-4

Alkaptonuria

Alkaptonuria and ochronosis: case report and review (Albers et al). 1992;27:609-14 (Clin. rev.)

Allergic contact dermatitis; see Dermatitis, contact

Allergy; see Hypersensitivity

Alopecia

Alopecia universalis in a patient seropositive for the human immunodeficiency virus (Ostlere et al). 1992;27:630-1 (Brief comm.)

Lichen planopilaris: clinical and pathologic study of forty-five patients (Mehregan et al). 1992;27:935-42

Localized alopecia at the site of erythema migrans (Spach et al). 1992;27:1023-4 (Brief comm.)

Alopecia areata

Identical twins with identical alopecia areata (Scerri and Pace). 1992;27:766-7 (Brief comm.)

Amelanotic melanoma; see Melanoma

Aminocaproic acids

Noninflammatory bullae associated with ϵ -aminocaproic acid infusion (Brooke et al). 1992;27:880-2 (Case rep.)

Amoxicillin

The Rumpel-Leede sign associated with drug-induced erythema multiforme (Gross et al). 1992;27:781-2 (Brief comm.)

Androgens

Androgen insensitivity syndrome (testicular feminization): a model for understanding steroid hormone receptors (Feldman). 1992;27:615-9 (Clin. rev.)

Effect of ketoconazole in the hyperandrogenism, insulin resistance and acanthosis nigricans (HAIR-AN) syndrome (Tercedor et al). 1992;27:786 (Letter)

Androgens—cont'd

Serum androgens and depression in women with facial hirsutism (Shulman et al). 1992;27:178-81

Anemia, hemolytic, autoimmune

Essential thrombocythemia and idiopathic cold agglutinin disease: two additional disorders associated with intravascular coagulation necrosis of the skin (Zouboulis et al). 1992;27:277 (Letter)

Anemia, sideroblastic

Photosensitivity, abnormal porphyrin profile, and sideroblastic anemia (Lim et al). 1992;27:287-92 (Case rep.)

Aneurysm

Aneurysm in the skin: arterial fibromuscular dysplasia (Kanzaki et al). 1992;27:883-5 (Case rep.)

Angiolymphoid hyperplasia with eosinophilia

Kimura's disease and angiolymphoid hyperplasia with eosinophilia: clinical and histopathologic differences (Chun and Ji). 1992;27:954-8

Angiomatosis

Angiomatosis with luminal cryoprotein deposition (LeBoit et al). 1992; 27:969-73

Angiomyolipoma; see Lipoma

Angioneurotic edema

Systemic therapy with cyclosporine (Amon and Wolff). 1992;27:278-9 (Letter)

Annular epidermolytic ichthyosis; see Ichthyosis

Annular erythema; see Erythema

Anthrax

Evaluation of anthrax for mycosis fungoides (Zackheim). 1992; 27:112-3 (Brief comm.)

Antibiotics

Failure of *Borrelia burgdorferi* to survive in the skin of patients with antibiotic-treated Lyme disease (Berger et al). 1992;27:34-7

Antibodies

A characteristic cutaneous direct immunofluorescent pattern associated with Ro(SS-A) antibodies in subacute cutaneous lupus erythematosus (Valeski et al). 1992;27:194-8

Intraepidermal localization of the clone in cutaneous T-cell lymphoma (Bagot et al). 1992;27:589-93

Antibodies, antinuclear

Severe sun sensitivity and the presence of antinuclear antibodies in patients with polymorphous light eruption-like lesions (Callen). 1992;27:788 (Letter)

Antigenic determinants

Epitopes for CD1a, CD1b, and CD1c antigens are differentially mapped on Langerhans cells, dermal dendritic cells, keratinocytes, and basement membrane zone in human skin (Furie et al). 1992; 27:419-26

Antigens

Combination of patch test and IgE for dust mite antigens differentiates 130 patients with atopic dermatitis into four groups (Imayama et al). 1992;27:531-8

Epidermal dendritic cells in psoriasis possess a phenotype associated with antigen presentation: in situ expression of β_2 -integrins (McGregor et al). 1992;27:383-8

Localized pretibial pemphigoid and pemphigoid nodularis (Borradori et al). 1992;27:863-7 (Case rep.)

Antigens, CD

Epitopes for CD1a, CD1b, and CD1c antigens are differentially mapped on Langerhans cells, dermal dendritic cells, keratinocytes, and basement membrane zone in human skin (Furie et al). 1992; 27:419-26

Antinuclear antibodies; see Antibodies, antinuclear

Argyria

Blue nevi-like dotted occupational argyria (Rongioletti et al). 1992; 27:1015-6 (Brief comm.)

Arsenic

Clinicopathologic study of arsenic-induced skin lesions: no definite association with human papillomavirus (Ratnam et al). 1992;27: 120-2 (Brief comm.)

Arterial fibromuscular dysplasia; see Fibromuscular dysplasia

Arthritis, rheumatoid

Erythema annulare centrifugum associated with gold sodium thiomalate therapy (Tsuiji et al). 1992;27:284-7 (Case rep.)

Ascorbic acid

Scurvy: a case in a young healthy woman (Shelton and Ryan). 1992;27:773-4 (Brief comm.)

Atopic dermatitis; see Dermatitis, atopic

Atopic eczema; see Dermatitis, atopic

Australia

Small-diameter malignant melanoma: a common diagnosis in New South Wales, Australia (Shaw and McCarthy). 1992;27: 679-82

Sun exposure in Australian adolescents (Fritsch et al). 1992;27:25-8

Autoantibodies

Immunofluorescence on split skin for the detection and differentiation of basement membrane zone autoantibodies (Gammon et al). 1992;27:79-87 (Clin. rev.)

Localized pretibial pemphigoid and pemphigoid nodularis (Borradori et al). 1992;27:863-7 (Case rep.)

Autoerythrocyte sensitization syndrome

Autoerythrocyte sensitization syndrome (psychogenic purpura) (Berman et al). 1992;27:829-32 (Case rep.)

Autoimmune diseases

Features of an autoimmune process in mid-dermal elastolysis (Kirsner and Falanga). 1992;27:832-4 (Case rep.)

Intraepidermal IgA pustulosis (Wallach). 1992;27:993-1000 (Clin. rev.)

Paraneoplastic pemphigus: a report of three cases including one long-term survivor (Camisa et al). 1992;27:547-53

B

Bacteria

Current dermatologic therapy (Coskey). 1992;27:599-608 (Therapy)

Mycobacterium intracellulare soft tissue infection (Sachs et al). 1992;27:1019-21 (Brief comm.)

Sterility of refrigerated injectable collagen syringes after injection of patient (Davis et al). 1992;27:959-61

Balanitis

Fusidic acid cream in the treatment of plasma cell balanitis (Petersen and Thomsen). 1992;27:633-4 (Brief comm.)

Barrier preparations; see Administration, topical

Basal cell adenoma; see Adenoma

Basal cell carcinoma; see Carcinoma, basal cell

Basal cell nevus syndrome

Linear unilateral basaloid follicular hamartoma (Jiménez-Acosta et al). 1992;27:316-9 (Case rep.)

Long-term management of basal cell nevus syndrome with topical tretinoin and 5-fluorouracil (Strange and Lang). 1992;27:842-5 (Case rep.)

Basaloid follicular hamartoma; see Hamartoma

Basement membrane

Epitopes for CD1a, CD1b, and CD1c antigens are differentially mapped on Langerhans cells, dermal dendritic cells, keratinocytes, and basement membrane zone in human skin (Furie et al). 1992;27:419-26

Basement membrane—cont'd

Immunofluorescence on split skin for the detection and differentiation of basement membrane zone autoantibodies (Gammon et al). 1992;27:79-87 (Clin. rev.)

Benign familial pemphigus; see Pemphigus, benign familial**Benzene hexachloride**

Lindane-resistant scabies (Witkowski and Parish) (Letter); (Purvis and Tying) (Reply). 1992;27:648

Beta-adrenergic blockers; see Adrenergic beta receptor blockers**Beta₂-integrins; see Integrins****Betaine**

Allergic contact dermatitis to cocamidopropyl betaine in shampoo (Korting et al). 1992;27:1013-5 (Brief comm.)

Blezaflibrate

Photosensitivity induced by fibric acid derivatives and its relation to photocontact dermatitis to ketoprofen (Serrano et al). 1992;27:204-8

Biopsy

Atypical melanocytic nevi (Cohen et al). 1992;27:701-6
The reliability of a second biopsy for determining residual tumor (Torres et al). 1992;27:70-3 (Derm. surg.)

Bites and stings

Ornithodoros tholozani bites: a unique clinical picture (Leker et al). 1992;27:1025-6 (Brief comm.)

Blacks

Basal cell carcinoma in North American blacks (Serna et al) (Letter); (Abreo and Sanusi) (Reply). 1992;27:787-8

Blister

Hemorrhagic bullae in association with *Enterobacter cloacae* septicemia (Livingston et al). 1992;27:637-8 (Brief comm.)
Noninflammatory bullae associated with ϵ -aminocaproic acid infusion (Brooke et al). 1992;27:880-2 (Case rep.)
The site of blister formation in dermatitis herpetiformis is within the lamina lucida (Smith et al). 1992;27:209-13

Bloodletting

Childhood-onset familial porphyria cutanea tarda: effects of therapeutic phlebotomy (Poh-Fitzpatrick et al). 1992;27:896-900 (Case rep.)

Blue nevi; see Nevus, pigmented**Bone**

Intraosseous epidermoid cysts (Samlaska and Hansen). 1992;27:454-5 (Brief comm.)

Bone marrow diseases

Wiskott-Aldrich syndrome: new molecular and biochemical insights (Peacocke and Siminovich). 1992;27:507-22 (CME article)

Book reviews

Book reviews. 1992;27:493-6, 1037-40

Borrelia burgdorferi

Failure of *Borrelia burgdorferi* to survive in the skin of patients with antibiotic-treated Lyme disease (Berger et al). 1992;27:34-7

Bowen's disease

Cutaneous Bowen's disease (Kossard and Rosen). 1992;27:406-10
Photodynamic therapy in the treatment of Bowen's disease (Jones et al). 1992;27:979-82 (Therapy)

Brief communications

Brief communications. 1992;27:102-26, 257-74, 448-68, 620-39, 763-82, 1009-31

Buccal mucosa; see Mouth mucosa**Bullae; see Blister****Bullous diseases**

Immunofluorescence on split skin for the detection and differentiation of basement membrane zone autoantibodies (Gammon et al). 1992;27:79-87 (Clin. rev.)

Bullous pemphigoid; see Pemphigoid, bullous**Bullous skin diseases; see Skin diseases, vesiculobullous**

C

C7; see Complement 7**Calcipotriol**

Efficacy and safety of calcipotriol (MC-903) ointment in psoriasis vulgaris (Dubertret et al). 1992;27:983-8 (Therapy)

Treatment of psoriasis with calcipotriol and other vitamin D analogues (Kragballe). 1992;27:1001-8 (Clin. rev.)

Cancer; see Neoplasms**Capillaries**

Angiomatosis with luminal cryoprotein deposition (LeBoit et al). 1992;27:969-73

Captopril

Captopril-induced pemphigus vegetans with Charcot-Leyden crystals (Pinto et al). 1992;27:281-4 (Case rep.)

Carbon dioxide

Carbon dioxide laser treatment of actinic cheilitis (Johnson et al). 1992;27:737-40 (Therapy)

Carcinogens

Carcinogenicity of topical mechlorethamine in mice (Zackheim) (Letter); (Konnikov) (Reply). 1992;27:651-2

Carcinoma

Sebaceous carcinomas of the ocular adnexa and the Muir-Torre syndrome (Cohen). 1992;27:279-80 (Letter)

Carcinoma, basal cell

Basal cell carcinoma in North American blacks (Serna et al) (Letter); (Abreo and Sanusi) (Reply). 1992;27:787-8

The effect of intralesional 5-Fluorouracil Therapeutic Implant (MPI 5003) for treatment of basal cell carcinoma (Orenberg et al). 1992;27:723-8 (Therapy)

Linear unilateral basoloid follicular hamartoma (Jiménez-Acosta et al). 1992;27:316-9 (Case rep.)

Metastatic basal cell carcinoma (Lo and Snow). 1992;27:788-9 (Letter)

Pigmented basal cell carcinoma: investigation of 70 cases (Maloney et al). 1992;27:74-8 (Dermatopathology)

Treatment of aggressive basal cell carcinoma with intralesional interferon: evaluation of efficacy by Mohs surgery (Stenquist et al). 1992;27:65-9 (Therapy)

Carcinoma, squamous cell

Biology of cutaneous squamous cell carcinoma (Gross and Waner). 1992;27:789 (Letter)

Clinical evaluation of etretinate for the treatment of canine solar-induced squamous cell carcinoma and preneoplastic lesions (Marks et al). 1992;27:11-6

Cutaneous Bowen's disease (Kossard and Rosen). 1992;27:406-10

Mechanisms of metastasis (Brodland and Zitelli). 1992;27:1-10 (CME article)

Multiple keratoses and squamous cell carcinoma from cutting oil (Tsuji et al). 1992;27:767-8 (Brief comm.)

Surgical margins for excision of primary cutaneous squamous cell carcinoma (Brodland and Zitelli). 1992;27:241-8 (Derm. surg.)

Cardiovascular diseases

Elevation of fasting serum lipids in patients treated with low-dose cyclosporine for severe plaque-type psoriasis (Stiller et al). 1992;27:434-8 (Therapy)

Case reports

Case reports. 1992;27:281-366, 799-900

Cataract

Rothmund-Thomson syndrome: review of the world literature (Vennos et al). 1992;27:750-62 (Clin. rev.)

CD1 antigens; see Antigens, CD

Cell adhesion molecules

Expression of adhesion proteins involved in cell-cell and cell-matrix interactions in the skin of patients with progressive systemic sclerosis (Gruschwitz et al). 1992;27:169-77

Cell cycle

Cyclosporine therapy for psoriasis: a cell cycle-derived dosing schedule (Goodman et al). 1992;27:594-8 (Therapy)

Cell-mediated immunity; see Immunity, cellular

Charcot-Leyden crystals; see Crystallization

Cheilitis

Carbon dioxide laser treatment of actinic cheilitis (Johnson et al). 1992;27:737-40 (Therapy)

Cheilitis granulomatosa; see Melkersson-Rosenthal syndrome

Child

Childhood-onset familial porphyria cutanea tarda: effects of therapeutic phlebotomy (Poh-Fitzpatrick et al). 1992;27:896-900 (Case rep.)

Demodicidosis in a child with leukemia (Sahn and Sheridan). 1992;27:799-801 (Case rep.)

Eosinophilic pustulosis of the scalp in childhood (Taieb et al). 1992;27:55-60

Epidermolysis bullosa acquisita in a 3½-year-old girl (Roger et al). 1992;27:858-62 (Case rep.)

Granulomatous rosacea in a child infected with the human immunodeficiency virus (Sanchez-Viera et al). 1992;27:1010-1 (Brief comm.)

Perineal ecthyma gangrenosum in infancy and early childhood: septicemic and nonsepticemic forms (Boisseau et al). 1992;27:415-8

Perioral dermatitis in childhood (Manders and Lucky). 1992;27:688-92

Pityriasis rubra pilaris in a child seropositive for the human immunodeficiency virus (Menni et al). 1992;27:1009 (Brief comm.)

Pustular lymphomatoid papulosis in childhood (Barnadas et al). 1992;27:627-8 (Brief comm.)

Unilateral laterothoracic exanthem in children: A new disease? (Bodemer and de Prost). 1992;27:693-6

Chin

Follicular keratosis of the chin (Padilha-Gonçalves) (Letter); (Brenner and Brandsen) (Letter); (Kanzaki) (Reply). 1992;27:1032

Chloracne; see Acne

Chlorambucil

Successful treatment of aggressive pyoderma gangrenosum with pulse steroids and chlorambucil (Resnik et al). 1992;27:635-6 (Brief comm.)

Churg-Strauss syndrome

Churg-Strauss syndrome (Vogel et al). 1992;27:821-4 (Case rep.)

Cicatrix

Kaposi's sarcoma occurring de novo in the surgical scar in a heart transplant recipient (Micali et al). 1992;27:273-4 (Brief comm.)

Cleft lip

Ectodermal dysplasias associated with clefting: significance of scalp dermatitis (Fosko et al). 1992;27:249-56 (Clin. rev.)

Cleft palate

Ectodermal dysplasias associated with clefting: significance of scalp dermatitis (Fosko et al). 1992;27:249-56 (Clin. rev.)

Clinical reviews

Clinical reviews. 1992;27:79-97, 249-56, 609-19, 750-62, 989-1008

Clinical trials

Multicenter clinical drug trials: Should single centers publish their results independently? (Stiller and Mehrel). 1992;27:646 (Editorial)

Clonal T-cells; see T-lymphocytes

Clone cells

Intraepidermal localization of the clone in cutaneous T-cell lymphoma (Bagot et al). 1992;27:589-93

Clothing

Allergic contact dermatitis from formaldehyde resins in permanent press clothing: an underdiagnosed cause of generalized dermatitis (Fowler et al). 1992;27:962-8

Cocamidopropyl betaine; see Betaine

Cochliomyia hominivorax

Human infestation with *Cochliomyia hominivorax*, the New World screwworm (Kron). 1992;27:264-5 (Brief comm.)

Cold agglutinin disease; see Anemia, hemolytic, autoimmune

Collagen

Current dermatologic therapy (Coskey). 1992;27:599-608 (Therapy)

Generalized perforating granuloma annulare (Samlaska et al). 1992;27:319-22 (Case rep.)

Pachydermodactyly: first report in a woman (Draluck et al). 1992;27:303-5 (Case rep.)

Sterility of refrigerated injectable collagen syringes after injection of patient (Davis et al). 1992;27:959-61

Colon neoplasms

Malignant tumors in patients with psoriasis (Olsen et al). 1992;27:716-22

Coma blisters

Coma blisters in a patient with diabetic ketoacidosis (Mehregan et al). 1992;27:269-70 (Brief comm.)

Common acquired nevi; see Nevus

Complement 7

Fatal pyoderma gangrenosum in association with C7 deficiency (Friduss et al). 1992;27:356-9 (Case rep.)

Condylomata acuminata

Human papillomavirus type 6 infection involving cutaneous nongenital sites (Blauvelt et al). 1992;27:876-9 (Case rep.)

Congresses

European Academy of Dermatology and Venereology, Athens, Greece, Oct. 10-13, 1991 (Smith). 1992;27:485 (Editorial)

Conjunctiva

Malignant melanoma of the eyelid (Tahery et al). 1992;27:17-21

Connective tissue

Pachydermodactyly: first report in a woman (Draluck et al). 1992;27:303-5 (Case rep.)

Consumer product safety

Dihydroxyacetone-containing sunless or self-tanning lotions (Levy). 1992;27:989-93 (Clin. rev.)

Contact dermatitis; see Dermatitis, contact

Continuing medical education

Continuing medical education. 1992;27:1-8, 151-65, 367-78, 507-19, 653-62, 901-13

Continuing medical education examinations

Continuing medical education examinations. 1992;27:9-10, 166-7, 379-81, 520-2, 663-5, 914-5

Continuing medical education examinations answers

Continuing medical education examinations answers. 1992;27:8, 168, 382, 522, 666, 916

Corkscrew hair; see Hair

Corrections

Histiocytic cytophagic panniculitis: molecular evidence for a clonal T-cell disorder (Hytiroglou et al) (1992;27:333-6). 1992;27:900

Corrections—cont'd

Self-assessment examination answers (1992;26:513-7). 1992;27:150

Correspondence

Correspondence. 1992;27:136-40, 275-80, 486-92, 647-52, 786-9, 1032-6

Corticosteroids; see Adrenal cortex hormones**Cosmetics**

A primer on cosmetics (AAD Advisory Board et al). 1992;27:469-84 (From the Academy)

Crohn disease

Crohn's disease presenting as unilateral labial hypertrophy (Werlin et al). 1992;27:893-5 (Case rep.)

Crohn's disease of the vulva (Kim et al). 1992;27:764-5 (Brief comm.)

Pellagra complicating Crohn's disease (Lifshitz et al). 1992;27:620 (Brief comm.)

Peristomal pyoderma gangrenosum (Keltz et al). 1992;27:360-4 (Case rep.)

Cross-sectional studies

Lichen planus (Anderson) (Letter); (Boyd and Neldner) (Reply). 1992;27:647

Cryoproteins

Angiomatosis with luminal cryoprotein deposition (LeBoit et al). 1992;27:969-73

Cryosurgery

Reactive lentiginous hyperpigmentation after cryosurgery of lentigo maligna (Böhler-Sommeregger et al). 1992;27:523-6

Crystallization

Captopril-induced pemphigus vegetans with Charcot-Leyden crystals (Pinto et al). 1992;27:281-4 (Case rep.)

Cutaneous leishmaniasis; see Leishmaniasis, cutaneous**Cutaneous lupus erythematosus; see Lupus erythematosus, cutaneous****Cutaneous tuberculosis; see Tuberculosis, cutaneous****Cutting oil; see Oils****Cyclosporine**

Bullous pemphigoid and severe erythrodermic psoriasis: combined low-dose treatment with cyclosporine and systemic steroids (Bianchi et al) (Letter); (Hisler and Hashimoto) (Reply). 1992;27:278

Cyclosporine in atopic dermatitis (van Joost et al). 1992;27:922-8

Cyclosporine therapy for psoriasis: a cell cycle-derived dosing schedule (Goodman et al). 1992;27:594-8 (Therapy)

Differential effects of cyclosporine and etretinate on serum cytokine levels in patients with psoriasis (Shiohara et al). 1992;27:568-74

Elevation of fasting serum lipids in patients treated with low-dose cyclosporine for severe plaque-type psoriasis (Stiller et al). 1992;27:434-8 (Therapy)

Failure of reticular erythematous mucinosis to respond to cyclosporine (Bulengo-Ransby et al). 1992;27:825-8 (Case rep.)

Hypertriglyceridemia in patients with psoriasis treated with cyclosporine (Mrowietz et al) (Letter); (Gottlieb) (Reply). 1992;27:491-2

Successful treatment of musk ketone-induced chronic actinic dermatitis with cyclosporine and PUVA therapy (Gardeazábal et al). 1992;27:838-42 (Case rep.)

Systemic therapy with cyclosporine (Amon and Wolff). 1992;27:278-9 (Letter)

Topical cyclosporine in chronic benign familial pemphigus (Hailey-Hailey disease) (Jitsukawa et al). 1992;27:625-6 (Brief comm.)

Cytokines

Cyclosporine in atopic dermatitis (van Joost et al). 1992;27:922-8

Differential effects of cyclosporine and etretinate on serum cytokine levels in patients with psoriasis (Shiohara et al). 1992;27:568-74

D**Darier-White disease; see Keratosis follicularis****Demodicidosis; see Mites****Dendritic cells**

Dermatofibroma with spreading satellitosis (Curcú et al). 1992;27:1017-9 (Brief comm.)

Epidermal dendritic cells in psoriasis possess a phenotype associated with antigen presentation: in situ expression of β_2 -integrins (McGregor et al). 1992;27:383-8

Epitopes for CD1a, CD1b, and CD1c antigens are differentially mapped on Langerhans cells, dermal dendritic cells, keratinocytes, and basement membrane zone in human skin (Furie et al). 1992;27:419-26

Verrucous lesions secondary to DNA viruses in patients infected with the human immunodeficiency virus in association with increased factor XIIIa-positive dermal dendritic cells (Smith et al). 1992;27:943-50

Depression

Serum androgens and depression in women with facial hirsutism (Shulman et al). 1992;27:178-81

Dermabrasion

Dermabrasion: therapy and prophylaxis of the photoaged face (Benedetto et al). 1992;27:439-47 (Derm. surg.)

Dermabrasion of Hailey-Hailey disease and Darier's disease (Zachariae) (Letter); (Roening) (Reply). 1992;27:136

Dermal elastolysis; see Skin aging**Dermatitis**

Perioral dermatitis in childhood (Manders and Lucky). 1992;27:688-92

PUVA treatment of pigmented purpuric lichenoid dermatitis (Gougerot-Blum) (Krizsa et al). 1992;27:778-80 (Brief comm.)

The site of blister formation in dermatitis herpetiformis is within the lamina lucida (Smith et al). 1992;27:209-13

Successful treatment of musk ketone-induced chronic actinic dermatitis with cyclosporine and PUVA therapy (Gardeazábal et al). 1992;27:838-42 (Case rep.)

Dermatitis, atopic

Combination of patch test and IgE for dust mite antigens differentiates 130 patients with atopic dermatitis into four groups (Imayama et al). 1992;27:531-8

Cyclosporine in atopic dermatitis (van Joost et al). 1992;27:922-8

Topical corticosteroids and *Staphylococcus aureus* in atopic dermatitis (Nilsson et al). 1992;27:29-34

Topical glucocorticoids with improved benefit/risk ratio: Do they exist? (Korting et al). 1992;27:87-92 (Clin. rev.)

Dermatitis, contact

Allergic contact dermatitis to cocamidopropyl betaine in shampoo (Korting et al). 1992;27:1013-5 (Brief comm.)

Allergic contact dermatitis from formaldehyde resins in permanent press clothing: an underdiagnosed cause of generalized dermatitis (Fowler et al). 1992;27:962-8

Allergic contact dermatitis to natural latex (Wyss et al) (Letter); (Heese) (Reply). 1992;27:650-1

Kaposi's varicelliform eruption complicating irritant contact dermatitis (Morganroth et al). 1992;27:1030-1 (Brief comm.)

Lymphocytoma cutis induced by gold pierced earrings (Kobayashi et al). 1992;27:457-8 (Brief comm.)

A primer on cosmetics (AAD Advisory Board et al). 1992;27:469-84 (From the Academy)

Dermatofibroma; see Fibroma**Dermatologic surgery**

Dermatologic surgery. 1992;27:70-3, 241-8, 439-47

Dermatomes

Unilateral dermatomal pigmentary dermatosis: A variant dyschromatosis? (Hara et al). 1992;27:763-4 (Brief comm.)

Dermatomyositis

Dermatomyositis pemphigoides: a case with coexistent dermatomyositis and bullous pemphigoid (Glover and Leigh). 1992;27:849-52 (Case rep.)

Dermatopathology

Dermatopathology. 1992;27:74-8, 232-40, 741-9

Desmosomes

Immunohistochemical and ultrastructural characterization of tonofilament and hemidesmosome abnormalities in a case of epidermolysis bullosa herpetiformis (Dowling-Meara) (Kates et al). 1992;27:929-34

Diabetic ketoacidosis

Coma blisters in a patient with diabetic ketoacidosis (Mehregan et al). 1992;27:269-70 (Brief comm.)

Dihydroxyacetone

Dihydroxyacetone-containing sunless or self-tanning lotions (Levy). 1992;27:989-93 (Clin. rev.)

Disease outbreaks

Tinea corporis gladiatorum: an epidemic of *Trichophyton tonsurans* in student wrestlers (Stiller et al). 1992;27:632-3 (Brief comm.)

Disseminated cutaneous sporotrichosis; see Sporotrichosis

DNA

Ozone depletion: the biologic consequences (Lambert). 1992;27:783-5 (Editorial)

DNA viruses

Verrucous lesions secondary to DNA viruses in patients infected with the human immunodeficiency virus in association with increased factor XIIIa-positive dermal dendritic cells (Smith et al). 1992;27:943-50

Dose-response relationship, drug

Cyclosporine therapy for psoriasis: a cell cycle-derived dosing schedule (Goodman et al). 1992;27:594-8 (Therapy)

Dowling-Degos disease; see Pigmentation disorders

Dowling-Meara disease; see Epidermolysis bullosa herpetiformis

Drug compounding

Retinoids for the future: investigational approaches for the identification of new compounds (Armstrong et al). 1992;27:S38-42

Drug evaluation

Multicenter clinical drug trials: Should single centers publish their results independently? (Stiller and Mehrel). 1992;27:646 (Editorial)

Drug implants

The effect of intralesional 5-Fluorouracil Therapeutic Implant (MPI 5003) for treatment of basal cell carcinoma (Orenberg et al). 1992;27:723-8 (Therapy)

Drug interactions

Pharmacokinetics and drug interactions of etretinate and acitretin (Lambert et al). 1992;27:S19-22

Drug labeling

Approved drugs for unapproved indications: some clouds on the horizon (Weary and Lamberg). 1992;27:133-5 (Editorial)

Drug utilization

Approved drugs for unapproved indications: some clouds on the horizon (Weary and Lamberg). 1992;27:133-5 (Editorial)

Dust mites; see Mites

Dyschromatosis

Unilateral dermatomal pigmentary dermatosis: A variant dyschromatosis? (Hara et al). 1992;27:763-4 (Brief comm.)

Dysplastic nevus syndrome

An analysis of interobserver recognition of the histopathologic features of dysplastic nevi from a mixed group of nevomelanocytic lesions (Duray et al). 1992;27:741-9 (Dermatopathology)

Dysplastic nevi can be diagnosed and graded reproducibly: a longitudinal study (Smoller and Egbert). 1992;27:399-402

Photographic utilization in dermatology clinics of the United States: a survey of the university-based dermatology residency programs (Shriner and Wagner). 1992;27:565-7

E

Eating disorders

Starvation-associated pruritus: a clinical feature of eating disorders (Gupta et al). 1992;27:118-20 (Brief comm.)

Eccrine glands

Eccrine porocarcinoma of the face (Snow and Reizner). 1992;27:306-11 (Case rep.)

Localized unilateral hyperhidrosis: eccrine nevus (de Erenchun et al). 1992;27:115-6 (Brief comm.)

Ecthyma

Perineal ecthyma gangrenosum in infancy and early childhood: septicemic and nonsepticemic forms (Boisseau et al). 1992;27:415-8

Ectodermal dysplasia

Cutaneous findings in a new syndrome of autosomal recessive ectodermal dysplasia with corkscrew hairs (Abramovits-Ackerman et al). 1992;27:917-21

Ectodermal dysplasias associated with clefting: significance of scalp dermatitis (Fosko et al). 1992;27:249-56 (Clin. rev.)

Rapp-Hodgkin ectodermal dysplasia (O'Donnell and James). 1992;27:323-6 (Case rep.)

Ectropion

Reversible ectropion after long-term use of topical tretinoin on photodamaged skin (Brodeur et al). 1992;27:621-2 (Brief comm.)

Eczema

Wiskott-Aldrich syndrome: new molecular and biochemical insights (Peacocke and Siminovich). 1992;27:507-22 (CME article)

Eczema, atopic; see Dermatitis, atopic

Editorials

Editorials. 1992;27:131-5, 485, 646, 783-5

Education

North Carolina tanning operators: Hazard on the horizon? (Fleischer and Fleischer). 1992;27:199-203

Elastic tissue

Noninflammatory focal dermal elastolysis (Betti et al). 1992;27:113-5 (Brief comm.)

Elastin

Linear focal elastosis: A degenerative or regenerative process of striae distensae? (White). 1992;27:468 (Brief comm.)

Elastolysis; see Skin aging

Elderly; see Aged

Emotional disorders

Autoerythrocyte sensitization syndrome (psychogenic purpura) (Berman et al). 1992;27:829-32 (Case rep.)

Enterobacter cloacae

Hemorrhagic bullae in association with *Enterobacter cloacae* septicemia (Livingston et al). 1992;27:637-8 (Brief comm.)

Eosinophils

Eosinophilic pustulosis of the scalp in childhood (Taieb et al). 1992;27:55-60

Epidemics; see Disease outbreaks

Epidermal cyst

Human papillomavirus in an epidermoid cyst of the sole in a non-Japanese patient (Rios-Buceta et al). 1992;27:364-6 (Case rep.)

Intraosseous epidermoid cysts (Samlaska and Hansen). 1992;27:454-5 (Brief comm.)

Epidermal growth factor-urogastrone

Increased epidermal growth factor receptors in melanocytic lesions (Ellis et al). 1992;27:539-46

Epidermal necrolysis, toxic

Toxic epidermal necrolysis in early infancy (Scully and Frieden). 1992;27:340-4 (Case rep.)

Epidermis

Stratum corneum changes in patients with senile pruritus (Long and Marks). 1992;27:560-4

Epidermodysplasia verruciformis

Epidermodysplasia verruciformis associated with severe immunodeficiency, lymphoma, and disseminated molluscum contagiosum (Slawsky et al). 1992;27:448-50 (Brief comm.)

Epidermolysis bullosa

Congenital neonatal herpes simplex virus infection (Sarkell et al). 1992;27:817-21 (Case rep.)

Epidermolysis bullosa acquisita

Differences in direct immunofluorescence staining patterns in epidermolysis bullosa acquisita and bullous pemphigoid (Smoller and Woodley). 1992;27:674-8

Epidermolysis bullosa acquisita in a 3½-year-old girl (Roger et al). 1992;27:858-62 (Case rep.)

In situ localization of IgG in epidermolysis bullosa acquisita by immunogold technique (Kárpáti). 1992;27:280 (Letter)

Epidermolysis bullosa herpetiformis

Immunohistochemical and ultrastructural characterization of tonofilament and hemidesmosome abnormalities in a case of epidermolysis bullosa herpetiformis (Dowling-Meara) (Kates et al). 1992;27:929-34

Epidermolytic ichthyosis, annular; see Ichthyosis**Epilation; see Hair removal****Epiluminescence microscopy; see Microscopy****Epitopes; see Antigenic determinants****Epstein-Barr virus**

Oral hairy leukoplakia unassociated with human immunodeficiency virus: pseudo oral hairy leukoplakia (Fisher et al). 1992;27:257-8 (Brief comm.)

Eruptive xanthoma; see Xanthomatosis**Erythema**

Annually recurring acroerythema and hereditary lactate dehydrogenase M-subunit deficiency (Nazzari and Crovato). 1992;27:262-3 (Brief comm.)

Annular erythema associated with Sjögren's syndrome (Teramoto et al). 1992;27:276 (Letter)

Erythema ab igne: treatment with 5-fluorouracil cream (Sahl and Taira). 1992;27:109-10 (Brief comm.)

Erythema annulare centrifugum associated with gold sodium thiomalate therapy (Tsuji et al). 1992;27:284-7 (Case rep.)

Necrolytic migratory erythema without glucagonoma (Masri-Friedling and Turner). 1992;27:486 (Letter)

Erythema chronicum migrans

Lyme disease in Israel (Holubar). 1992;27:486-7 (Letter)

Erythema migrans

Localized alopecia at the site of erythema migrans (Spach et al). 1992;27:1023-4 (Brief comm.)

Erythema multiforme

Large granular lymphocytes within the epidermis of erythema multiforme lesions (Ford et al). 1992;27:460-2 (Brief comm.)

The Rumpel-Leede sign associated with drug-induced erythema multiforme (Gross et al). 1992;27:781-2 (Brief comm.)

Erythroderma

Adult T-cell leukemia with regression of erythroderma and simultaneous emergence of leukemia (Hashizume et al). 1992;27:846-9 (Case rep.)

Treatment of erythrodermic cutaneous T-cell lymphoma with extracorporeal photochemotherapy (Heald et al). 1992;27:427-33 (Therapy)

Erythrodermic psoriasis; see Psoriasis**Essential thrombocythemia; see Thrombocythemia, hemorrhagic****Ethnic groups**

Melanocytic nevus density in Asian, Indo-Pakistani, and white children (Silver). 1992;27:277-8 (Letter)

Etoposide

Treatment of adult Langerhans cell histiocytosis with etoposide (Tsele et al). 1992;27:61-4 (Therapy)

Etretinate

Clinical evaluation of etretinate for the treatment of canine solar-induced squamous cell carcinoma and preneoplastic lesions (Marks et al). 1992;27:11-6

Differential effects of cyclosporine and etretinate on serum cytokine levels in patients with psoriasis (Shiohara et al). 1992;27:568-74

Long-term safety of retinoid therapy (Vahlquist). 1992;27:S29-33

Pharmacokinetics and drug interactions of etretinate and acitretin (Lambert et al). 1992;27:S19-22

Retinoids: present and future—introduction (Shalita). 1992;27:S1

Retinoids for the future: oncology (DiGiovanna). 1992;27:S34-7

Retinoids in psoriasis and disorders of keratinization (Fritsch). 1992;27:S8-14

Side effects of systemic retinoids and their clinical management (Saurat). 1992;27:S23-8

European Academy of Dermatology and Venereology

European Academy of Dermatology and Venereology, Athens, Greece, Oct. 10-13, 1991 (Smith). 1992;27:485 (Editorial)

Exanthema

Unilateral laterothoracic exanthem in children: A new disease? (Bodemer and de Prost). 1992;27:693-6

Extracorporeal photopheresis; see Photochemotherapy**Eyelid diseases**

Lichen planus of the eyelid: an unusual clinical presentation (Vogel and James). 1992;27:638-9 (Brief comm.)

Eyelid neoplasms

Malignant melanoma of the eyelid (Tahery et al). 1992;27:17-21

F**Face**

Dermabrasion: therapy and prophylaxis of the photoaged face (Benedetto et al). 1992;27:439-47 (Derm. surg.)

The focal facial dermal dysplasias: report of a kindred and a proposed new classification (Kowalski and Fenske). 1992;27:575-82

Facial hirsutism; see Hirsutism**Facial neoplasms**

Eccrine porocarcinoma of the face (Snow and Reizner). 1992;27:306-11 (Case rep.)

Factitious disorders

Dermatology and conditions related to obsessive-compulsive disorder (Koblenzer) (Letter); (Stein and Hollander) (Reply). 1992;27:1033-5

Factor XIIIa; see Protein-glutamine gamma-glutamyltransferase
False negative reactions

The reliability of a second biopsy for determining residual tumor (Torres et al). 1992;27:70-3 (Derm. surg.)

Family

Pemphigus vulgaris in siblings: HLA-DR4 and HLA-DQw3 and susceptibility to pemphigus (Reohr et al). 1992;27:189-93

Fasting

Elevation of fasting serum lipids in patients treated with low-dose cyclosporine for severe plaque-type psoriasis (Stiller et al). 1992;27:434-8 (Therapy)

Fenofibrate; see Procetofen

Fibric acid

Photosensitivity induced by fibric acid derivatives and its relation to photocontact dermatitis to ketoprofen (Serrano et al). 1992;27:204-8

Fibroma

Dermatofibroma with spreading satellitosis (Curc6 et al). 1992;27:1017-9 (Brief comm.)

Fibromuscular dysplasia

Aneurysm in the skin: arterial fibromuscular dysplasia (Kanzaki et al). 1992;27:883-5 (Case rep.)

Fingers

Cutaneous acral metastasis in a patient with primary gastric adenocarcinoma (DiSpaltro et al). 1992;27:117-8 (Brief comm.)
Pachydermodactyly: first report in a woman (Draluck et al). 1992;27:303-5 (Case rep.)

Flegel's disease

Hyperkeratosis lenticularis perstans (Flegel's disease) (Langer et al). 1992;27:812-6 (Case rep.)

Fluorescent antibody technique

A characteristic cutaneous direct immunofluorescent pattern associated with Ro(SS-A) antibodies in subacute cutaneous lupus erythematosus (Valeski et al). 1992;27:194-8

Differences in direct immunofluorescence staining patterns in epidermolysis bullosa acquisita and bullous pemphigoid (Smoller and Woodley). 1992;27:674-8

Fluorouracil

The effect of intralesional 5-Fluorouracil Therapeutic Implant (MPI 5003) for treatment of basal cell carcinoma (Orenberg et al). 1992;27:723-8 (Therapy)

Erythema ab igne: treatment with 5-fluorouracil cream (Sahl and Taira). 1992;27:109-10 (Brief comm.)

Hyperkeratosis lenticularis perstans (Flegel's disease) (Langer et al). 1992;27:812-6 (Case rep.)

Long-term management of basal cell nevus syndrome with topical tretinoin and 5-fluorouracil (Strange and Lang). 1992;27:842-5 (Case rep.)

Focal facial dermal dysplasias

The focal facial dermal dysplasias: report of a kindred and a proposed new classification (Kowalski and Fenske). 1992;27:575-82

Follicular carcinoma; see Adenocarcinoma

Follicular hamartoma, basaloid; see Hamartoma

Follicular keratosis; see Keratosis follicularis

Folliculitis

Eosinophilic pustulosis of the scalp in childhood (Taieb et al). 1992;27:55-60

Folliculitis—cont'd

Traumatic folliculitis of the legs: a persistent case associated with use of a home epilating device (Wright). 1992;27:771-2 (Brief comm.)

Food and Drug Administration; see United States Food and Drug Administration

Foods

Role of foods in the pathogenesis of chronic paronychia (Tosti et al). 1992;27:706-10

Foot

Human papillomavirus in an epidermoid cyst of the sole in a non-Japanese patient (Rios-Buceta et al). 1992;27:364-6 (Case rep.)

Petechial glove and sock syndrome caused by parvovirus B19 (Halasz et al). 1992;27:835-8 (Case rep.)

Formaldehyde

Allergic contact dermatitis from formaldehyde resins in permanent press clothing: an underdiagnosed cause of generalized dermatitis (Fowler et al). 1992;27:962-8

Formula

Verification of a formula for determination of preexcision surgical margins from fixed-tissue melanoma specimens (Silverman et al). 1992;27:214-9

Foscarnet

Foscarnet-induced penile ulcer (Evans and Grossman). 1992;27:124-6 (Brief comm.)

From the Academy

From the Academy. 1992;27:469-84

Fumaric acid

Fumaric acid therapy in psoriasis: results and side effects of 2 years of treatment (Kolbach and Nieboer). 1992;27:769-71 (Brief comm.)

Fungi

Current dermatologic therapy (Coskey). 1992;27:599-608 (Therapy)
Successful treatment of disseminated cutaneous sporotrichosis with ketoconazole (Cullen et al). 1992;27:463-4 (Brief comm.)

Fusidic acid

Fusidic acid cream in the treatment of plasma cell balanitis (Petersen and Thomsen). 1992;27:633-4 (Brief comm.)

G

Gastrointestinal neoplasms

Cutaneous acral metastasis in a patient with primary gastric adenocarcinoma (DiSpaltro et al). 1992;27:117-8 (Brief comm.)

Gene rearrangement, T-lymphocyte

Generalized nodular cutaneous pseudolymphoma associated with phenytoin therapy (Braddock et al). 1992;27:337-40 (Case rep.)

Generalized nodular cutaneous pseudolymphoma; see Lymphoma, follicular

Generalized perforating granuloma annulare; see Granuloma annulare

Genetics

The focal facial dermal dysplasias: report of a kindred and a proposed new classification (Kowalski and Fenske). 1992;27:575-82

Glucagonoma

Necrolytic migratory erythema without glucagonoma (Masri-Fridling and Turner). 1992;27:486 (Letter)

Glucocorticoids, topical

Topical glucocorticoids with improved benefit/risk ratio: Do they exist? (Korting et al). 1992;27:87-92 (Clin. rev.)

Gold

Lymphocytoma cutis induced by gold pierced earrings (Kobayashi et al). 1992;27:457-8 (Brief comm.)

Gold sodium thiomalate

Erythema annulare centrifugum associated with gold sodium thiomalate therapy (Tsuji et al). 1992;27:284-7 (Case rep.)

Graft survival

Grafting of leg ulcers with undifferentiated keratinocytes (Goodall) (Letter); (Raimor and Brysk) (Reply). 1992;27:139-40
Soft tissue reconstruction with skin grafting (Johnson et al). 1992;27:151-65 (CME article)

Granular lymphocytic leukemia; see Leukemia, lymphocytic**Granulocyte-macrophage colony-stimulating factor**

Clearance of unremitting psoriasis after treatment with granulocyte-macrophage colony-stimulating factor (Raychaudhuri and Fiore). 1992;27:451-2 (Brief comm.)

Granuloma

Lobular capillary hemangioma (pyogenic granuloma) with satellitosis (Taira et al). 1992;27:297-300 (Case rep.)

Necrobiotic xanthogranuloma in a human T-lymphotropic virus type 1 carrier (Nishimura et al). 1992;27:886-9 (Case rep.)

Granuloma annulare

Generalized perforating granuloma annulare (Samlaska et al). 1992;27:319-22 (Case rep.)

Granulomatous rosacea; see Rosacea**H****Hailey-Hailey disease; see Pemphigus, benign familial****Hair**

Current dermatologic therapy (Coskey). 1992;27:599-608 (Therapy)
Cutaneous findings in a new syndrome of autosomal recessive ectodermal dysplasia with corkscrew hairs (Abramovits-Ackerman et al). 1992;27:917-21

A primer on cosmetics (AAD Advisory Board et al). 1992;27:469-84 (From the Academy)

Woolly hair nevus syndrome (Al-Harmoni et al). 1992;27:259-60 (Brief comm.)

Hair preparations

Allergic contact dermatitis to cocamidopropyl betaine in shampoo (Korting et al). 1992;27:1013-5 (Brief comm.)

Hair removal

Traumatic folliculitis of the legs: a persistent case associated with use of a home epilating device (Wright). 1992;27:771-2 (Brief comm.)

Hairy leukoplakia, oral; see Leukoplakia, oral**Hamartoma**

Basaloid follicular hamartoma: solitary and multiple types (Brownstein). 1992;27:237-40 (Dermatopathology)

Linear unilateral basaloid follicular hamartoma (Jiménez-Acosta et al). 1992;27:316-9 (Case rep.)

Hand

Maligancy-associated tripe palms (Cohen and Kurzrock). 1992;27:271-2 (Brief comm.)

Petechial glove and sock syndrome caused by parvovirus B19 (Halasz et al). 1992;27:835-8 (Case rep.)

Pool palms (Blauvelt et al). 1992;27:111 (Brief comm.)

Head and neck neoplasms

Kimura's disease and angiolymphoid hyperplasia with eosinophilia: clinical and histopathologic differences (Chun and Ji). 1992;27:954-8

Heart surgery

Noninflammatory bullae associated with ϵ -aminocaproic acid infusion (Brooke et al). 1992;27:880-2 (Case rep.)

Heart transplantation

Kaposi's sarcoma occurring de novo in the surgical scar in a heart transplant recipient (Micali et al). 1992;27:273-4 (Brief comm.)

Heat

Erythema ab igne: treatment with 5-fluorouracil cream (Sahl and Taira). 1992;27:109-10 (Brief comm.)

Hemangioma

Angiomyolipoma (Mehregan et al). 1992;27:331-3 (Case rep.)

Diffuse neonatal hemangiomatosis treated successfully with interferon α -2a (Spiller et al). 1992;27:102-4 (Brief comm.)

Lobular capillary hemangioma (pyogenic granuloma) with satellitosis (Taira et al). 1992;27:297-300 (Case rep.)

Hemidesmosomes; see Desmosomes**Hemodialysis**

Quantification of skin color in patients undergoing maintenance hemodialysis (Deleixhe-Mauhin et al). 1992;27:950-3

Hemorrhagic bullae; see Blister**Hemorrhagic thrombocytopenia; see Thrombocytopenia, hemorrhagic****Hereditary diseases**

Annular epidermolytic ichthyosis: a unique phenotype (Sahn et al). 1992;27:348-55 (Case rep.)

Basaloid follicular hamartoma: solitary and multiple types (Brownstein). 1992;27:237-40 (Dermatopathology)

Cutaneous findings in a new syndrome of autosomal recessive ectodermal dysplasia with corkscrew hairs (Abramovits-Ackerman et al). 1992;27:917-21

Darier-White disease: a review of the clinical features in 163 patients (Burge and Wilkinson). 1992;27:40-50

The focal facial dermal dysplasias: report of a kindred and a proposed new classification (Kowalski and Fenske). 1992;27:575-82

Lipoid proteinosis (Konstantinov et al). 1992;27:293-7 (Case rep.)

Rothmund-Thomson syndrome: review of the world literature (Vennos et al). 1992;27:750-62 (Clin. rev.)

Wiskott-Aldrich syndrome: new molecular and biochemical insights (Peacocke and Siminovich). 1992;27:507-22 (CME article)

Herpes simplex virus; see Herpesvirus hominis**Herpes varicella virus; see Varicella-zoster virus****Herpesvirus hominis**

Congenital neonatal herpes simplex virus infection (Sarkell et al). 1992;27:817-21 (Case rep.)

Kaposi's varicelliform eruption complicating irritant contact dermatitis (Morganroth et al). 1992;27:1030-1 (Brief comm.)

Kaposi's varicelliform eruption in a patient with pityriasis rubra pilaris (Ng et al). 1992;27:263 (Brief comm.)

Herpetiformis

The site of blister formation in dermatitis herpetiformis is within the lamina lucida (Smith et al). 1992;27:209-13

Hidradenoma

Eccrine porocarcinoma of the face (Snow and Reizner). 1992;27:306-11 (Case rep.)

Hirsutism

Serum androgens and depression in women with facial hirsutism (Shulman et al). 1992;27:178-81

Histiocytes

Histiocytic cytophagic panniculitis: molecular evidence for a clonal T-cell disorder (Hytioglou et al). 1992;27:333-6 (Case rep.)

Histiocytosis, Langerhans-cell

Treatment of adult Langerhans cell histiocytosis with etoposide (Tsele et al). 1992;27:61-4 (Therapy)

History of medicine

History of the treatment of psoriasis (Farber). 1992;27:640-5 (Special article)

HIV

- Alopecia universalis in a patient seropositive for the human immunodeficiency virus (Ostlere et al). 1992;27:630-1 (Brief comm.)
- Granulomatous rosacea in a child infected with the human immunodeficiency virus (Sanchez-Viera et al). 1992;27:1010-1 (Brief comm.)
- Hairy leukoplakia with involvement of the buccal mucosa (Ficarra et al). 1992;27:855-8 (Case rep.)
- Molluscum contagiosum in patients with human immunodeficiency virus infection (Schwartz and Myskowski). 1992;27:583-8
- Oral hairy leukoplakia unassociated with human immunodeficiency virus: pseudo oral hairy leukoplakia (Fisher et al). 1992;27:257-8 (Brief comm.)
- Pityriasis rubra pilaris in a child seropositive for the human immunodeficiency virus (Menni et al). 1992;27:1009 (Brief comm.)
- Pityriasis rubra pilaris in a patient with human immunodeficiency virus infection (Auffret et al). 1992;27:260-1 (Brief comm.)
- Psoriasis and human immunodeficiency virus infection (Obuch et al). 1992;27:667-73
- Quantitative skin cultures of *Pityrosporum* yeasts in patients seropositive for the human immunodeficiency virus with and without seborrheic dermatitis (Wikler et al). 1992;27:37-9
- The spectrum of nail disease in patients with human immunodeficiency virus infection (Daniel et al). 1992;27:93-7 (Clin. rev.)
- Verrucous lesions secondary to DNA viruses in patients infected with the human immunodeficiency virus in association with increased factor XIIIa-positive dermal dendritic cells (Smith et al). 1992;27:943-50

HLA-DQ antigens

- Pemphigus vulgaris in siblings: HLA-DR4 and HLA-DQw3 and susceptibility to pemphigus (Reohr et al). 1992;27:189-93

HLA-DR antigens

- Pemphigus vulgaris in siblings: HLA-DR4 and HLA-DQw3 and susceptibility to pemphigus (Reohr et al). 1992;27:189-93

Homogentisic acid

- Alkaptonuria and ochronosis: case report and review (Albers et al). 1992;27:609-14 (Clin. rev.)

HTLV-1

- Necrotic xanthogranuloma in a human T-lymphotropic virus type 1 carrier (Nishimura et al). 1992;27:886-9 (Case rep.)

Human immunodeficiency virus; see HIV

Human papillomavirus; see Papillomaviruses

Hydrocortisone

- Hydrocortisone sensitivity: clinical features of fifty-nine cases (Wilkinson and English). 1992;27:683-7

Hyperandrogenism; see Androgens

Hyperhidrosis

- Localized unilateral hyperhidrosis: eccrine nevus (de Erenchun et al). 1992;27:115-6 (Brief comm.)

Hyperkeratosis lenticularis perstans

- Hyperkeratosis lenticularis perstans (Flegel's disease) (Langer et al). 1992;27:812-6 (Case rep.)

Hyperpigmentation; see Pigmentation disorders

Hypersensitivity

- Current dermatologic therapy (Coskey). 1992;27:599-608 (Therapy)
- Cutaneous eruption from vitamin K_A injection (Tuppal and Tremaine). 1992;27:105-6 (Brief comm.)
- Effectiveness of various barrier preparations in preventing and/or ameliorating experimentally produced *Toxicodendron* dermatitis (Grevelink et al). 1992;27:182-8
- Hydrocortisone sensitivity: clinical features of fifty-nine cases (Wilkinson and English). 1992;27:683-7

Hypersensitivity—cont'd

- Role of foods in the pathogenesis of chronic paronychia (Tosti et al). 1992;27:706-10
- Severe sun sensitivity and the presence of antinuclear antibodies in patients with polymorphous light eruption-like lesions (Callen). 1992;27:788 (Letter)

Hypersensitivity, contact; see Dermatitis, contact

Hypersensitivity, delayed

- Allergic contact dermatitis to natural latex (Wyss et al) (Letter); (Heese) (Reply). 1992;27:650-1

Hypertriglyceridemia

- Eruptive xanthomas during pregnancy (Jaber et al). 1992;27:300-2 (Case rep.)
- Hypertriglyceridemia in patients with psoriasis treated with cyclosporine (Mrowietz et al) (Letter); (Gottlieb) (Reply). 1992;27:491-2

Hypertrophy

- Crohn's disease presenting as unilateral labial hypertrophy (Werlin et al). 1992;27:893-5 (Case rep.)

I

Ichthyosis

- Annular epidermolytic ichthyosis: a unique phenotype (Sahn et al). 1992;27:348-55 (Case rep.)

Identical twins; see Twins, monozygotic

IgA

- Immunoelectronmicroscopic differentiation of linear IgA bullous dermatosis of adults with coexistence of IgA and IgG deposition from bullous pemphigoid (Adachi et al). 1992;27:394-9
- Intraepidermal IgA pustulosis (Wallach). 1992;27:993-1000 (Clin. rev.)

IgE

- Combination of patch test and IgE for dust mite antigens differentiates 130 patients with atopic dermatitis into four groups (Imayama et al). 1992;27:531-8

IgG

- Immunoelectronmicroscopic differentiation of linear IgA bullous dermatosis of adults with coexistence of IgA and IgG deposition from bullous pemphigoid (Adachi et al). 1992;27:394-9
- In situ localization of IgG in epidermolysis bullosa acquisita by immunogold technique (Kárpáti). 1992;27:280 (Letter)

Immunity, cellular

- Large granular lymphocytes within the epidermis of erythema multiforme lesions (Ford et al). 1992;27:460-2 (Brief comm.)

Immunocompromised host

- Acantholytic acanthomas in an immunosuppressed patient (Ramos-Caro et al). 1992;27:452-3 (Brief comm.)
- Wiskott-Aldrich syndrome: new molecular and biochemical insights (Peacocke and Siminovich). 1992;27:507-22 (CME article)

Immunoelectron microscopy; see Microscopy, immunoelectron

Immunofluorescence microscopy; see Microscopy, immunofluorescence

Immunofluorescence technique; see Fluorescent antibody technique

Immunogold technique; see Immunohistochemistry

Immunohistochemistry

- Immunohistochemical examination of lichen nitidus suggests that it is not a localized papular variant of lichen planus (Smoller and Flynn). 1992;27:232-6 (Dermatopathology)
- Immunohistochemical and ultrastructural characterization of tonofilament and hemidesmosome abnormalities in a case of epidermolysis bullosa herpetiformis (Dowling-Meara) (Kates et al). 1992;27:929-34

Immunohistochemistry—cont'd

- In situ localization of IgG in epidermolysis bullosa acquisita by immunogold technique (Kárpáti). 1992;27:280 (Letter)
Spitz nevi (Casso et al). 1992;27:901-13 (CME article)

Infant

- Perineal ecthyma gangrenosum in infancy and early childhood: septicemic and nonsepticemic forms (Boisseau et al). 1992;27:415-8
Pyoderma gangrenosum in infancy (Hazen) (Letter); (Glass et al) (Reply). 1992;27:275-6

Infant, newborn

- Congenital neonatal herpes simplex virus infection (Sarkell et al). 1992;27:817-21 (Case rep.)
Diffuse neonatal hemangiomatosis treated successfully with interferon alfa-2a (Spiller et al). 1992;27:102-4 (Brief comm.)
Toxic epidermal necrolysis in early infancy (Scully and Frieden). 1992;27:340-4 (Case rep.)

Infection

- Mycobacterium intracellulare* soft tissue infection (Sachs et al). 1992;27:1019-21 (Brief comm.)

Inflammation

- Amelanotic melanoma presenting as inflammatory plaques (Tschen et al). 1992;27:464-5 (Brief comm.)
Role of foods in the pathogenesis of chronic paronychia (Tosti et al). 1992;27:706-10

Infrared rays

- Erythema ab igne: treatment with 5-fluorouracil cream (Sahl and Taira). 1992;27:109-10 (Brief comm.)

Injections

- Sterility of refrigerated injectable collagen syringes after injection of patient (Davis et al). 1992;27:959-61

Injections, intradermal

- Response of aged versus young skin to intradermal administration of interferon gamma (Gilhar et al). 1992;27:710-6

Insulin resistance

- Effect of ketoconazole in the hyperandrogenism, insulin resistance and acanthosis nigricans (HAIR-AN) syndrome (Tercedor et al). 1992;27:786 (Letter)

Integrins

- Epidermal dendritic cells in psoriasis possess a phenotype associated with antigen presentation: in situ expression of β_2 -integrins (McGregor et al). 1992;27:383-8

Interferon alfa-2a

- Diffuse neonatal hemangiomatosis treated successfully with interferon alfa-2a (Spiller et al). 1992;27:102-4 (Brief comm.)

Interferon-gamma, recombinant

- Response of aged versus young skin to intradermal administration of interferon gamma (Gilhar et al). 1992;27:710-6

Interferons

- Treatment of aggressive basal cell carcinoma with intralesional interferon: evaluation of efficacy by Mohs surgery (Stenquist et al). 1992;27:65-9 (Therapy)

Intermediate filaments

- Immunohistochemical and ultrastructural characterization of tonofilament and hemidesmosome abnormalities in a case of epidermolysis bullosa herpetiformis (Dowling-Meara) (Kates et al). 1992;27:929-34

Internship and residency

- Photographic utilization in dermatology clinics of the United States: a survey of the university-based dermatology residency programs (Shriner and Wagner). 1992;27:565-7

Interobserver variation; see Observer variation**Intradermal injections; see Injections, intradermal****Intraepidermal pustulosis; see Skin diseases, vesiculobullous****Intralesional interferon; see Interferons****Intraosseous epidermoid cyst; see Epidermal cyst****Intravascular coagulation necrosis; see Necrosis****Isotretinoin**

- Guidelines for optimal use of isotretinoin in acne (Layton and Cunliffe). 1992;27:S2-7
Long-term safety of retinoid therapy (Vahlquist). 1992;27:S29-33
Retinoids: present and future—introduction (Shalita). 1992;27:S1
Retinoids for the future: oncology (DiGiovanna). 1992;27:S34-7
Side effects of systemic retinoids and their clinical management (Saurat). 1992;27:S23-8
Topical isotretinoin for photodamaged skin (Sendagorta et al). 1992;27:S15-8

Israel

- Lyme disease in Israel (Holubar). 1992;27:486-7 (Letter)

K**Kaposi's sarcoma; see Sarcoma, Kaposi's****Kaposi's varicelliform eruption**

- Kaposi's varicelliform eruption complicating irritant contact dermatitis (Morganroth et al). 1992;27:1030-1 (Brief comm.)
Kaposi's varicelliform eruption in a patient with pityriasis rubra pilaris (Ng et al). 1992;27:263 (Brief comm.)

Keratin

- Retinoids in psoriasis and disorders of keratinization (Fritsch). 1992;27:S8-14
Stratum corneum changes in patients with senile pruritus (Long and Marks). 1992;27:560-4

Keratinocytes

- Epitopes for CD1a, CD1b, and CD1c antigens are differentially mapped on Langerhans cells, dermal dendritic cells, keratinocytes, and basement membrane zone in human skin (Furie et al). 1992;27:419-26
Grafting of leg ulcers with undifferentiated keratinocytes (Goodall) (Letter); (Raimor and Brysk) (Reply). 1992;27:139-40

Keratoderma, palmar

- Rapp-Hodgkin ectodermal dysplasia (O'Donnell and James). 1992;27:323-6 (Case rep.)

Keratosis

- Multiple keratoses and squamous cell carcinoma from cutting oil (Tsuji et al). 1992;27:767-8 (Brief comm.)

Keratosis follicularis

- Darier-White disease: a review of the clinical features in 163 patients (Burge and Wilkinson). 1992;27:40-50
Dermabrasion of Hailey-Hailey disease and Darier's disease (Zachariae) (Letter); (Roeningk) (Reply). 1992;27:136
Follicular keratosis of the chin (Padilha-Gonçalves) (Letter); (Brenner and Brandsen) (Letter); (Kanzaki) (Reply). 1992;27:1032

Ketoconazole

- Effect of ketoconazole in the hyperandrogenism, insulin resistance and acanthosis nigricans (HAIR-AN) syndrome (Tercedor et al). 1992;27:786 (Letter)
Successful treatment of disseminated cutaneous sporotrichosis with ketoconazole (Cullen et al). 1992;27:463-4 (Brief comm.)

Ketones

Successful treatment of musk ketone-induced chronic actinic dermatitis with cyclosporine and PUVA therapy (Gardeazabal et al). 1992;27:838-42 (Case rep.)

Ketoprofen

Photosensitivity induced by fibric acid derivatives and its relation to photocontact dermatitis to ketoprofen (Serrano et al). 1992;27:204-8

Kidney failure, chronic

Quantification of skin color in patients undergoing maintenance hemodialysis (Deleixhe-Mauhin et al). 1992;27:950-3

Kimura's disease

Kimura's disease and angiolymphoid hyperplasia with eosinophilia: clinical and histopathologic differences (Chun and Ji). 1992;27:954-8

Koplik spots

Koplik spots and a purpuric eruption associated with parvovirus B19 infection (Evans et al). 1992;27:466-7 (Brief comm.)

L

Labial hypertrophy; see Hypertrophy

Lactate dehydrogenase

Annually recurring acroerythema and hereditary lactate dehydrogenase M-subunit deficiency (Nazzari and Crovato). 1992;27:262-3 (Brief comm.)

Lamina lucida; see Skin, ultrastructure

Langerhans cell histiocytosis; see Histiocytosis, Langerhans-cell Langerhans cells

Epitopes for CD1a, CD1b, and CD1c antigens are differentially mapped on Langerhans cells, dermal dendritic cells, keratinocytes, and basement membrane zone in human skin (Furue et al). 1992;27:419-26

Laser surgery

Carbon dioxide laser treatment of actinic cheilitis (Johnson et al). 1992;27:737-40 (Therapy)

Q-switched ruby laser treatment of labial lentigos (Ashinoff and Geronemus). 1992;27:809-11 (Case rep.)

Treatment of telangiectases and other benign vascular lesions with the 577 nm pulsed dye laser (Gonzalez et al). 1992;27:220-6 (Therapy)

Laser therapy

Pulsed-dye laser therapy for cutaneous Kaposi's sarcoma associated with acquired immunodeficiency syndrome (Tappero et al). 1992;27:526-30

Latex

Allergic contact dermatitis to natural latex (Wyss et al) (Letter); (Hesse) (Reply). 1992;27:650-1

Leg

Traumatic folliculitis of the legs: a persistent case associated with use of a home epilating device (Wright). 1992;27:771-2 (Brief comm.)

Leg ulcer

Grafting of leg ulcers with undifferentiated keratinocytes (Goodall) (Letter); (Raimier and Brysk) (Reply). 1992;27:139-40

Leg ulcers (Zimmet) (Letter); (Swanson) (Letter); (Phillips and Dover) (Reply); (Shami and Sarin) (Letter); (Phillips and Dover) (Reply). 1992;27:487-91

Pyoderma gangrenosum-like ulcer in a patient with large granular lymphocytic leukemia (Helm et al). 1992;27:868-71 (Case rep.)

Leishmaniasis, cutaneous

Topical treatment of Old World cutaneous leishmaniasis caused by *Leishmania major*: a double-blind control study (El-On et al). 1992;27:227-31 (Therapy)

Lentiginosis

Vulvar melanosis and lentiginosis: a case report (Kanj et al). 1992;27:777-8 (Brief comm.)

Lentigo

Q-switched ruby laser treatment of labial lentigos (Ashinoff and Geronemus). 1992;27:809-11 (Case rep.)

Reactive lentiginous hyperpigmentation after cryosurgery of lentigo maligna (Böhler-Sommeregger et al). 1992;27:523-6

Zosteriform speckled lentiginous nevus (Altman and Banse). 1992;27:106-8

Letters

Correspondence. 1992;27:136-40, 275-80, 486-92, 647-52, 786-9, 1032-6

Leukemia

Adult T-cell leukemia with regression of erythroderma and simultaneous emergence of leukemia (Hashizume et al). 1992;27:846-9 (Case rep.)

Malignant lymphoma and leukemia with prominent ulceration: clinicopathologic correlation of 33 cases (Helm et al). 1992;27:553-9

Pyoderma gangrenosum, polycythemia rubra vera, and the development of leukemia (Ho et al). 1992;27:804-8 (Case rep.)

Leukemia, lymphocytic

Demodicidosis in a child with leukemia (Sahn and Sheridan). 1992;27:799-801 (Case rep.)

Pyoderma gangrenosum-like ulcer in a patient with large granular lymphocytic leukemia (Helm et al). 1992;27:868-71 (Case rep.)

Leukemia, T-cell

Adult T-cell leukemia with regression of erythroderma and simultaneous emergence of leukemia (Hashizume et al). 1992;27:846-9 (Case rep.)

Leukoplakia, oral

Hairy leukoplakia with involvement of the buccal mucosa (Ficarra et al). 1992;27:855-8 (Case rep.)

Oral hairy leukoplakia unassociated with human immunodeficiency virus: pseudo oral hairy leukoplakia (Fisher et al). 1992;27:257-8 (Brief comm.)

Lichen nitidus

Immunohistochemical examination of lichen nitidus suggests that it is not a localized papular variant of lichen planus (Smoller and Flynn). 1992;27:232-6 (Dermatopathology)

Lichen planus

Current dermatologic therapy (Coskey). 1992;27:599-608 (Therapy)

Immunohistochemical examination of lichen nitidus suggests that it is not a localized papular variant of lichen planus (Smoller and Flynn). 1992;27:232-6 (Dermatopathology)

Lichen planopilaris: clinical and pathologic study of forty-five patients (Mehregan et al). 1992;27:935-42

Lichen planus (Anderson) (Letter); (Boyd and Neldner) (Reply). 1992;27:647

Lichen planus of the eyelid: an unusual clinical presentation (Vogel and James). 1992;27:638-9 (Brief comm.)

Oral and cutaneous lichen planus pemphigoides (Maceyko et al). 1992;27:889-92 (Case rep.)

Lichenoid dermatitis; see Dermatitis

Lindane; see Benzene hexachloride

Linear focal elastosis; see Skin aging**Linear IgA bullous dermatosis; see Skin diseases, vesiculobullous**
Lines of Blaschko

Linear arrangement of multiple congenital melanocytic nevi (Effendy and Happle). 1992;27:853-4 (Case rep.)

Lip

Q-switched ruby laser treatment of labial lentigos (Ashinoff and Geronemus). 1992;27:809-11 (Case rep.)

Lipids

Elevation of fasting serum lipids in patients treated with low-dose cyclosporine for severe plaque-type psoriasis (Stiller et al). 1992;27:434-8 (Therapy)

Lipoid proteinosis

Lipoid proteinosis (Konstantinov et al). 1992;27:293-7 (Case rep.)

Lipoma

Angiomyolipoma (Mehregan et al). 1992;27:331-3 (Case rep.)

Liver diseases

Necrolytic migratory erythema without glucagonoma (Masri-Fridling and Turner). 1992;27:486 (Letter)

Serum aminoterminal propeptide of type III procollagen in the management of methotrexate-induced fibrogenesis (Kürkçüoğlu and Öz). 1992;27:139 (Letter)

Lobular capillary hemangioma; see Hemangioma**Lung diseases**

Steroid-responsive pyoderma gangrenosum with vulvar and pulmonary involvement (Lebbé et al). 1992;27:623-5 (Brief comm.)

Lupus erythematosus, cutaneous

A characteristic cutaneous direct immunofluorescent pattern associated with Ro(SS-A) antibodies in subacute cutaneous lupus erythematosus (Valeski et al). 1992;27:194-8

Papulonodular dermal mucinosis in lupus erythematosus (Lowe et al). 1992;27:312-5 (Case rep.)

Severe sun sensitivity and the presence of antinuclear antibodies in patients with polymorphous light eruption-like lesions (Callen). 1992;27:788 (Letter)

Lupus erythematosus, systemic

Oral lesions in systemic lupus erythematosus (Jorizzo et al). 1992;27:389-94

Lyme disease

Failure of *Borrelia burgdorferi* to survive in the skin of patients with antibiotic-treated Lyme disease (Berger et al). 1992;27:34-7

Localized alopecia at the site of erythema migrans (Spach et al). 1992;27:1023-4 (Brief comm.)

Lyme disease in Israel (Holubar). 1992;27:486-7 (Letter)

Lymphedema

Verruciform xanthomas and lymphedema (Snider). 1992;27:1021-3 (Brief comm.)

Lymphocytes

Large granular lymphocytes within the epidermis of erythema multiforme lesions (Ford et al). 1992;27:460-2 (Brief comm.)

Lymphocytic leukemia; see Leukemia, lymphocytic**Lymphocytoma cutis; see Lymphoma, small lymphocytic****Lymphoid tissue**

Kimura's disease and angiolymphoid hyperplasia with eosinophilia: clinical and histopathologic differences (Chun and Ji). 1992;27:954-8

Lymphoma

Epidermodyplasia verruciformis associated with severe immunodeficiency, lymphoma, and disseminated molluscum contagiosum (Slawsky et al). 1992;27:448-50 (Brief comm.)

Lymphoma—cont'd

Malignant lymphoma and leukemia with prominent ulceration: clinicopathologic correlation of 33 cases (Helm et al). 1992;27:553-9

Lymphoma, follicular

Generalized nodular cutaneous pseudolymphoma associated with phenytoin therapy (Braddock et al). 1992;27:337-40 (Case rep.)

Lymphoma, small lymphocytic

Lymphocytoma cutis induced by gold pierced earrings (Kobayashi et al). 1992;27:457-8 (Brief comm.)

Lymphoma, T-cell

Lymphomatoid granulomatosis (Tong et al). 1992;27:872-6 (Case rep.)

Lymphoma, T-cell, cutaneous

Cutaneous T-cell lymphoma with parakeratosis-like lesions (Hsu et al). 1992;27:327-30 (Case rep.)

Extracorporeal photopheresis for the treatment of cutaneous T-cell lymphoma (Zic et al). 1992;27:729-36 (Therapy)

Intraepidermal localization of the clone in cutaneous T-cell lymphoma (Bagot et al). 1992;27:589-93

Mycosis fungoides-type cutaneous T-cell lymphoma arising before 30 years of age (Burns et al). 1992;27:974-8

Therapeutic alternatives in cutaneous T-cell lymphoma (Holloway et al). 1992;27:367-78 (CME article)

Treatment of erythrodermic cutaneous T-cell lymphoma with extracorporeal photochemotherapy (Heald et al). 1992;27:427-33 (Therapy)

Lymphomatoid granulomatosis

Lymphomatoid granulomatosis (Tong et al). 1992;27:872-6 (Case rep.)

M**Magnetic resonance imaging**

Diagnostic utility of magnetic resonance imaging in malignant melanoma (Takahashi and Kohda). 1992;27:51-4

Malassezia

Quantitative skin cultures of *Pityrosporum* yeasts in patients seropositive for the human immunodeficiency virus with and without seborrheic dermatitis (Wikler et al). 1992;27:37-9

Malignancy of skin; see Skin neoplasms**Malignant melanoma; see Melanoma****MC 903; see Calcipotriol****Mechlorethamine**

Carcinogenicity of topical mechlorethamine in mice (Zackheim) (Letter); (Konnikov) (Reply). 1992;27:651-2

Topical mechlorethamine in the treatment of mycosis fungoides (Silver) (Letter); (Breneman and Breneman) (Reply). 1992;27:786-7

Medical oncology

Retinoids for the future: oncology (DiGiovanna). 1992;27:S34-7

Melanocytes

An analysis of interobserver recognition of the histopathologic features of dysplastic nevi from a mixed group of nevomelanocytic lesions (Duray et al). 1992;27:741-9 (Dermatopathology)

Atypical melanocytic nevi (Cohen et al). 1992;27:701-6

Increased epidermal growth factor receptors in melanocytic lesions (Ellis et al). 1992;27:539-46

Linear arrangement of multiple congenital melanocytic nevi (Effendy and Happle). 1992;27:853-4 (Case rep.)

Melanocytes—cont'd

- Melanocytic nevus density in Asian, Indo-Pakistani, and white children (Silver). 1992;27:277-8 (Letter)
Recurrent melanocytic nevi after Solcoderm therapy: a new cause of pseudomelanoma (Goldenherst et al). 1992;27:1012-3 (Brief comm.)

Melanoma

- Amelanotic melanoma presenting as inflammatory plaques (Tschen et al). 1992;27:464-5 (Brief comm.)
Diagnostic utility of magnetic resonance imaging in malignant melanoma (Takahashi and Kohda). 1992;27:51-4
Malignant melanoma of the eyelid (Tahery et al). 1992;27:17-21
Mechanisms of metastasis (Brodland and Zitelli). 1992;27:1-10 (CME article)
Pigmented Spitz nevi: improvement of the diagnostic accuracy by epiluminescence microscopy (Steiner et al). 1992;27:697-701
Small-diameter malignant melanoma: a common diagnosis in New South Wales, Australia (Shaw and McCarthy). 1992;27:679-82
Spitz nevi (Casso et al). 1992;27:901-13 (CME article)
Surface microscopy in the diagnosis of micropapular cutaneous metastatic melanoma (Pang and Kossard). 1992;27:775-6 (Brief comm.)
Underreporting of cutaneous melanoma in cancer registries nationwide (Koh et al). 1992;27:1035-6 (Letter)
Verification of a formula for determination of preexcision surgical margins from fixed-tissue melanoma specimens (Silverman et al). 1992;27:214-9

Melanosis

- Vulvar melanosis and lentiginosis: a case report (Kanj et al). 1992;27:777-8 (Brief comm.)

Melkersson-Rosenthal syndrome

- Treatment of recalcitrant cheilitis granulomatosa with metronidazole (Kano et al). 1992;27:629-30 (Brief comm.)

Metabolic diseases

- Current dermatologic therapy (Coskey). 1992;27:599-608 (Therapy)

Metastasis; see Neoplasm metastasis

Methotrexate

- Serum aminoterminal propeptide of type III procollagen in the management of methotrexate-induced fibrogenesis (Kürkçüoğlu and Öz). 1992;27:139 (Letter)

Methylbenzethonium

- Topical treatment of Old World cutaneous leishmaniasis caused by *Leishmania major*: a double-blind control study (El-On et al). 1992;27:227-31 (Therapy)

Metronidazole

- Treatment of recalcitrant cheilitis granulomatosa with metronidazole (Kano et al). 1992;27:629-30 (Brief comm.)

Micropapular melanoma; see Melanoma

Microscopy

- Pigmented Spitz nevi: improvement of the diagnostic accuracy by epiluminescence microscopy (Steiner et al). 1992;27:697-701
Surface microscopy in the diagnosis of micropapular cutaneous metastatic melanoma (Pang and Kossard). 1992;27:775-6 (Brief comm.)

Microscopy, immunoelectron

- Immunoelectronmicroscopic differentiation of linear IgA bullous dermatosis of adults with coexistence of IgA and IgG deposition from bullous pemphigoid (Adachi et al). 1992;27:394-9

Microscopy, immunofluorescence

- Immunofluorescence on split skin for the detection and differentiation of basement membrane zone autoantibodies (Gammon et al). 1992;27:79-87 (Clin. rev.)

Minocycline

- Minocycline-induced Sweet's syndrome (Thibault et al). 1992;27:801-4 (Case rep.)

Mites

- Combination of patch test and IgE for dust mite antigens differentiates 130 patients with atopic dermatitis into four groups (Imayama et al). 1992;27:531-8
Demodicidosis in a child with leukemia (Sahn and Sheridan). 1992;27:799-801 (Case rep.)

Mohs surgery

- Treatment of aggressive basal cell carcinoma with intralesional interferon: evaluation of efficacy by Mohs surgery (Stenquist et al). 1992;27:65-9 (Therapy)

Molluscum contagiosum

- Epidermodysplasia verruciformis associated with severe immunodeficiency, lymphoma, and disseminated molluscum contagiosum (Slawsky et al). 1992;27:448-50 (Brief comm.)
Molluscum contagiosum in patients with human immunodeficiency virus infection (Schwartz and Myskowski). 1992;27:583-8

Mouth diseases

- Oral lesions in systemic lupus erythematosus (Jorizzo et al). 1992;27:389-94
Perioral dermatitis in childhood (Manders and Lucky). 1992;27:688-92

Mouth mucosa

- Hairy leukoplakia with involvement of the buccal mucosa (Ficarra et al). 1992;27:855-8 (Case rep.)

Mucinoses

- Acral persistent papular mucinosis (Fosko et al). 1992;27:1026-9 (Brief comm.)

Mucins

- Papulonodular dermal mucinosis in lupus erythematosus (Lowe et al). 1992;27:312-5 (Case rep.)

Muir-Torre syndrome

- Sebaceous carcinomas of the ocular adnexa and the Muir-Torre syndrome (Cohen). 1992;27:279-80 (Letter)

Multicenter studies

- Multicenter clinical drug trials: Should single centers publish their results independently? (Stiller and Mehrel). 1992;27:646 (Editorial)

Musk

- Successful treatment of musk ketone-induced chronic actinic dermatitis with cyclosporine and PUVA therapy (Gardeazabal et al). 1992;27:838-42 (Case rep.)

Mycobacterium intracellulare

- Mycobacterium intracellulare* soft tissue infection (Sachs et al). 1992;27:1019-21 (Brief comm.)

Mycosis fungoides

- Evaluation of anthralin for mycosis fungoides (Zackheim). 1992;27:112-3 (Brief comm.)
Mycosis fungoides—type cutaneous T-cell lymphoma arising before 30 years of age (Burns et al). 1992;27:974-8
Therapeutic alternatives in cutaneous T-cell lymphoma (Holloway et al). 1992;27:367-78 (CME article)

Mycosis fungoides—cont'd

Topical mechlorethamine in the treatment of mycosis fungoides (Silver) (Letter); (Breneman and Breneman) (Reply). 1992;27:786-7

Myiasis

Human infestation with *Cochliomyia hominivorax*, the New World screwworm (Kron). 1992;27:264-5 (Brief comm.)

N

Nails

Lindane-resistant scabies (Witkowski and Parish) (Letter); (Purvis and Tying) (Reply). 1992;27:648

A primer on cosmetics (AAD Advisory Board et al). 1992;27:469-84 (From the Academy)

The spectrum of nail disease in patients with human immunodeficiency virus infection (Daniel et al). 1992;27:93-7 (Clin. rev.)

Necrobiotic xanthogranuloma; see Xanthomatosis**Necrolytic migratory erythema; see Erythema****Necrosis**

Essential thrombocythemia and idiopathic cold agglutinin disease: two additional disorders associated with intravascular coagulation necrosis of the skin (Zouboulis et al). 1992;27:277 (Letter)

Neonate; see Infant, newborn**Neoplasm metastasis**

Cutaneous acral metastasis in a patient with primary gastric adenocarcinoma (DiSpaltro et al). 1992;27:117-8 (Brief comm.)

Follicular thyroid carcinoma metastatic to the skin (Vives et al). 1992;27:276-7 (Letter)

Mechanisms of metastasis (Brodland and Zitelli). 1992;27:1-10 (CME article)

Metastasis (Lambert and Schwartz). 1992;27:131-3 (Editorial)

Metastatic basal cell carcinoma (Lo and Snow). 1992;27:788-9 (Letter)

Surface microscopy in the diagnosis of micropapular cutaneous metastatic melanoma (Pang and Kossard). 1992;27:775-6 (Brief comm.)

Neoplasms; see also specific neoplasms

Clinical evaluation of etretinate for the treatment of canine solar-induced squamous cell carcinoma and preneoplastic lesions (Marks et al). 1992;27:11-6

The reliability of a second biopsy for determining residual tumor (Torres et al). 1992;27:70-3 (Derm. surg.)

Retinoids for the future: oncology (DiGiovanna). 1992;27:S34-7

Neutrophils

Pustular lymphomatoid papulosis in childhood (Barnadas et al). 1992;27:627-8 (Brief comm.)

Nevus

An analysis of interobserver recognition of the histopathologic features of dysplastic nevi from a mixed group of nevomelanocytic lesions (Durray et al). 1992;27:741-9 (Dermatopathology)

Atypical melanocytic nevi (Cohen et al). 1992;27:701-6

Influence of cumulative sun exposure on the prevalence of common acquired nevi (Harth et al). 1992;27:21-4

Localized unilateral hyperhidrosis: eccrine nevus (de Erenchun et al). 1992;27:115-6 (Brief comm.)

Melanocytic nevus density in Asian, Indo-Pakistani, and white children (Silver). 1992;27:277-8 (Letter)

Nevus—cont'd

Recurrent melanocytic nevi after Solcoderm therapy: a new cause of pseudomelanoma (Goldenhersh et al). 1992;27:1012-3 (Brief comm.)

Spitz nevi (Casso et al). 1992;27:901-13 (CME article)

Woolly hair nevus syndrome (Al-Harmoni et al). 1992;27:259-60 (Brief comm.)

Nevus, pigmented

Blue nevi-like dotted occupational argyria (Rongioletti et al). 1992;27:1015-6 (Brief comm.)

Linear arrangement of multiple congenital melanocytic nevi (Effendy and Happle). 1992;27:853-4 (Case rep.)

Pigmented Spitz nevi: improvement of the diagnostic accuracy by epiluminescence microscopy (Steiner et al). 1992;27:697-701

Zosteriform speckled lentiginous nevus (Altman and Banse). 1992;27:106-8

New World screw worm infection; see Screw worm infection**Niacin**

Pellagra complicating Crohn's disease (Lifshitz et al). 1992;27:620 (Brief comm.)

Nodular cutaneous pseudolymphoma; see Lymphoma, follicular**Nomenclature**

Melanocytic nevus density in Asian, Indo-Pakistani, and white children (Silver). 1992;27:277-8 (Letter)

Noninflammatory bullae; see Blister

O

Observer variation

An analysis of interobserver recognition of the histopathologic features of dysplastic nevi from a mixed group of nevomelanocytic lesions (Durray et al). 1992;27:741-9 (Dermatopathology)

Obsessive-compulsive behavior

Dermatology and conditions related to obsessive-compulsive disorder (Koblenzer) (Letter); (Stein and Hollander) (Reply). 1992;27:1033-5

Occupational dermatitis

Blue nevi-like dotted occupational argyria (Rongioletti et al). 1992;27:1015-6 (Brief comm.)

Ochronosis

Alkaptonuria and ochronosis: case report and review (Albers et al). 1992;27:609-14 (Clin. rev.)

Oils

Multiple keratoses and squamous cell carcinoma from cutting oil (Tsuji et al). 1992;27:767-8 (Brief comm.)

Ointments

Efficacy and safety of calcipotriol (MC-903) ointment in psoriasis vulgaris (Dubertret et al). 1992;27:983-8 (Therapy)

Old World leishmaniasis; see Leishmaniasis, cutaneous**Oncology; see Medical oncology****Oral hairy leukoplakia; see Leukoplakia, oral****Oral lesions; see Mouth diseases****Ornithodoros tholozani**

Ornithodoros tholozani bites: a unique clinical picture (Leker et al). 1992;27:1025-6 (Brief comm.)

Ozone

Ozone depletion: the biologic consequences (Lambert). 1992;27:783-5 (Editorial)

Thinning of the ozone layer: facts and consequences (Coldiron). 1992;27:653-62 (CME article)

P

Pachydermodactyly

Pachydermodactyly: first report in a woman (Draluck et al). 1992;27:303-5 (Case rep.)

Palate, abnormalities

Rapp-Hodgkin ectodermal dysplasia (O'Donnell and James). 1992;27:323-6 (Case rep.)

Palmar keratoderma; see Keratoderma, palmar

Palmoplantar pustulosis; see Psoriasis

Palms; see Hand

Pancreatitis

Eruptive xanthomas during pregnancy (Jaber et al). 1992;27:300-2 (Case rep.)

Panniculitis

Histiocytic cytophagic panniculitis: molecular evidence for a clonal T-cell disorder (Hytiroglou et al). 1992;27:333-6 (Case rep.)

Papilloma

Acantholytic acanthomas in an immunosuppressed patient (Ramos-Caro et al). 1992;27:452-3 (Brief comm.)

Papillomaviruses

Clinicopathologic study of arsenic-induced skin lesions: no definite association with human papillomavirus (Ratnam et al). 1992;27:120-2 (Brief comm.)

Human papillomavirus in an epidermoid cyst of the sole in a non-Japanese patient (Rios-Buceta et al). 1992;27:364-6 (Case rep.)

Human papillomavirus type 6 infection involving cutaneous nongenital sites (Blauvelt et al). 1992;27:876-9 (Case rep.)

Papular mucinosis; see Mucinosis

Papulonodular dermal mucinosis; see Mucins

Paraneoplastic syndromes

Malignancy-associated tripe palms (Cohen and Kurzrock). 1992;27:271-2 (Brief comm.)

Paraneoplastic pemphigus: a report of three cases including one long-term survivor (Camisa et al). 1992;27:547-53

Paromomycin

Topical treatment of Old World cutaneous leishmaniasis caused by *Leishmania major*: a double-blind control study (El-On et al). 1992;27:227-31 (Therapy)

Paronychia

Role of foods in the pathogenesis of chronic paronychia (Tosti et al). 1992;27:706-10

Parotid neoplasms

Multiple adnexal tumors and a parotid basal cell adenoma (Sevinsky et al). 1992;27:1035 (Letter)

Parvovirus B19, human

Koplik spots and a purpuric eruption associated with parvovirus B19 infection (Evans et al). 1992;27:466-7 (Brief comm.)

Petechial glove and sock syndrome caused by parvovirus B19 (Halasz et al). 1992;27:835-8 (Case rep.)

Patch tests

Combination of patch test and IgE for dust mite antigens differentiates 130 patients with atopic dermatitis into four groups (Imayama et al). 1992;27:531-8

A primer on cosmetics (AAD Advisory Board et al). 1992;27:469-84 (From the Academy)

Pellagra

Pellagra complicating Crohn's disease (Lifshitz et al). 1992;27:620 (Brief comm.)

Pemphigoid, bullous

Bullous pemphigoid and severe erythrodermic psoriasis: combined low-dose treatment with cyclosporine and systemic steroids (Bianchi et al) (Letter); (Hisler and Hashimoto) (Reply). 1992;27:278

Dermatomyositis pemphigoides: a case with coexistent dermatomyositis and bullous pemphigoid (Glover and Leigh). 1992;27:849-52 (Case rep.)

Differences in direct immunofluorescence staining patterns in epidermolysis bullosa acquisita and bullous pemphigoid (Smoller and Woodley). 1992;27:674-8

Immunoelectronmicroscopic differentiation of linear IgA bullous dermatosis of adults with coexistence of IgA and IgG deposition from bullous pemphigoid (Adachi et al). 1992;27:394-9

Localized pretibial pemphigoid and pemphigoid nodularis (Borradori et al). 1992;27:863-7 (Case rep.)

Oral and cutaneous lichen planus pemphigoides (Maceyko et al). 1992;27:889-92 (Case rep.)

Pemphigoid nodularis; see Pemphigoid, bullous

Pemphigus

Captopril-induced pemphigus vegetans with Charcot-Leyden crystals (Pinto et al). 1992;27:281-4 (Case rep.)

Paraneoplastic pemphigus: a report of three cases including one long-term survivor (Camisa et al). 1992;27:547-53

Pemphigus vulgaris in siblings: HLA-DR4 and HLA-DQw3 and susceptibility to pemphigus (Reohr et al). 1992;27:189-93

Pemphigus, benign familial

Dermabrasion of Hailey-Hailey disease and Darier's disease (Zachariae) (Letter); (Roenigk)(Reply). 1992;27:136

Topical cyclosporine in chronic benign familial pemphigus (Hailey-Hailey disease) (Jitsukawa et al). 1992;27:625-6 (Brief comm.)

Penis

Foscarnet-induced penile ulcer (Evans and Grossman). 1992;27:124-6 (Brief comm.)

Rapidly progressive penile ulcer: an unusual manifestation of Kaposi's sarcoma (Schmidt et al). 1992;27:267-8 (Brief comm.)

Perforating granuloma annulare; see Granuloma annulare

Perfume

A primer on cosmetics (AAD Advisory Board et al). 1992;27:469-84 (From the Academy)

Perineum

Perineal ecthyma gangrenosum in infancy and early childhood: septicemic and nonsepticemic forms (Boisseau et al). 1992;27:415-8

Periodic synopsis

Periodic synopsis. 1992;27:98-101

Peristomal pyoderma gangrenosum; see Pyoderma

Permanent press clothing; see Clothing

Petechia; see Purpura

Pharmacokinetics

Pharmacokinetics and drug interactions of etretinate and acitretin (Lambert et al). 1992;27:S19-22

Pharyngitis

Petechiae caused by streptococcal pharyngitis (Goldenherish). 1992;27:456-7 (Brief comm.)

Phenotype

Annular epidermolytic ichthyosis: a unique phenotype (Sahn et al). 1992;27:348-55 (Case rep.)

Epidermal dendritic cells in psoriasis possess a phenotype associated with antigen presentation: in situ expression of β_2 -integrins (McGregor et al). 1992;27:383-8

Phenytoin

Generalized nodular cutaneous pseudolymphoma associated with phenytoin therapy (Braddock et al). 1992;27:337-40 (Case rep.)

Phlebotomy; see Bloodletting**Photoaging of skin; see Skin aging****Photochemotherapy**

Biology of cutaneous squamous cell carcinoma (Gross and Waner). 1992;27:789 (Letter)

Extracorporeal photopheresis for the treatment of cutaneous T-cell lymphoma (Zic et al). 1992;27:729-36 (Therapy)

Photodynamic therapy in the treatment of Bowen's disease (Jones et al). 1992;27:979-82 (Therapy)

Treatment of erythrodermic cutaneous T-cell lymphoma with extracorporeal photochemotherapy (Heald et al). 1992;27:427-33 (Therapy)

Photocontact dermatitis; see Photosensitivity disorders**Photodamaged skin; see Skin aging****Photodynamic therapy; see Photochemotherapy****Photography**

Photographic utilization in dermatology clinics of the United States: a survey of the university-based dermatology residency programs (Shriner and Wagner). 1992;27:565-7

Photopheresis; see Photochemotherapy**Photoprotective agents; see Sunscreening agents****Photosensitivity disorders**

Photosensitivity, abnormal porphyrin profile, and sideroblastic anemia (Lim et al). 1992;27:287-92 (Case rep.)

Photosensitivity induced by fibric acid derivatives and its relation to photocontact dermatitis to ketoprofen (Serrano et al). 1992;27:204-8

Phytonadione

Cutaneous eruption from vitamin K₁ injection (Tuppal and Tremaine). 1992;27:105-6 (Brief comm.)

Pigmentation disorders

Acetaminophen-induced progressive pigmentary purpura (Schamberg's disease) (Abeck et al). 1992;27:123-4 (Brief comm.)

Current dermatologic therapy (Coskey). 1992;27:599-608 (Therapy)

Cutaneous T-cell lymphoma with porokeratosis-like lesions (Hsu et al). 1992;27:327-30 (Case rep.)

Dowling-Degos' disease mimicking chloracne (Kershenovich et al). 1992;27:345-8 (Case rep.)

Erythema ab igne: treatment with 5-fluorouracil cream (Sahl and Taira). 1992;27:109-10 (Brief comm.)

Pigmented basal cell carcinoma: investigation of 70 cases (Maloney et al). 1992;27:74-8 (Dermatopathology)

PUVA treatment of pigmented purpuric lichenoid dermatitis (Gougier-Blum) (Krizsa et al). 1992;27:778-80 (Brief comm.)

Reactive lentiginous hyperpigmentation after cryosurgery of lentigo maligna (Böhler-Sommeregger et al). 1992;27:523-6

Unilateral dermatomal pigmentary dermatosis: A variant dyschromatosis? (Hara et al). 1992;27:763-4 (Brief comm.)

Vulvar melanosis and lentiginosis: a case report (Kanj et al). 1992;27:777-8 (Brief comm.)

Pigmented nevi; see Nevus, pigmented**Pityriasis rubra pilaris**

Kaposi's varicelliform eruption in a patient with pityriasis rubra pilaris (Ng et al). 1992;27:263 (Brief comm.)

Pityriasis rubra pilaris—cont'd

Pityriasis rubra pilaris in a child seropositive for the human immunodeficiency virus (Menni et al). 1992;27:1009 (Brief comm.)

Pityriasis rubra pilaris in a patient with human immunodeficiency virus infection (Auffret et al). 1992;27:260-1 (Brief comm.)

Pityrosporum; see Malassezia**Plasma cells**

Fusidic acid cream in the treatment of plasma cell balanitis (Petersen and Thomsen). 1992;27:633-4 (Brief comm.)

Poikiloderma congenitale

Rothmund-Thomson syndrome: review of the world literature (Vennos et al). 1992;27:750-62 (Clin. rev.)

Poison ivy dermatitis

Effectiveness of various barrier preparations in preventing and/or ameliorating experimentally produced *Toxicodendron* dermatitis (Grevelink et al). 1992;27:182-8

Polycythemia vera

Pyoderma gangrenosum, polycythemia rubra vera, and the development of leukemia (Ho et al). 1992;27:804-8 (Case rep.)

Polymorphous light eruption

Severe sun sensitivity and the presence of antinuclear antibodies in patients with polymorphous light eruption-like lesions (Callen). 1992;27:788 (Letter)

Pools; see Swimming pools**Porocarcinoma, eccrine; see Hidradenoma****Porokeratosis**

Cutaneous T-cell lymphoma with porokeratosis-like lesions (Hsu et al). 1992;27:327-30 (Case rep.)

Porphyria

Childhood-onset familial porphyria cutanea tarda: effects of therapeutic phlebotomy (Poh-Fitzpatrick et al). 1992;27:896-900 (Case rep.)

Porphyryns

Photosensitivity, abnormal porphyrin profile, and sideroblastic anemia (Lim et al). 1992;27:287-92 (Case rep.)

Precancerous conditions

Clinical evaluation of etretinate for the treatment of canine solar-induced squamous cell carcinoma and preneoplastic lesions (Marks et al). 1992;27:11-6

Pregnancy

Eruptive xanthomas during pregnancy (Jaber et al). 1992;27:300-2 (Case rep.)

Preservatives

A primer on cosmetics (AAD Advisory Board et al). 1992;27:469-84 (From the Academy)

Pretibial pemphigoid; see Pemphigoid, bullous**Prevalence**

Lichen planus (Anderson) (Letter); (Boyd and Neldner) (Reply). 1992;27:647

Procetofen

Photosensitivity induced by fibric acid derivatives and its relation to photocontact dermatitis to ketoprofen (Serrano et al). 1992;27:204-8

Procollagen

Serum aminoterminal propeptide of type III procollagen in the management of methotrexate-induced fibrogenesis (Kürkçüoğlu and Öz). 1992;27:139 (Letter)

Progressive systemic sclerosis; see Scleroderma, systemic

Propionibacterium acnes

Sterility of refrigerated injectable collagen syringes after injection of patient (Davis et al). 1992;27:959-61

Protein-glutamine gamma-glutamyltransferase

Verrucous lesions secondary to DNA viruses in patients infected with the human immunodeficiency virus in association with increased factor XIIIa-positive dermal dendritic cells (Smith et al). 1992; 27:943-50

Proteins

Expression of adhesion proteins involved in cell-cell and cell-matrix interactions in the skin of patients with progressive systemic sclerosis (Gruschwitz et al). 1992;27:169-77

Pruritus

Starvation-associated pruritus: a clinical feature of eating disorders (Gupta et al). 1992;27:118-20 (Brief comm.)

Stratum corneum changes in patients with senile pruritus (Long and Marks). 1992;27:560-4

Pseudolymphoma, nodular cutaneous; see Lymphoma, follicular

Pseudomelanoma; see Melanoma

Psoriasis

β -Adrenergic blocking drugs and psoriasis (Steinkraus et al). 1992;27:266-7 (Brief comm.)

Bullous pemphigoid and severe erythrodermic psoriasis: combined low-dose treatment with cyclosporine and systemic steroids (Bianchi et al) (Letter); (Hisler and Hashimoto) (Reply). 1992;27: 278

Clearance of unremitting psoriasis after treatment with granulocyte-macrophage colony-stimulating factor (Raychaudhuri and Fiore). 1992;27:451-2 (Brief comm.)

Current dermatologic therapy (Coskey). 1992;27:599-608 (Therapy)

Cyclosporine therapy for psoriasis: a cell cycle-derived dosing schedule (Goodman et al). 1992;27:594-8 (Therapy)

Differential effects of cyclosporine and etretinate on serum cytokine levels in patients with psoriasis (Shiohara et al). 1992;27: 568-74

Efficacy and safety of calcipotriol (MC-903) ointment in psoriasis vulgaris (Dubertret et al). 1992;27:983-8 (Therapy)

Elevation of fasting serum lipids in patients treated with low-dose cyclosporine for severe plaque-type psoriasis (Stiller et al). 1992; 27:434-8 (Therapy)

Epidermal dendritic cells in psoriasis possess a phenotype associated with antigen presentation: in situ expression of β_2 -integrins (McGregor et al). 1992;27:383-8

Failure of reticular erythematous mucinosis to respond to cyclosporine (Bulengo-Ransby et al). 1992;27:825-8 (Case rep.)

Fumaric acid therapy in psoriasis: results and side effects of 2 years of treatment (Kolbach and Nieboer). 1992;27:769-71 (Brief comm.)

History of the treatment of psoriasis (Farber). 1992;27:640-5 (Special article)

Hypertriglyceridemia in patients with psoriasis treated with cyclosporine (Mrowietz et al) (Letter); (Gottlieb) (Reply). 1992; 27:491-2

Malignant tumors in patients with psoriasis (Olsen et al). 1992;27:716-22

Onset of psoriasis in the tenth decade of life (Raychaudhuri and Farber). 1992;27:788 (Letter)

Psoriasis. I. Pathogenesis (Griffiths). 1992;27:98-101 (Periodic synopsis)

Psoriasis—cont'd

Psoriasis and human immunodeficiency virus infection (Obuch et al). 1992;27:667-73

Retinoids in psoriasis and disorders of keratinization (Fritsch). 1992;27:S8-14

Serum aminoterminal propeptide of type III procollagen in the management of methotrexate-induced fibrogenesis (Kürkçüoğlu and Öz). 1992;27:139 (Letter)

Topical glucocorticoids with improved benefit/risk ratio: Do they exist? (Korting et al). 1992;27:87-92 (Clin. rev.)

Treatment of psoriasis with calcipotriol and other vitamin D analogues (Kragballe). 1992;27:1001-8 (Clin. rev.)

Psychogenic purpura; see Purpura

Psychology

Serum androgens and depression in women with facial hirsutism (Shulman et al). 1992;27:178-81

Publishing

Multicenter clinical drug trials: Should single centers publish their results independently? (Stiller and Mehrel). 1992;27:646 (Editorial)

Pulmonary diseases; see Lung diseases

Pulmonary tuberculosis; see Tuberculosis, pulmonary

Pulsed dye laser surgery; see Laser surgery

Purpura

Autoerythrocyte sensitization syndrome (psychogenic purpura) (Berman et al). 1992;27:829-32 (Case rep.)

Koplik spots and a purpuric eruption associated with parvovirus B19 infection (Evans et al). 1992;27:466-7 (Brief comm.)

Petechiae caused by streptococcal pharyngitis (Goldenbersh). 1992;27:456-7 (Brief comm.)

Petechial glove and sock syndrome caused by parvovirus B19 (Halasz et al). 1992;27:835-8 (Case rep.)

PUVA treatment of pigmented purpuric lichenoid dermatitis (Gougier-Blum) (Krizsa et al). 1992;27:778-80 (Brief comm.)

Purpura, pigmented; see Pigmentation disorders

Pustular folliculitis

Eosinophilic pustulosis of the scalp in childhood (Taïeb et al). 1992;27:55-60

Pustular lymphomatoid papulosis

Pustular lymphomatoid papulosis in childhood (Barnadas et al). 1992;27:627-8 (Brief comm.)

Pustulosis, intraepidermal; see Skin diseases, vesiculobullous

PUVA therapy

PUVA treatment of pigmented purpuric lichenoid dermatitis (Gougier-Blum) (Krizsa et al). 1992;27:778-80 (Brief comm.)

Successful treatment of musk ketone-induced chronic actinic dermatitis with cyclosporine and PUVA therapy (Gardeazabal et al). 1992;27:838-42 (Case rep.)

Pyoderma

Fatal pyoderma gangrenosum in association with C7 deficiency (Friduss et al). 1992;27:356-9 (Case rep.)

Peristomal pyoderma gangrenosum (Keltz et al). 1992;27:360-4 (Case rep.)

Pyoderma gangrenosum in infancy (Hazen) (Letter); (Glass et al) (Reply). 1992;27:275-6

Pyoderma gangrenosum, polycythemia rubra vera, and the development of leukemia (Ho et al). 1992;27:804-8 (Case rep.)

Pyoderma gangrenosum-like ulcer in a patient with large granular lymphocytic leukemia (Helm et al). 1992;27:868-71 (Case rep.)

1072 Subject index

Pyoderma—cont'd

- Steroid-responsive pyoderma gangrenosum with vulvar and pulmonary involvement (Lebbé et al). 1992;27:623-5 (Brief comm.)
- Successful treatment of aggressive pyoderma gangrenosum with pulse steroids and chlorambucil (Resnik et al). 1992;27:635-6 (Brief comm.)

Pyogenic granuloma; see Granuloma

R

Racial groups

- Melanocytic nevus density in Asian, Indo-Pakistani, and white children (Silver). 1992;27:277-8 (Letter)

Rapp-Hodgkin ectodermal dysplasia; see Ectodermal dysplasia

Receptors, epidermal growth factor-uromastone

- Increased epidermal growth factor receptors in melanocytic lesions (Ellis et al). 1992;27:539-46

Receptors, steroid

- Androgen insensitivity syndrome (testicular feminization): a model for understanding steroid hormone receptors (Feldman). 1992; 27:615-9 (Clin. rev.)

Registries

- Underreporting of cutaneous melanoma in cancer registries nationwide (Koh et al). 1992;27:1035-6 (Letter)

Reproducibility of results

- Dysplastic nevi can be diagnosed and graded reproducibly: a longitudinal study (Smoller and Egbert). 1992;27:399-402

Residency; see Internship and residency

Respiratory distress syndrome

- Eruptive xanthomas during pregnancy (Jaber et al). 1992;27:300-2 (Case rep.)

Reticular erythematous mucinosis

- Failure of reticular erythematous mucinosis to respond to cyclosporine (Bulengo-Ransby et al). 1992;27:825-8 (Case rep.)

Retinoids

- Guidelines for optimal use of isotretinoin in acne (Layton and Cunliffe). 1992;27:S2-7
- Long-term safety of retinoid therapy (Vahlquist). 1992;27:S29-33
- Pharmacokinetics and drug interactions of tretinoin and acitretin (Lambert et al). 1992;27:S19-22
- Retinoids: present and future—introduction (Shalita). 1992;27:S1
- Retinoids for the future: investigational approaches for the identification of new compounds (Armstrong et al). 1992;27:S38-42
- Retinoids for the future: oncology (DiGiovanna). 1992;27:S34-7
- Retinoids in psoriasis and disorders of keratinization (Fritsch). 1992;27:S8-14
- Side effects of systemic retinoids and their clinical management (Saurat). 1992;27:S23-8
- Topical isotretinoin for photodamaged skin (Sendagorta et al). 1992; 27:S15-8

Reviewers

- Reviewers. 1992;27:127-30

Rheumatoid arthritis; see Arthritis, rheumatoid

Rhus

- Effectiveness of various barrier preparations in preventing and/or ameliorating experimentally produced *Toxicodendron* dermatitis (Grevelink et al). 1992;27:182-8

Rosacea

- Failure of reticular erythematous mucinosis to respond to cyclosporine (Bulengo-Ransby et al). 1992;27:825-8 (Case rep.)

Rosacea—cont'd

- Granulomatous rosacea in a child infected with the human immunodeficiency virus (Sanchez-Viera et al). 1992;27:1010-1 (Brief comm.)

Ro(SS-A) antibodies; see Antibodies

Rothmund-Thomson syndrome

- Rothmund-Thomson syndrome: review of the world literature (Venos et al). 1992;27:750-62 (Clin. rev.)

Rubber

- Allergic contact dermatitis to natural latex (Wyss et al) (Letter); (Heese) (Reply). 1992;27:650-1

Ruby laser surgery; see Laser surgery

Rumpel-Leede sign

- The Rumpel-Leede sign associated with drug-induced erythema multiforme (Gross et al). 1992;27:781-2 (Brief comm.)

S

Sarcoidosis

- Generalized perforating granuloma annulare (Samalaska et al). 1992;27:319-22 (Case rep.)

Sarcoma, Kaposi's

- Kaposi's sarcoma occurring de novo in the surgical scar in a heart transplant recipient (Micali et al). 1992;27:273-4 (Brief comm.)

- Pulsed-dye laser therapy for cutaneous Kaposi's sarcoma associated with acquired immunodeficiency syndrome (Tappero et al). 1992;27:526-30

- Rapidly progressive penile ulcer: an unusual manifestation of Kaposi's sarcoma (Schmidt et al). 1992;27:267-8 (Brief comm.)

Satellitosis

- Lobular capillary hemangioma (pyogenic granuloma) with satellitosis (Taira et al). 1992;27:297-300 (Case rep.)

Scabies

- Lindane-resistant scabies (Witkowski and Parish) (Letter); (Purvis and Tying) (Reply). 1992;27:648

Scalp

- Ectodermal dysplasias associated with clefting: significance of scalp dermatitis (Fosko et al). 1992;27:249-56 (Clin. rev.)

- Eosinophilic pustulosis of the scalp in childhood (Taieb et al). 1992;27:55-60

- Lichen planopilaris: clinical and pathologic study of forty-five patients (Mehregan et al). 1992;27:935-42

Scar; see Cicatrix

Schamberg's disease; see Pigmentation disorders

Scleroderma, systemic

- Expression of adhesion proteins involved in cell-cell and cell-matrix interactions in the skin of patients with progressive systemic sclerosis (Gruschwitz et al). 1992;27:169-77

- Serum adenosine deaminase activity in systemic sclerosis (scleroderma) and related disorders (Sasaki and Nakajima). 1992;27: 411-4

Screw worm infection

- Human infestation with *Cochliomyia hominivorax*, the New World screwworm (Kron). 1992;27:264-5 (Brief comm.)

Scrotum

- Metastatic basal cell carcinoma (Lo and Snow). 1992;27:788-9 (Letter)

Scurvy

- Scurvy: a case in a young healthy woman (Shelton and Ryan). 1992;27:773-4 (Brief comm.)

Sebaceous gland neoplasms

Sebaceous carcinomas of the ocular adnexa and the Muir-Torre syndrome (Cohen). 1992;27:279-80 (Letter)

Seborrhea

Quantitative skin cultures of *Pityrosporum* yeasts in patients seropositive for the human immunodeficiency virus with and without seborrheic dermatitis (Wikler et al). 1992;27:37-9

Self-Assessment

Self-Assessment examinations. 1992;27:141-6, 497-502, 790-4
Self-Assessment examination answers. 1992;27:147-50, 503-6, 795-8

Self-injurious behavior

Dermatology and conditions related to obsessive-compulsive disorder (Koblenzer) (Letter); (Stein and Hollander) (Reply). 1992;27:1033-5

Self-tanning lotion; see Tanning

Senile pruritus; see Pruritus

Septicemia

Hemorrhagic bullae in association with *Enterobacter cloacae* septicemia (Livingston et al). 1992;27:637-8 (Brief comm.)
Perineal ecthyma gangrenosum in infancy and early childhood: septicemic and nonsepticemic forms (Boisseau et al). 1992;27:415-8

Severe combined immunodeficiency

Epidermodysplasia verruciformis associated with severe immunodeficiency, lymphoma, and disseminated molluscum contagiosum (Slawsky et al). 1992;27:448-50 (Brief comm.)

Sézary syndrome

Therapeutic alternatives in cutaneous T-cell lymphoma (Holloway et al). 1992;27:367-78 (CME article)

Shampoo; see Hair preparations

Siblings; see Family

Sideroblastic anemia; see Anemia, sideroblastic

Sjögren's syndrome

Annular erythema associated with Sjögren's syndrome (Teramoto et al). 1992;27:276 (Letter)

Skin, immunology

Response of aged versus young skin to intradermal administration of interferon gamma (Gilhar et al). 1992;27:710-6

Skin, ultrastructure

The site of blister formation in dermatitis herpetiformis is within the lamina lucida (Smith et al). 1992;27:209-13

Skin aging

Dermabrasion: therapy and prophylaxis of the photoaged face (Benedetto et al). 1992;27:439-47 (Derm. surg.)
Features of an autoimmune process in mid-dermal elastolysis (Kirsner and Falanga). 1992;27:832-4 (Case rep.)
Linear focal elastosis: A degenerative or regenerative process of striae distensae? (White). 1992;27:468 (Brief comm.)
Mid-dermal elastolysis (Rudolph) (Letter); (Kim and Su) (Reply). 1992;27:789
Noninflammatory focal dermal elastolysis (Betti et al). 1992;27:113-5 (Brief comm.)
Reversible ectropion after long-term use of topical tretinoin on photodamaged skin (Brodell et al). 1992;27:621-2 (Brief comm.)
Topical isotretinoin for photodamaged skin (Sendagorta et al). 1992;27:S15-8

Skin color; see Skin pigmentation

Skin diseases, vesiculobullous

Current dermatologic therapy (Coskey). 1992;27:599-608 (Therapy)

Skin diseases, vesiculobullous—cont'd

Immunoelectronmicroscopic differentiation of linear IgA bullous dermatosis of adults with coexistence of IgA and IgG deposition from bullous pemphigoid (Adachi et al). 1992;27:394-9

Immunofluorescence on split skin for the detection and differentiation of basement membrane zone autoantibodies (Gammon et al). 1992;27:79-87 (Clin. rev.)

Intraepidermal IgA pustulosis (Wallach). 1992;27:993-1000 (Clin. rev.)

Toxic epidermal necrolysis in early infancy (Scully and Frieden). 1992;27:340-4 (Case rep.)

The Tzanck smear: Can dermatologists accurately interpret it? (Grossman and Silvers). 1992;27:403-5

Skin neoplasms; see also specific neoplasms

Basaloid follicular hamartoma: solitary and multiple types (Brownstein). 1992;27:237-40 (Dermatopathology)

Carcinogenicity of topical mechlorethamine in mice (Zackheim) (Letter); (Konnikov) (Reply). 1992;27:651-2

Current dermatologic therapy (Coskey). 1992;27:599-608 (Therapy)

Extracorporeal photopheresis for the treatment of cutaneous T-cell lymphoma (Zic et al). 1992;27:729-36 (Therapy)

Malignancy-associated tripe palms (Cohen and Kurzrock). 1992;27:271-2 (Brief comm.)

Malignant tumors in patients with psoriasis (Olsen et al). 1992;27:716-22

The reliability of a second biopsy for determining residual tumor (Torres et al). 1992;27:70-3 (Derm. surg.)

Small-diameter malignant melanoma: a common diagnosis in New South Wales, Australia (Shaw and McCarthy). 1992;27:679-82

Skin pigmentation

Quantification of skin color in patients undergoing maintenance hemodialysis (Deleixhe-Mauhin et al). 1992;27:950-3

Skin transplantation

Soft tissue reconstruction with skin grafting (Johnson et al). 1992;27:151-65 (CME article)

Skin ulcer

Malignant lymphoma and leukemia with prominent ulceration: clinicopathologic correlation of 33 cases (Helm et al). 1992;27:553-9

Solar exposure; see Sunlight

Solcoderm

Recurrent melanocytic nevi after Solcoderm therapy: a new cause of pseudomelanoma (Goldenherst et al). 1992;27:1012-3 (Brief comm.)

Sole; see Foot

Special article

Special article. 1992;27:640-5

Spitz nevi; see Nevus

Split skin

Immunofluorescence on split skin for the detection and differentiation of basement membrane zone autoantibodies (Gammon et al). 1992;27:79-87 (Clin. rev.)

Sporotrichosis

Successful treatment of disseminated cutaneous sporotrichosis with ketoconazole (Cullen et al). 1992;27:463-4 (Brief comm.)

Squamous cell carcinoma; see Carcinoma, squamous cell

1074 Subject index

Stains and staining

Differences in direct immunofluorescence staining patterns in epidermolysis bullosa acquisita and bullous pemphigoid (Smoller and Woodley). 1992;27:674-8

Starvation

Starvation-associated pruritus: a clinical feature of eating disorders (Gupta et al). 1992;27:118-20 (Brief comm.)

Steroids

Androgen insensitivity syndrome (testicular feminization): a model for understanding steroid hormone receptors (Feldman). 1992; 27:615-9 (Clin. rev.)

Bullous pemphigoid and severe erythrodermic psoriasis: combined low-dose treatment with cyclosporine and systemic steroids (Bianchi et al) (Letter); (Hisler and Hashimoto) (Reply). 1992;27:278

Hydrocortisone sensitivity: clinical features of fifty-nine cases (Wilkinson and English). 1992;27:683-7

Perioral dermatitis in childhood (Manders and Lucky). 1992;27: 688-92

Peristomal pyoderma gangrenosum (Keltz et al). 1992;27:360-4 (Case rep.)

Steroid-responsive pyoderma gangrenosum with vulvar and pulmonary involvement (Lebbé et al). 1992;27:623-5 (Brief comm.)

Successful treatment of aggressive pyoderma gangrenosum with pulse steroids and chlorambucil (Resnik et al). 1992;27:635-6 (Brief comm.)

Stratum corneum; see Epidermis

Streptococcal infections

Petechiae caused by streptococcal pharyngitis (Goldenhersh). 1992;27:456-7 (Brief comm.)

Striae distensae

Linear focal elastosis: A degenerative or regenerative process of striae distensae? (White). 1992;27:468 (Brief comm.)

Sunless lotion; see Tanning

Sunlight

Clinical evaluation of etretinate for the treatment of canine solar-induced squamous cell carcinoma and preneoplastic lesions (Marks et al). 1992;27:11-6

Influence of cumulative sun exposure on the prevalence of common acquired nevi (Harth et al). 1992;27:21-4

Severe sun sensitivity and the presence of antinuclear antibodies in patients with polymorphous light eruption-like lesions (Callen). 1992;27:788 (Letter)

Sun exposure in Australian adolescents (Fritschi et al). 1992;27:25-8

Sunscreening agents

Broad-spectrum protection in sunscreen products (Agin) (Letter); (Roelands) (Reply). 1992;27:648-50

Screening photoprotective agents against UVA radiation (Agin and Stanfield) (Letter); (Kaidbey) (Reply). 1992;27:136-9

Sun exposure in Australian adolescents (Fritschi et al). 1992;27:25-8

Surface microscopy; see Microscopy

Surgical margins

Surgical margins for excision of primary cutaneous squamous cell carcinoma (Brodland and Zitelli). 1992;27:241-8 (Derm. surg.)

Verification of a formula for determination of preexcision surgical margins from fixed-tissue melanoma specimens (Silverman et al). 1992;27:214-9

Surgical scar; see Cicatrix

Sweet's syndrome

Minocycline-induced Sweet's syndrome (Thibault et al). 1992; 27:801-4 (Case rep.)

Sweet's syndrome—cont'd

Pyoderma gangrenosum in infancy (Hazen) (Letter); (Glass et al) (Reply). 1992;27:275-6

Swimming pools

Pool palms (Blauvelt et al). 1992;27:111 (Brief comm.)

Syringes

Sterility of refrigerated injectable collagen syringes after injection of patient (Davis et al). 1992;27:959-61

Systemic lupus erythematosus; see Lupus erythematosus, systemic
Systemic sclerosis; see Scleroderma, systemic

T

T-cell; see T-lymphocytes

T-cell receptor gene rearrangement; see Gene rearrangement, T-lymphocyte

T-lymphocytes

Histiocytic cytophagic panniculitis: molecular evidence for a clonal T-cell disorder (Hytioglou et al). 1992;27:333-6 (Case rep.)

Intraepidermal localization of the clone in cutaneous T-cell lymphoma (Bagot et al). 1992;27:589-93

Molluscum contagiosum in patients with human immunodeficiency virus infection (Schwartz and Myskowski). 1992;27:583-8

Serum adenosine deaminase activity in systemic sclerosis (scleroderma) and related disorders (Sasaki and Nakajima). 1992;27:411-4

Tanning

Dihydroxyacetone-containing sunless or self-tanning lotions (Levy). 1992;27:989-93 (Clin. rev.)

North Carolina tanning operators: Hazard on the horizon? (Fleischer and Fleischer). 1992;27:199-203

Teaching

North Carolina tanning operators: Hazard on the horizon? (Fleischer and Fleischer). 1992;27:199-203

Telangiectasis

Treatment of telangiectases and other benign vascular lesions with the 577 nm pulsed dye laser (Gonzalez et al). 1992;27:220-6 (Therapy)

Teratogens

Retinoids for the future: investigational approaches for the identification of new compounds (Armstrong et al). 1992;27:S38-42

Testicular feminization

Androgen insensitivity syndrome (testicular feminization): a model for understanding steroid hormone receptors (Feldman). 1992; 27:615-9 (Clin. rev.)

Tetracycline

Ornithodoros tholozani bites: a unique clinical picture (Leker et al). 1992;27:1025-6 (Brief comm.)

Therapy

Therapy. 1992;27:61-9, 220-31, 427-38, 594-608, 723-40, 979-88

Thrombocytopenia, hemorrhagic

Essential thrombocytopenia and idiopathic cold agglutinin disease: two additional disorders associated with intravascular coagulation necrosis of the skin (Zouboulis et al). 1992;27:277 (Letter)

Thrombocytopenia

Wiskott-Aldrich syndrome: new molecular and biochemical insights (Peacocke and Siminovich). 1992;27:507-22 (CME article)

Thrombosis

Noninflammatory bullae associated with ϵ -aminocaproic acid infusion (Brooke et al). 1992;27:880-2 (Case rep.)

Thyroid neoplasms

Follicular thyroid carcinoma metastatic to the skin (Vives et al). 1992;27:276-7 (Letter)

Ticks

- Failure of *Borrelia burgdorferi* to survive in the skin of patients with antibiotic-treated Lyme disease (Berger et al). 1992;27:34-7
- Ornithodoros tholozani* bites: a unique clinical picture (Leker et al). 1992;27:1025-6 (Brief comm.)

Tinea

- Tinea corporis gladiatorum: an epidemic of *Trichophyton tonsurans* in student wrestlers (Stiller et al). 1992;27:632-3 (Brief comm.)

Tissue donors

- Soft tissue reconstruction with skin grafting (Johnson et al). 1992;27:151-65 (CME article)

Tonofilaments; see Intermediate filaments

Topical administration; see Administration, topical

Toxic epidermal necrolysis; see Epidermal necrolysis, toxic

Toxicodendron; see Rhus

Tretinoin

- Hyperkeratosis lenticularis perstans (Flegel's disease) (Langer et al). 1992;27:812-6 (Case rep.)
- Long-term management of basal cell nevus syndrome with topical tretinoin and 5-fluorouracil (Strange and Lang). 1992;27:842-5 (Case rep.)
- Retinoids: present and future—introduction (Shalita). 1992;27:S1
- Reversible ectropion after long-term use of topical tretinoin on photodamaged skin (Brodell et al). 1992;27:621-2 (Brief comm.)

Trichophyton

- Tinea corporis gladiatorum: an epidemic of *Trichophyton tonsurans* in student wrestlers (Stiller et al). 1992;27:632-3 (Brief comm.)

Tripe palms; see Paraneoplastic syndromes

Tuberculosis, cutaneous

- Pulmonary and cutaneous tuberculosis (Wortman). 1992;27:459-60 (Brief comm.)

Tuberculosis, pulmonary

- Pulmonary and cutaneous tuberculosis (Wortman). 1992;27:459-60 (Brief comm.)

Tuberous sclerosis

- Angiomyolipoma (Mehregan et al). 1992;27:331-3 (Case rep.)

Tumors; see Neoplasms

Twins, monozygotic

- Identical twins with identical alopecia areata (Scerri and Pace). 1992;27:766-7 (Brief comm.)

U

Ulcer

- Foscarnet-induced penile ulcer (Evans and Grossman). 1992;27:124-6 (Brief comm.)
- Leg ulcers (Zimmet) (Letter); (Swanson) (Letter); (Phillips and Dover) (Reply); (Shami and Sarin) (Letter); (Phillips and Dover) (Reply). 1992;27:487-91
- Malignant lymphoma and leukemia with prominent ulceration: clinicopathologic correlation of 33 cases (Helm et al). 1992;27:553-9
- Rapidly progressive penile ulcer: an unusual manifestation of Kaposi's sarcoma (Schmidt et al). 1992;27:267-8 (Brief comm.)

Ultraviolet rays

- Broad-spectrum protection in sunscreen products (Agin) (Letter); (Roelands) (Reply). 1992;27:648-50
- Influence of cumulative sun exposure on the prevalence of common acquired nevi (Harth et al). 1992;27:21-4
- North Carolina tanning operators: Hazard on the horizon? (Fleischer and Fleischer). 1992;27:199-203

Ultraviolet rays—cont'd

- Ozone depletion: the biologic consequences (Lambert). 1992;27:783-5 (Editorial)
- Screening photoprotective agents against UVA radiation (Agin and Stanfield) (Letter); (Kaidbey) (Reply). 1992;27:136-9
- Thinning of the ozone layer: facts and consequences (Coldiron). 1992;27:653-62 (CME article)

Unilateral dermatomal pigmentary dermatosis; see Pigmentation disorders

Unilateral laterothoracic exanthem; see Exanthema

United States Food and Drug Administration

- Approved drugs for unapproved indications: some clouds on the horizon (Weary and Lamberg). 1992;27:133-5 (Editorial)

Universities

- Photographic utilization in dermatology clinics of the United States: a survey of the university-based dermatology residency programs (Shriner and Wagner). 1992;27:565-7

Urticaria

- Systemic therapy with cyclosporine (Amon and Wolff). 1992;27:278-9 (Letter)

UVA radiation; see Ultraviolet rays

V

Varicella-zoster virus

- The Tzanck smear: Can dermatologists accurately interpret it? (Grossman and Silvers). 1992;27:403-5

Vascular lesions

- Treatment of telangiectases and other benign vascular lesions with the 577 nm pulsed dye laser (Gonzalez et al). 1992;27:220-6 (Therapy)

Vascular neoplasms

- Angiomatosis with luminal cryoprotein deposition (LeBoit et al). 1992;27:969-73

Vasculitis

- Current dermatologic therapy (Coskey). 1992;27:599-608 (Therapy)
- Oral lesions in systemic lupus erythematosus (Jorizzo et al). 1992;27:389-94

Verruciform xanthoma; see Xanthomatosis

Viruses

- Current dermatologic therapy (Coskey). 1992;27:599-608 (Therapy)
- Human papillomavirus type 6 infection involving cutaneous nongenital sites (Blauvelt et al). 1992;27:876-9 (Case rep.)
- Unilateral laterothoracic exanthem in children: A new disease? (Bodemer and de Prost). 1992;27:693-6

Vitamin A

- Retinoids: present and future—introduction (Shalita). 1992;27:S1

Vitamin D

- Efficacy and safety of calcipotriol (MC-903) ointment in psoriasis vulgaris (Dubertret et al). 1992;27:983-8 (Therapy)
- Treatment of psoriasis with calcipotriol and other vitamin D analogues (Kragballe). 1992;27:1001-8 (Clin. rev.)

Vitamin K₁; see Phytonadione

Vulva

- Crohn's disease of the vulva (Kim et al). 1992;27:764-5 (Brief comm.)
- Crohn's disease presenting as unilateral labial hypertrophy (Werlin et al). 1992;27:893-5 (Case rep.)
- Steroid-responsive pyoderma gangrenosum with vulvar and pulmonary involvement (Lebbé et al). 1992;27:623-5 (Brief comm.)
- Vulvar melanosis and lentiginosis: a case report (Kanj et al). 1992;27:777-8 (Brief comm.)

W

Weight loss

Starvation-associated pruritus: a clinical feature of eating disorders (Gupta et al). 1992;27:118-20 (Brief comm.)

Wiskott-Aldrich syndrome

Wiskott-Aldrich syndrome: new molecular and biochemical insights (Peacocke and Siminovich). 1992;27:507-22 (CME article)

Wooly hair; see Hair

Wrestling

Tinea corporis gladiatorum: an epidemic of *Trichophyton tonsurans* in student wrestlers (Stiller et al). 1992;27:632-3 (Brief comm.)

X

Xanthomatosis

Eruptive xanthomas during pregnancy (Jaber et al). 1992;27:300-2 (Case rep.)

Xanthomatosis—cont'd

Necrobiotic xanthogranuloma in a human T-lymphotropic virus type 1 carrier (Nishimura et al). 1992;27:886-9 (Case rep.)

Verruciform xanthomas and lymphedema (Snider). 1992;27:1021-3 (Brief comm.)

Y

Yeasts

Quantitative skin cultures of *Pityrosporum* yeasts in patients seropositive for the human immunodeficiency virus with and without seborrheic dermatitis (Wikler et al). 1992;27:37-9

Z

Zosteriform speckled lentiginous nevus; see Nevus, pigmented

